

Marx C, Bendixen A, Hogdall C, Ottosen C, Kehlet H, Ottesen B. Organisation and quality of primary surgical intervention for ovarian cancer in Denmark. *Acta Obstet Gynecol Scand* 2007;86(12):1496-502.

Mueller LL, Munk C, Thomsen BL, Frederiksen K, Kjaer SK. The influence of parity and smoking in the social environment on tobacco consumption among daily smoking women in Denmark. *Eur Addict Res* 2007;13(3):177-84.

Nohr B, Tabor A, Frederiksen K, Kjaer SK. Loop electrosurgical excision of the cervix and the subsequent risk of preterm delivery. *Acta Obstet Gynecol Scand* 2007;86(5):596-603.

Pedersen AT, Iversen OE, Lokkegaard E, Mattsson LA, Milsom I, Nilsen ST, et al. Impact of recent studies on attitudes and use of hormone therapy among Scandinavian gynaecologists. *Acta Obstet Gynecol Scand* 2007;86(12):1490-5.

Petri AL, Hogdall E, Engelholm SA, Christensen IJ, Kjaer SK, Hogdall CK. [Identification of new ovarian cancer biomarkers with proteomic analyses--the diagnostic tool of the future?]. *Ugeskr Laeger* 2007;169(33):2614-9.

Pinborg A, Lidegaard O, Freiesleben NC, Andersen AN. Vanishing twins: a predictor of small-for-gestational age in IVF singletons. *Hum Reprod* 2007;22(10):2707-14.

Rode L, Hegaard HK, Kjaergaard H, Moller LF, Tabor A, Ottesen B. Association between maternal weight gain and birth weight. *Obstet Gynecol* 2007;109(6):1309-15.

Soegaard M, Jensen A, Hogdall E, Christensen L, Hogdall C, Blaakaer J, et al. Different risk factor profiles for mucinous and nonmucinous ovarian cancer: results from the Danish MALOVA study. *Cancer Epidemiol Biomarkers Prev* 2007;16(6):1160-6.

Sogaard-Andersen E, Ottesen BS. [2006--improved treatment of gynecologic cancer. The Danish Society of Obstetrics and Gynecology]. *Ugeskr Laeger* 2007;169(12):1124.

Song H, Ramus SJ, Kjaer SK, Hogdall E, Dicioccio RA, Whittemore AS, et al. Tagging single nucleotide polymorphisms in the BRIP1 gene and susceptibility to breast and ovarian cancer. *PLoS ONE* 2007;2(3):e268.

The Future II Study Group (Kjaer S). Prophylactic efficacy of a quadrivalent human papillomavirus (HPV) vaccine in women with virological evidence of HPV infection. *J Infect Dis* 2007;196(10):1438-46.

## Klinisk Genetisk Afdeling

### Publikationer

---

#### Disputatser og ph.d.-afhandlinger forsvaret i året

Bisgaard AM. The phenotype of patients with submicroscopic chromosomal abnormalities and mental retardation. Description of new microdeletion syndromes (ph.d.-afhandling). København: Eget Forlag; 2007:1-54. Forsvaret den 21/9 2007 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

## Videnskabelige artikler

Barber JC, Maloney VK, Kirchhoff M, Thomas NS, Boyle TA, Castle B. Transmitted duplication of 12q21.32-12q22 includes 48 genes and has no apparent phenotypic consequences. *Am J Med Genet A* 2007;143(6):615-8.

Belloso JM, Bache I, Guitart M, Caballin MR, Halgren C, Kirchhoff M, et al. Disruption of the CNTNAP2 gene in a t(7;15) translocation family without symptoms of Gilles de la Tourette syndrome. *Eur J Hum Genet* 2007;15(6):711-3.

Bisgaard AM, Rasmussen LN, Moller HU, Kirchhoff M, Bryndorf T. Interstitial deletion of the short arm of chromosome 1 (1p13.1p21.1) in a girl with mental retardation, short stature and colobomata. *Clin Dysmorphol* 2007;16(2):109-12.

Bisgaard AM, Kirchhoff M, Nielsen JE, Brandt C, Hove H, Jepsen B, et al. Transmitted cytogenetic abnormalities in patients with mental retardation: pathogenic or normal variants? *Eur J Med Genet* 2007;50(4):243-55.

Brixen KT, Illum NO, Hansen B, Lund AM, Mosekilde L. [Osteogenesis imperfecta--genetics, diagnosis and medical treatment]. *Ugeskr Laeger* 2007;169(1):30-4.

Bugge M, Collins A, Hertz JM, Eiberg H, Lundsteen C, Brandt CA, et al. Non-disjunction of chromosome 13. *Hum Mol Genet* 2007;16(16):2004-10.

Calloe K, Ravn LS, Schmitt N, Sui JL, Duno M, Haunso S, et al. Characterizations of a loss-of-function mutation in the Kir3.4 channel subunit. *Biochem Biophys Res Commun* 2007;364(4):889-95.

Christensen M, Duno M, Lund AM, Skovby F, Christensen E. Xanthurenic aciduria due to a mutation in KYNU encoding kynureninase. *J Inher Metab Dis* 2007;30(2):248-55.

Christiansen DH, Desta F, Andersen MK, Pedersen-Bjergaard J. Mutations of the PTPN11 gene in therapy-related MDS and AML with rare balanced chromosome translocations. *Genes Chromosomes Cancer* 2007;46(6):517-21.

Darvann TA, Hermann NV, Ersboll BK, Kreiborg S, Berkowitz S. Palatal surface area of maxillary plaster casts--a comparison between two-dimensional and three-dimensional measurements. *Cleft Palate Craniofac J* 2007;44(4):381-90.

Duno M, Skovby F, Schwartz M. Leukocyte cDNA analysis of NSD1 derived from confirmed Sotos syndrome patients. *Ann Hum Genet* 2007;71(Pt 6):713-8.

Forestier E, Andersen MK, Autio K, Blennow E, Borgstrom G, Golovleva I, et al. Cytogenetic patterns in ETV6/RUNX1-positive pediatric B-cell precursor acute lymphoblastic leukemia: a Nordic series of 245 cases and review of the literature. *Genes Chromosomes Cancer* 2007;46(5):440-50.

Huang CH, Chang YY, Chen CH, Kuo YS, Hwu WL, Gerdes T, et al. Copy number analysis of survival motor neuron genes by multiplex ligation-dependent probe amplification. *Genet Med* 2007;9(4):241-8.

Jeppesen TD, Quistorff B, Wibrand F, Vissing J. 31P-MRS of skeletal muscle is not a sensitive diagnostic test for mitochondrial myopathy. *J Neurol* 2007;254(1):29-37.

Josefsson P, Geisler CH, Leffers H, Petersen JH, Andersen MK, Jurlander J, et al. CLLU1 expression analysis adds prognostic information to risk prediction in chronic lymphocytic leukemia. *Blood* 2007;109(11):4973-9.

Juul A, Aksglaede L, Lund AM, Duno M, Skakkebaek NE, Rajpert-De Meyts E. Preserved fertility in a non-mosaic Klinefelter patient with a mutation in the fibroblast growth factor receptor 3 gene: case report. *Hum Reprod* 2007;22(7):1907-11.

- Keller MK, Hermann NV, Darvann TA, Larsen P, Hove HD, Christensen L, et al. Craniofacial morphology in Muenke syndrome. *J Craniofac Surg* 2007;18(2):374-86.
- Kirchhoff M, Bisgaard AM, Bryndorf T, Gerdes T. MLPA analysis for a panel of syndromes with mental retardation reveals imbalances in 5.8% of patients with mental retardation and dysmorphic features, including duplications of the Sotos syndrome and Williams-Beuren syndrome regions. *Eur J Med Genet* 2007;50(1):33-42.
- Kirchhoff M, Bisgaard AM, Duno M, Hansen FJ, Schwartz M. A 17q21.31 microduplication, reciprocal to the newly described 17q21.31 microdeletion, in a girl with severe psychomotor developmental delay and dysmorphic craniofacial features. *Eur J Med Genet* 2007;50(4):256-63.
- Kolker S, Christensen E, Leonard JV, Greenberg CR, Burlina AB, Burlina AP, et al. Guideline for the diagnosis and management of glutaryl-CoA dehydrogenase deficiency (glutaric aciduria type I). *J Inherit Metab Dis* 2007;30(1):5-22.
- Lund AM, Joensen F, Hougaard DM, Jensen LK, Christensen E, Christensen M, et al. Carnitine transporter and holocarboxylase synthetase deficiencies in The Faroe Islands. *J Inherit Metab Dis* 2007;30(3):341-9.
- Marini JC, Forlino A, Cabral WA, Barnes AM, San Antonio JD, Milgrom S, et al. Consortium for osteogenesis imperfecta mutations in the helical domain of type I collagen: regions rich in lethal mutations align with collagen binding sites for integrins and proteoglycans. *Hum Mutat* 2007;28(3):209-21.
- Montano AM, Sukegawa K, Kato Z, Carozzo R, Di Natale P, Christensen E, et al. Effect of 'attenuated' mutations in mucopolysaccharidosis IVA on molecular phenotypes of N-acetylgalactosamine-6-sulfate sulfatase. *J Inherit Metab Dis* 2007;30(5):758-67.
- Olafsdottir H, Darvann TA, Hermann NV, Oubel E, Ersboll BK, Frangi AF, et al. Computational mouse atlases and their application to automatic assessment of craniofacial dysmorphology caused by the Crouzon mutation Fgfr2(C342Y). *J Anat* 2007;211(1):37-52.
- Olafsdottir H, Lanche S, Darvann TA, Hermann NV, Larsen R, Ersboll BK, et al. A point-wise quantification of asymmetry using deformation fields: application to the study of the Crouzon mouse model. *Med Image Comput Comput Assist Interv Int Conf Med Image Comput Comput Assist Interv* 2007;10(Pt 2):452-9.
- Olsen BS, Hahnemann JM, Schwartz M, Ostergaard E. Thiamine-responsive megaloblastic anaemia: a cause of syndromic diabetes in childhood. *Pediatr Diabetes* 2007;8(4):239-41.
- Ostergaard E, Hansen FJ, Sorensen N, Duno M, Vissing J, Larsen PL, et al. Mitochondrial encephalomyopathy with elevated methylmalonic acid is caused by SUCLA2 mutations. *Brain* 2007;130(Pt 3):853-61.
- Ostergaard E, Christensen E, Kristensen E, Mogensen B, Duno M, Shoubridge EA, et al. Deficiency of the alpha subunit of succinate-coenzyme A ligase causes fatal infantile lactic acidosis with mitochondrial DNA depletion. *Am J Hum Genet* 2007;81(2):383-7.
- Pedersen-Bjergaard J, Andersen MT, Andersen MK. Genetic pathways in the pathogenesis of therapy-related myelodysplasia and acute myeloid leukemia. *Hematology Am Soc Hematol Educ Program* 2007;2007:392-7.
- Pedersen AM, Skovby F. [Molecular diagnosis of CHARGE syndrom]. *Ugeskr Laeger* 2007;169(5):402-6.
- Pedersen PS, Braunstein TH, Jorgensen A, Larsen PL, Holstein-Rathlou NH, Frederiksen O. Stimulation of aquaporin-5 and transepithelial water permeability in human airway epithelium by hyperosmotic stress. *Pflugers Arch* 2007;453(6):777-85.

Rosenberg T, Klie F, Garred P, Schwartz M. N965S is a common ABCA4 variant in Stargardt-related retinopathies in the Danish population. *Mol Vis* 2007;13:1962-9.

Schwartz M, Duno M, Palle AL, Krag T, Vissing J. Deletion of exon 16 of the dystrophin gene is not associated with disease. *Hum Mutat* 2007;28(2):205.

Ullmann R, Turner G, Kirchhoff M, Chen W, Tonge B, Rosenberg C, et al. Array CGH identifies reciprocal 16p13.1 duplications and deletions that predispose to autism and/or mental retardation. *Hum Mutat* 2007;28(7):674-82.

Vyletal P, Sokolova J, Cooper DN, Kraus JP, Krawczak M, Pepe G, et al. Diversity of cystathionine beta-synthase haplotypes bearing the most common homocystinuria mutation c.833T>C: a possible role for gene conversion. *Hum Mutat* 2007;28(3):255-64.

Yavuz H, Ozel A, Christensen M, Christensen E, Schwartz M, Elmaci M, et al. Treatment of mitochondrial neurogastrointestinal encephalomyopathy with dialysis. *Arch Neurol* 2007;64(3):435-8.

## Neonatalklinikken

### Publikationer

---

#### Disputatser og ph.d.-afhandlinger forsvaret i året

Jensen RB. Long-term effects of fetal growth on postnatal growth, bone mass and pituitary-gonadal function in adolescence (ph.d.-afhandling). København: Eget Forlag; 2007:1-45. Forsvaret den 23/11 2007 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Vielwerth S. Impact of fetal and infant growth on metabolic and cardiovascular health in adolescence (ph.d.-afhandling). København: Eget Forlag; 2006:1-107. Forsvaret den 21/3 2007 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

#### Videnskabelige artikler

Bode S, Hartmann B, Holst JJ, Greisen G. Glucagon-like peptide-2 in umbilical cord blood from mature infants. *Neonatology* 2007;91(1):49-53.

Brok J, Greisen G, Jacobsen T, Gluud LL, Gluud C. Agreement between Cochrane Neonatal Group reviews and clinical guidelines for newborns at a Copenhagen University Hospital - a cross-sectional study. *Acta Paediatr* 2007;96(1):39-43.

Eriksen V, Helvind MH, Greisen G. [Results after ECMO-treatment of newborn babies and infants in Denmark from 1995-2004]. *Ugeskr Laeger* 2007;169(11):1015-8.

Greisen G. Neonatal transfers--a thin layer of glue to keep the service network together? *Arch Dis Child Fetal Neonatal Ed* 2007;92(3):F159-F160.

Jensen RB, Vielwerth S, Larsen T, Greisen G, Veldhuis J, Juul A. Pituitary-gonadal function in adolescent males born appropriate or small for gestational age with or without intrauterine growth restriction. *J Clin Endocrinol Metab* 2007;92(4):1353-7.

Jensen RB, Vielwerth S, Larsen T, Greisen G, Leffers H, Juul A. The presence of the d3-growth hormone receptor polymorphism is negatively associated with fetal growth but positively associated with postnatal growth in healthy subjects. *J Clin Endocrinol Metab* 2007;92(7):2758-63.