

Rigshospitalet
Videnskabelig
publikationsliste

08

INDHOLDSFORTEGNELSE

ABDOMINALCENTRET	3
Anæstesi- og Operationsklinikken	3
Hepatologisk Klinik A	4
Intensiv Terapi Klinik	5
Karkirurgisk Klinik	6
Kirurgisk Gastroenterologisk Klinik C.....	8
Medicinsk Gastroenterologisk Klinik	10
Nefro-endokrinologisk Afd. P/PE	10
Urologisk Klinik	15
DIAGNOSTISK CENTER	16
Infektionshygiejnisk Enhed	16
Klinik for Klinisk Fysiologi/Nuklearmedicin og PET	16
Klinisk Biokemisk Afdeling	20
Klinisk Farmakologisk Afdeling	24
Klinisk Immunologi	25
Klinisk Mikrobiologisk Afdeling.....	28
Patologiafdelingen	33
Radiologisk Klinik	37
FINSENCENTRET	41
Allergiklinikken	41
Center for Inflammation og Metabolisme	42
Center for Muskelforskning	44
Epidemiklinikken	48
Finsenlaboratoriet	53
Hæmatologisk Klinik	56
Institut for Inflammationsforskning (IIR)	59
Onkologisk Klinik og Radioterapiklinikken	61
Reumatologisk Klinik.....	67
Strålebiologisk Laboratorium	68
HJERTECENTRET	70
Hjertemedicinsk Klinik B	70
Thoraxkirurgisk Klinik.....	78
HOVEDORTOCENTRET	80
Anæstesi- og Operationsklinikken	80
Brystkirurgisk Klinik	82
Klinik for Plastikkirurgi og Brandsårsbehandling	83
Ortopædkirurgisk Klinik	84
Tand-mund-kæbekirurgisk Klinik	84
Øjenklinikken.....	86
Øre-næse-halskirurgisk Klinik	87
JULIANE MARIE CENTRET	90
Anæstesi- og Operationsklinikken	90
Enhed for Kirurgisk Patofysiologi	91
Fertilitetsklinikken.....	93
Gynækologisk Klinik.....	95
Klinik for Føtal Medicin og Ultralydskanning.....	97
Klinik for Psykologi, Pædagogik og Socialrådgivning	98
Klinik for Vækst og Reproduktion.....	98
Klinisk Genetisk Afdeling	102
Neonataalklinikken.....	104
Obstetrisk Klinik	105
Pædiatrisk Klinik I og II	108
Reproduktionsbiologisk Laboratorium.....	110
NEUROCENTRET	112
Klinik for Rygmarvsskader	112
Klinisk Neurofysiologisk Klinik.....	113
Krisepsykologisk Enhed	113
Neuroanæstesiologisk Klinik.....	113
Neurokirurgisk Klinik	114
Neurologisk Klinik	116
Dansk Multipel Sclerose Center.....	116
Epilepsiklinikken.....	117
Hukommelsesklinikken og Nationalt Videnscenter for Demens.....	118
Neurobiologisk Forskningsenhed.....	120
Neuromuskulær Klinik.....	122
Tværfagligt Smertecenter	122
Vaskulær og almen neurologi	123

CENTER FOR KLINISK UDDANNELSE (CEKU)	124
Center for Klinisk Uddannelse (CEKU)	124
DET NORDISKE COCHRANE CENTER	125
Copenhagen Trial Unit (CTU) og Cochrane Hepato-Biliary Group (CHBG)	125
Det Nordiske Cochrane Center	127
UNIVERSITETSHOSPITALERNES CENTER FOR SYGEPLEJE- OG OMSORGSFORSKNING (UCSF)	129
Universitetshospitalernes Center for Sygepleje- og omsorgsforskning (UCSF)	129
ØVRIGE AFDELINGER	130
Øvrige afdelinger.....	130

Abdominalcentret

Anæstesi- og Operationsklinikken

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Harms MPM. Cerebral and Cardiovascular dynamics in response to orthostatic stress (disputats). Amsterdam: Eget Forlag; 2008:7-187. Forsvaret den 18/4 2008 ved University of Amsterdam, Faculty of Health Sciences.

Videnskabelige artikler

Albek C, Andersen NE, Brandt B, Nielsen HB. ECMO was lifesaving in a child with pulmonary aspiration. *Paediatr Anaesth* 2008;18(4):355.

Bjerring PN, Hauerberg J, Frederiksen HJ, Jorgensen L, Hansen BA, Tofteng F, et al. Cerebral glutamine concentration and lactate-pyruvate ratio in patients with acute liver failure. *Neurocrit Care* 2008;9(1):3-7.

Crandall CG, Wilson TE, Marving J, Vogelsang TW, Kjaer A, Hesse B, et al. Effects of passive heating on central blood volume and ventricular dimensions in humans. *J Physiol* 2008;586(1):293-301.

Dethloff T, Tofteng F, Frederiksen HJ, Hojskov M, Hansen BA, Larsen FS. Effect of Prometheus liver assist system on systemic hemodynamics in patients with cirrhosis: a randomized controlled study. *World J Gastroenterol* 2008;14(13):2065-71.

Gandhi GY, Murad MH, Flynn DN, Erwin PJ, Cavalcante AB, Bay NH, et al. Effect of perioperative insulin infusion on surgical morbidity and mortality: systematic review and meta-analysis of randomized trials. *Mayo Clin Proc* 2008;83(4):418-30.

Gartner R, Kroman N, Callesen T, Kehlet H. [Multimodal treatment of pain and nausea in breast cancer surgery]. *Ugeskr Laeger* 2008;170(23):2035-8.

Gartner R, Callesen T, Kroman N, Kehlet H. [Postoperative inconveniences after breast cancer surgery]. *Ugeskr Laeger* 2008;170(23):2032-4.

Gonzalez-Alonso J, Mortensen SP, Jeppesen TD, Ali L, Barker H, Damsgaard R, et al. Haemodynamic responses to exercise, ATP infusion and thigh compression in humans: insight into the role of muscle mechanisms on cardiovascular function. *J Physiol* 2008;586(9):2405-17.

Jans O, Tollund C, Bundgaard-Nielsen M, Selmer C, Warberg J, Secher NH. Goal-directed fluid therapy: stroke volume optimisation and cardiac dimensions in supine healthy humans. *Acta Anaesthesiol Scand* 2008;52(4):536-40.

Johansson PI, Bochsén L, Stensballe J, Secher NH. Transfusion packages for massively bleeding patients: the effect on clot formation and stability as evaluated by Thrombelastograph (TEG). *Transfus Apher Sci* 2008;39(1):3-8.

Johansson PI, Swiatek F, Jorgensen L, Jensen LP, Secher NH. Intraoperative platelet and plasma improves survival in patients operated for a rAAA: a follow-up evaluation. *Eur J Vasc Endovasc Surg* 2008;36(4):397-400.

Jorgensen TB, Sorensen AM, Jansen EC. Iatrogenic systemic air embolism treated with hyperbaric oxygen therapy. *Acta Anaesthesiol Scand* 2008;52(4):566-8.

Kim YS, Immink RV, Stok WJ, Karemaker JM, Secher NH, van Lieshout JJ. Dynamic cerebral autoregulatory capacity is affected early in Type 2 diabetes. *Clin Sci (Lond)* 2008;115(8):255-62.

Larsen TS, Rasmussen P, Overgaard M, Secher NH, Nielsen HB. Non-selective beta-adrenergic blockade prevents reduction of the cerebral metabolic ratio during exhaustive exercise in humans. *J Physiol* 2008;586(Pt 11):2807-15.

Mortensen SP, Damsgaard R, Dawson EA, Secher NH, Gonzalez-Alonso J. Restrictions in systemic and locomotor skeletal muscle perfusion, oxygen supply and VO₂ during high-intensity whole-body exercise in humans. *J Physiol* 2008;586(10):2621-35.

Quistorff B, Secher NH, van Lieshout JJ. Lactate fuels the human brain during exercise. *FASEB J* 2008;22(10):3443-9.

Secher NH, Nissen P, Swiatek FA, Frederiksen HJ. [Anaesthesia in connection with liver transplantation]. *Ugeskr Laeger* 2008;170(16):1335-8.

Secher NH, Seifert T, van Lieshout JJ. Cerebral blood flow and metabolism during exercise: implications for fatigue. *J Appl Physiol* 2008;104(1):306-14.

van Lieshout JJ, Secher NH. Point:Counterpoint: Sympathetic activity does/does not influence cerebral blood flow. Point: Sympathetic activity does influence cerebral blood flow. *J Appl Physiol* 2008;105(4):1364-6.

Volianitis S, Fabricius-Bjerre A, Overgaard A, Stromstad M, Bjarrum M, Carlson C, et al. The cerebral metabolic ratio is not affected by oxygen availability during maximal exercise in humans. *J Physiol* 2008;586(1):107-12.

Wagner PD, Secher N.H. Maximal exercise: is it limited centrally or peripherally? In: Taylor NAS GH, ed. *Physiological Bases of Human Performance During Work and Exercise*. Oxford: Churchill Livingstone; 2008:169-76.

Hepatologisk Klinik A

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Dethloff T. Identification of factors responsible for impairment of cerebral blood flow autoregulation in acute liver failure (ph.d.-afhandling). København: Scandinavian Digital; 2008:1-138. Forsvaret den 12/9 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Schiødt FV. Gc-globulin in liver disease (disputats). København: Lægeforeningens Forlag; 2008:1-20. Forsvaret den 23/5 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Bjerring PN, Hauerberg J, Frederiksen HJ, Jorgensen L, Hansen BA, Tofteng F, et al. Cerebral glutamine concentration and lactate-pyruvate ratio in patients with acute liver failure. *Neurocrit Care* 2008;9(1):3-7.

Clausen MR. [Treatment of chronic hepatitis B]. *Ugeskr Laeger* 2008;170(48):3934.

Clemmesen JO, Giraldi A, Ott P, Dalhoff K, Hansen BA, Larsen FS. Sildenafil does not influence hepatic venous pressure gradient in patients with cirrhosis. *World J Gastroenterol* 2008;14(40):6208-12.

Dalgard O, Bjoro K, Ring-Larsen H, Bjornsson E, Holberg-Petersen M, Skovlund E, et al. Pegylated interferon alfa and ribavirin for 14 versus 24 weeks in patients with hepatitis C virus genotype 2 or 3 and rapid virological response. *Hepatology* 2008;47(1):35-42.

Dethloff T, Tofteng F, Frederiksen HJ, Hojskov M, Hansen BA, Larsen FS. Effect of Prometheus liver assist system on systemic hemodynamics in patients with cirrhosis: a randomized controlled study. *World J Gastroenterol* 2008;14(13):2065-71.

Dethloff TJ, Knudsen GM, Larsen FS. Cerebral blood flow autoregulation in experimental liver failure. *J Cereb Blood Flow Metab* 2008;28(5):916-26.

Hansen N, Cowan S, Christensen PB, Weis N. [Reporting chronic hepatitis B and C in Denmark]. *Ugeskr Laeger* 2008;170(18):1567-70.

Henriksen JH, Ring-Larsen H. Rosiglitazone: possible complications and treatment of non-alcoholic steatohepatitis (NASH). *J Hepatol* 2008;48(1):174-6.

Larsen FS, Wendon J. Prevention and management of brain edema in patients with acute liver failure. *Liver Transpl* 2008;14 Suppl 2:S90-S96.

Larsen FS. Treatment of patients with severe autoimmune hepatitis. *Minerva Gastroenterol Dietol* 2008;54(1):57-63.

Ott P, Gronbaek H, Clemmesen JO, Clausen MR, Wettergren A, Havelund T, et al. [Liver biopsy in liver patients with coagulopathy]. *Ugeskr Laeger* 2008;170(45):3671-3.

Intensiv Terapi Klinik

Publikationer

Videnskabelige artikler

Andreasen AS, Krabbe KS, Krogh-Madsen R, Taudorf S, Pedersen BK, Moller K. Human endotoxemia as a model of systemic inflammation. *Curr Med Chem* 2008;15(17):1697-705.

Banke AB, Andersen JS, Heslet L, Johansson PI, Shahidi S. [Mortality and morbidity in surgery for abdominal aortic aneurysm]. *Ugeskr Laeger* 2008;170(43):3430-4.

Berthelsen PG, Bonde J. Udviklingen af intensiv medicin. In: Larsson A, Rubertsson S, Perner A, eds. *Intensiv medicin*. 1st ed. København: FADL's Forlag; 2008:691-8.

Fuhrmann L, Lippert A, Perner A, Ostergaard D. Incidence, staff awareness and mortality of patients at risk on general wards. *Resuscitation* 2008;77(3):325-30.

Jensen JU, Lundgren B, Hein L, Mohr T, Petersen PL, Andersen LH, et al. The Procalcitonin And Survival Study (PASS) - a randomised multi-center investigator-initiated trial to investigate whether daily measurements biomarker Procalcitonin and pro-active diagnostic and therapeutic responses to abnormal Procalcitonin levels, can improve survival in intensive care unit patients. Calculated sample size (target population): 1000 patients. *BMC Infect Dis* 2008;8:91.

Kosteljanetz M, Perner A. Hjernerødtsdiagnostik og organdonation. In: Larsson A, Rubertsson S, Perner A, eds. *Intensiv medicin*. 1st ed. København: FADL's Forlag; 2008:149-60.

Krogh-Madsen R, Plomgaard P, Akerstrom T, Moller K, Schmitz O, Pedersen BK. Effect of short-term intralipid infusion on the immune response during low-dose endotoxemia in humans. *Am J Physiol Endocrinol Metab* 2008;294(2):E371-E379.

Lundby C, Boushel R, Robach P, Moller K, Saltin B, Calbet JA. During hypoxic exercise some vasoconstriction is needed to match O₂ delivery with O₂ demand at the microcirculatory level. *J Physiol* 2008;586(1):123-30.

Moller K, Skinhoj P. [Dexamethasone in acute bacterial meningitis--the global and the local perspective]. *Ugeskr Laeger* 2008;170(3):160.

Pedersen M, Brandt CT, Knudsen GM, Ostergaard C, Skinhoj P, Skovsted IC, et al. The effect of *S. pneumoniae* bacteremia on cerebral blood flow autoregulation in rats. *J Cereb Blood Flow Metab* 2008;28(1):126-34.

Perner A, Aneman A, Guttormsen AB, Karason S, Tenhunen J. Preferences for colloid use in Scandinavian intensive care units. *Acta Anaesthesiol Scand* 2008;52(6):750-8.

Petersen JA, Bunkenborg G, Lund C. [Medical emergency teams]. *Ugeskr Laeger* 2008;170(35):2661-3.

Taudorf S, Krabbe KS, Berg RM, Moller K, Pedersen BK, Bruunsgaard H. Common studied polymorphisms do not affect plasma cytokine levels upon endotoxin exposure in humans. *Clin Exp Immunol* 2008;152(1):147-52.

van Hall G, Steensberg A, Fischer C, Keller C, Moller K, Moseley P, et al. Interleukin-6 markedly decreases skeletal muscle protein turnover and increases nonmuscle amino acid utilization in healthy individuals. *J Clin Endocrinol Metab* 2008;93(7):2851-8.

Karkirurgisk Klinik

Publikationer

Videnskabelige artikler

Berry M, Reznick R, Lystig T, Lonn L. The use of virtual reality for training in carotid artery stenting: a construct validation study. *Acta Radiol* 2008;49(7):801-5.

Berry M, Hellstrom M, Gothlin J, Reznick R, Lonn L. Endovascular training with animals versus virtual reality systems: an economic analysis. *J Vasc Interv Radiol* 2008;19(2 Pt 1):233-8.

Brandberg J, Lonn L, Bergelin E, Sjostrom L, Forssell-Aronsson E, Starck G. Accurate tissue area measurements with considerably reduced radiation dose achieved by patient-specific CT scan parameters. *Br J Radiol* 2008;81(970):801-8.

Delle M, Falkenberg M, Nyman N, Formgren J, Konrad P, Lindgren H, et al. [Misleading about the treatment of abdominal aortic aneurysm]. *Lakartidningen* 2008;105(3):143-4.

Eiberg JP, Hansen MA, Gronvall Rasmussen JB, Schroeder TV. Minimum training requirement in ultrasound imaging of peripheral arterial disease. *Eur J Vasc Endovasc Surg* 2008;36(3):325-30.

Eiberg JP, Grantcharov TP, Eriksen JR, Boel T, Buhl C, Jensen D, et al. Ultrasound of the acute abdomen performed by surgeons in training. *Minerva Chir* 2008;63(1):17-22.

Eriksson JW, Jansson PA, Carlberg B, Hagg A, Kurland L, Svensson MK, et al. Hydrochlorothiazide, but not Candesartan, aggravates insulin resistance and causes visceral and hepatic fat accumulation:

the mechanisms for the diabetes preventing effect of Candesartan (MEDICA) Study. *Hypertension* 2008;52(6):1030-7.

Freiberg JJ, Tybjaerg-Hansen A, Sillesen H, Jensen GB, Nordestgaard BG. Promotor polymorphisms in leukotriene C4 synthase and risk of ischemic cerebrovascular disease. *Arterioscler Thromb Vasc Biol* 2008;28(5):990-6.

Frevert S, Dahl B, Lonn L. Update on the roles of angiography and embolisation in pelvic fracture. *Injury* 2008;39(11):1290-4.

Goldstein LB, Amarenco P, Szarek M, Callahan A, III, Hennerici M, Sillesen H, et al. Hemorrhagic stroke in the Stroke Prevention by Aggressive Reduction in Cholesterol Levels study. *Neurology* 2008;70(24 Pt 2):2364-70.

Goldstein LB, Amarenco P, Lamonte M, Gilbert S, Messig M, Callahan A, et al. Relative effects of statin therapy on stroke and cardiovascular events in men and women: secondary analysis of the Stroke Prevention by Aggressive Reduction in Cholesterol Levels (SPARCL) Study. *Stroke* 2008;39(9):2444-8.

Jensen LP. [Abdominal aortic aneurysms]. *Ugeskr Laeger* 2008;170(23):2001.

Joensen JB, Juul S, Henneberg E, Thomsen G, Ostergaard L, Lindholt JS. Can long-term antibiotic treatment prevent progression of peripheral arterial occlusive disease? A large, randomized, double-blinded, placebo-controlled trial. *Atherosclerosis* 2008;196(2):937-42.

Joensen JB, Juul S, Abrahamsen J, Henneberg EW, Lindholt JS. Doppler ultrasound compared with strain gauge for measurement of systolic ankle blood pressure. *Angiology* 2008;59(3):296-300.

Johansson PI, Swiatek F, Jorgensen L, Jensen LP, Secher NH. Intraoperative platelet and plasma improves survival in patients operated for a rAAA: a follow-up evaluation. *Eur J Vasc Endovasc Surg* 2008;36(4):397-400.

Klitfod L, Baekgaard N, Just S, Skott P, Jensen LP. [Modern treatment of type B dissections]. *Ugeskr Laeger* 2008;170(37):2858-63.

Leonhardt H, Mellander S, Snygg J, Lonn L. Endovascular management of acute bleeding arterioenteric fistulas. *Cardiovasc Intervent Radiol* 2008;31(3):542-9.

Lonn L, Resch T, Lindholt JS. Endovascular treatment of aortic aneurysms: A Scandinavian point of view. In: Sakalihasan N, Kuivaniemi H, Michel JB, eds. *Aortic Aneurysms. New insights into an old problem*. Liège: Les Éditions de l'Université de Liège; 2008:407-29.

Lonn L. [Endovascular repair of aortic aneurysm a paradigmatic shift]. *Ugeskr Laeger* 2008;170(11):926-8.

Lonn L, Frevert S. Kärlsystemet och kärlinterventioner. In: Aspelin P, Pettersson H, eds. *Radiologi*. Lund: Studentlitteratur; 2008:700-22.

Madsen MA, Frevert S, Madsen PL, Eiberg JP. Splenic arteriovenous fistula treated with percutaneous transarterial embolization. *Eur J Vasc Endovasc Surg* 2008;36(5):562-4.

Pelta AM, Jorgensen M, Just SR, Jensen LP. [Bilateral deep venous thrombosis and vena cava aplasia treated with local thrombolysis]. *Ugeskr Laeger* 2008;170(21):1849.

Rasmussen L, Fugleholm AM, Jensen LP. [Quality in focus. The Danish Society for Health Sector Quality]. *Ugeskr Laeger* 2008;170(12):1044.

Rathenborg LK, Baekgaard N, Jensen LP. [Carotid endarterectomy. Experiences with shortening of interval between symptom and operation]. *Ugeskr Laeger* 2008;170(3):125-7.

Schroeder TV. Evidence-based medicine in rapidly changing technologies. *Scand J Surg* 2008;97(2):100-4.

Schroeder TV. [Registration of clinical trials--results included now!]. *Ugeskr Laeger* 2008;170(18):1535.

Schroeder TV. Vascular Surgery and Interventional Radiology - Time for integrated fellowships and eventually a merger. *Interv Radiol Vasc Surg* 2008;5.

Sillesen H. What does 'best medical therapy' really mean? *Eur J Vasc Endovasc Surg* 2008;35(2):139-44.

Sillesen H, Amarenco P, Hennerici MG, Callahan A, Goldstein LB, Zivin J, et al. Atorvastatin reduces the risk of cardiovascular events in patients with carotid atherosclerosis: a secondary analysis of the Stroke Prevention by Aggressive Reduction in Cholesterol Levels (SPARCL) trial. *Stroke* 2008;39(12):3297-302.

Zacho J, Tybjaerg-Hansen A, Jensen JS, Grande P, Sillesen H, Nordestgaard BG. Genetically elevated C-reactive protein and ischemic vascular disease. *N Engl J Med* 2008;359(18):1897-908.

Kirurgisk Gastroenterologisk Klinik C

Publikationer

Videnskabelige artikler

Alamili M, Berg JO, Lindstrom C, Jensen CV, Wettergren A. [Gastroduodenal intussusception causing gastric retention.]. *Ugeskr Laeger* 2008;170(9):753.

Andersen PA, Chakera AH, Klausen TL, Binderup T, Grossjohann HS, Friis E, et al. Radiation exposure to surgical staff during F-18-FDG-guided cancer surgery. *Eur J Nucl Med Mol Imaging* 2008;35(3):624-9.

Arguimbau LO, Rasmussen A, Larsen PN. [Intra-arterial chemo-embolisation and portal vein embolisation prior to liver resection.]. *Ugeskr Laeger* 2008;170(7):549.

Bardram L, Jendresen M. [Laparoscopic splenectomy]. *Ugeskr Laeger* 2008;170(11):923.

Binderup T, Knigge U, Mellon MA, Palnaes HC, Kjaer A. Quantitative gene expression of somatostatin receptors and noradrenaline transporter underlying scintigraphic results in patients with neuroendocrine tumors. *Neuroendocrinology* 2008;87(4):223-32.

Cortes D, Kjellberg EM, Breddam M, Thorup J. The true incidence of cryptorchidism in Denmark. *J Urol* 2008;179(1):314-8.

Ewertsen C, Svendsen CB, Svendsen LB, Mogensen AM. [Inflammatory cloacogenic polyp]. *Ugeskr Laeger* 2008;170(35):2708.

Hansen CP, Knigge U. [Biotherapy of neuroendocrine tumours of the gastrointestinal tract and pancreas]. *Ugeskr Laeger* 2008;170(24):2145-8.

Hillingso JG, Kirkegaard P. [Cysts of the liver]. *Ugeskr Laeger* 2008;170(16):1350-3.

Hillingso JG, Svendsen LB, Schulze S. [Debate on specialist education--again. The Danish Surgical Society]. *Ugeskr Laeger* 2008;170(12):1036.

Hillingso JG, Svendsen LB, Nielsen MB. Focused bedside ultrasonography by clinicians: experiences with a basic introductory course. *Scand J Gastroenterol* 2008;43(2):229-33.

Jendresen MB, Qvist N. [Postoperative peritoneal adhesions]. *Ugeskr Laeger* 2008;170(42):3321-4.

Johansen LS, Christensen TH, Bendixen A, Nordling J, Jensen KM, Kehlet H. [Cystectomy in Denmark 2000-2005]. *Ugeskr Laeger* 2008;170(4):215-7.

Klintmann CK, Hillingso JG, Glenthoj A. [Acute ischemic proctitis following an epileptic attack]. *Ugeskr Laeger* 2008;170(40):3124-5.

Knigge U, Hansen CP, Stadil F. Interventional treatment of neuroendocrine liver metastases. *Surgeon* 2008;6(4):232-9.

Kortbeek JB, Al Turki SA, Ali J, Antoine JA, Bouillon B, Brasel K, et al. Advanced trauma life support, 8th edition, the evidence for change. *J Trauma* 2008;64(6):1638-50.

Krohn PS, Hillingso JG, Kirkegaard P. Liver transplantation in polycystic liver disease: a relevant treatment modality for adults? *Scand J Gastroenterol* 2008;43(1):89-94.

Nielsen KR, Grossjohann HS, Hansen CP, Nielsen MB. Use of contrast-enhanced ultrasound imaging to detect the first draining lymph node (FDLN) in a swine model: correlation of imaging findings with the distance from the injection site to the FDLN. *J Ultrasound Med* 2008;27(8):1203-9.

Ott P, Gronbaek H, Clemmesen JO, Clausen MR, Wettergren A, Havelund T, et al. [Liver biopsy in liver patients with coagulopathy]. *Ugeskr Laeger* 2008;170(45):3671-3.

Pallesen L, Kofod T, Kirkegaard P, Mortensen S. Odontogen fokussanering forud for organtransplantation. *Tandlaegebladet* 2008;112:518-27.

Petersen C, Harder D, Abola Z, Alberti D, Becker T, Chardot C, et al. European biliary atresia registries: summary of a symposium. *Eur J Pediatr Surg* 2008;18(2):111-6.

Plockinger U, Couvelard A, Falconi M, Sundin A, Salazar R, Christ E, et al. Consensus guidelines for the management of patients with digestive neuroendocrine tumours: well-differentiated tumour/carcinoma of the appendix and goblet cell carcinoma. *Neuroendocrinology* 2008;87(1):20-30.

Rappeport ED, Larsen PN. [Diagnostic imaging before liver surgery]. *Ugeskr Laeger* 2008;170(16):1330-3.

Rasmussen A, Kvist N, Kirkegaard P, Rechnitzer C. [Surgical treatment of children with hepatic tumours]. *Ugeskr Laeger* 2008;170(16):1366-9.

Rehfeld J, Bardram L. Lægevidenskab og rekruttering af læger til forskning. *Biozoom* 2008;11(4):17-9.

Sonne M, Hillingso J. [Intraabdominal hypertension and abdominal compartment syndrome]. *Ugeskr Laeger* 2008;170(7):527-31.

Thorup J, Cortes D. Cryptorchidism aspects of pathogenesis. *Journal of Pediatric Surgical Specialties* 2008;2(1):18-23.

van Hasselt PM, de Koning TJ, Kvist N, de Vries E, Lundin CR, Berger R, et al. Prevention of vitamin K deficiency bleeding in breastfed infants: lessons from the Dutch and Danish biliary atresia registries. *Pediatrics* 2008;121(4):e857-e863.

Wettergren A, Larsen PN, Rasmussen A, Hillingso JG, Kirkegaard P. [Liver resection over the last decade]. *Ugeskr Laeger* 2008;170(16):1326-9.

Medicinsk Gastroenterologisk Klinik

Publikationer

Videnskabelige artikler

Gottschalck IB, Jeppesen PB, Holst JJ, Henriksen DB. Reduction in bone resorption by exogenous glucagon-like peptide-2 administration requires an intact gastrointestinal tract. *Scand J Gastroenterol* 2008;43(8):929-37.

Gottschalck IB, Jeppesen PB, Hartmann B, Holst JJ, Henriksen DB. Effects of treatment with glucagon-like peptide-2 on bone resorption in colectomized patients with distal ileostomy or jejunostomy and short-bowel syndrome. *Scand J Gastroenterol* 2008;43(11):1304-10.

Jeppesen PB. Short-bowel syndrome treated with glucagon-like peptide 2. *The Danish Society for Gastroenterology. Ugeskr Laeger* 2008;170(12):1024.

Pironi L, Forbes A, Joly F, Colomb V, Lyszkowska M, Van Gossum A, et al. Survival of patients identified as candidates for intestinal transplantation: a 3-year prospective follow-up. *Gastroenterology* 2008;135(1):61-71.

Nefro-endokrinologisk Afd. P/PE

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Brandt L. One-alpha-hydroxy-cholecalciferol - an active vitamin D analog (disputats). København: Lægeforeningens Forlag; 2008:1-104. Forsvaret den 3/10 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Nielsen LR. Severe hypoglycaemia in pregnant women with type 1 diabetes: Incidence, predictors and possible pathophysiological factors (ph.d.-afhandling). København: Eget Forlag; 2008:1-58. Forsvaret den 2/9 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Abrams P, Boquete H, Fideleff H, Feldt-Rasmussen U, Jonsson PJ, Koltowska-Haggstrom M, et al. GH replacement in hypopituitarism improves lipid profile and quality of life independently of changes in obesity variables. *Eur J Endocrinol* 2008;159(6):825-32.

Agate L, Mariotti S, Elisei R, Mossa P, Pacini F, Molinaro E, et al. Thyroid autoantibodies and thyroid function in subjects exposed to Chernobyl fallout during childhood: evidence for a transient radiation-induced elevation of serum thyroid antibodies without an increase in thyroid autoimmune disease. *J Clin Endocrinol Metab* 2008;93(7):2729-36.

Astrup AS, Tarnow L, Pietraszek L, Schalkwijk CG, Stehouwer CD, Parving HH, et al. Markers of endothelial dysfunction and inflammation in type 1 diabetic patients with or without diabetic nephropathy followed for 10 years: association with mortality and decline of glomerular filtration rate. *Diabetes Care* 2008;31(6):1170-6.

Astrup AS, Kim WY, Tarnow L, Botnar RM, Simonsen C, Brix L, et al. Relation of left ventricular function, mass, and volume to NT-proBNP in type 1 diabetic patients. *Diabetes Care* 2008;31(5):968-70.

Bremholm L, Hornum M, Henriksen BM, Larsen S, Holst JJ. Glucagon-like peptide-2 increases mesenteric blood flow in humans. *Scand J Gastroenterol* 2008;1-6.

Bro S, Flyvbjerg A, Binder CJ, Bang CA, Denner L, Olgaard K, et al. A neutralizing antibody against receptor for advanced glycation end products (RAGE) reduces atherosclerosis in uremic mice. *Atherosclerosis* 2008;201(2):274-80.

Chaturvedi N, Porta M, Klein R, Orchard T, Fuller J, Parving HH, et al. Effect of candesartan on prevention (DIRECT-Prevent 1) and progression (DIRECT-Protect 1) of retinopathy in type 1 diabetes: randomised, placebo-controlled trials. *Lancet* 2008;372(9647):1394-402.

Christiansen MS, Iversen K, Larsen CT, Goetze JP, Hommel E, Molvig J, et al. Increased urinary orosomucoid excretion: a proposed marker for inflammation and endothelial dysfunction in patients with type 2 diabetes. *Scand J Clin Lab Invest* 2008;1-10.

Clausen TD, Mathiesen ER, Hansen T, Pedersen O, Jensen DM, Lauenborg J, et al. High prevalence of type 2 diabetes and pre-diabetes in adult offspring of women with gestational diabetes mellitus or type 1 diabetes: the role of intrauterine hyperglycemia. *Diabetes Care* 2008;31(2):340-6.

Cordtz J, Olde B, Solem K, Ladefoged SD. Central venous oxygen saturation and thoracic admittance during dialysis: new approaches to hemodynamic monitoring. *Hemodial Int* 2008;12(3):369-77.

Danielsen ER, Elberling TV, Rasmussen AK, Dock J, Hording M, Perrild H, et al. Reduced parietooccipital white matter glutamine measured by proton magnetic resonance spectroscopy in treated graves' disease patients. *J Clin Endocrinol Metab* 2008;93(8):3192-8.

Delpont E, Cordeiro JM, Nunez L, Thomsen PE, Guerschicoff A, Pollevick GD, et al. Functional effects of KCNE3 mutation and its role in the development of Brugada syndrome. *Circ Arrhythm Electrophysiol* 2008;1(3):209-18.

Ekbom P, Damm P, Feldt-Rasmussen B, Feldt-Rasmussen U, Jensen DM, Mathiesen ER. Elevated third-trimester haemoglobin A 1c predicts preterm delivery in type 1 diabetes. *J Diabetes Complications* 2008;22(5):297-302.

Elung-Jensen T, Strandgaard S, Kamper AL. Longitudinal observations on circadian blood pressure variation in chronic kidney disease stages 3-5. *Nephrol Dial Transplant* 2008;23(9):2873-8.

Emmersen PB, Kronborg VH, Illeborg L, Mathiesen ER. A case of well-established breastfeeding for a 61-year-old woman after menopause. *J Hum Lact* 2008;24(2):217-8.

Frimodt-Moller M, Nielsen AH, Kamper AL, Strandgaard S. Reproducibility of pulse-wave analysis and pulse-wave velocity determination in chronic kidney disease. *Nephrol Dial Transplant* 2008;23(2):594-600.

Gaede P, Valentine WJ, Palmer AJ, Tucker DM, Lammert M, Parving HH, et al. Cost-effectiveness of intensified versus conventional multifactorial intervention in type 2 diabetes: results and projections from the Steno-2 study. *Diabetes Care* 2008;31(8):1510-5.

Gaede P, Lund-Andersen H, Parving HH, Pedersen O. Effect of a multifactorial intervention on mortality in type 2 diabetes. *N Engl J Med* 2008;358(6):580-91.

Gaede PH, Lund-Andersen H, Parving HH, Pedersen OB. Intensiv multifaktoriel behandling og mortalitet ved type 2-diabetes - sekundærpublikation. *Ugeskr Laeger* 2008;170:952-5.

Helleskov ML, Ladefoged S, Hildebrandt P, Atar D. Comparison of four different cardiac troponin assays in patients with end-stage renal disease on chronic haemodialysis. *Acute Card Care* 2008;10(3):173-80.

Hod M, Damm P, Kaaja R, Visser GH, Dunne F, Demidova I, et al. Fetal and perinatal outcomes in type 1 diabetes pregnancy: a randomized study comparing insulin aspart with human insulin in 322 subjects. *Am J Obstet Gynecol* 2008;198(2):186-7.

Hornum M, Mortensen KL, Kamper AL, Andersen AB. Limitations of the QuantiFERON-TB Gold test in detecting *Mycobacterium tuberculosis* infection in immunocompromised patients. *Eur J Intern Med* 2008;19(2):137-9.

Jorsal A, Tarnow L, Frystyk J, Lajer M, Flyvbjerg A, Parving HH, et al. Serum adiponectin predicts all-cause mortality and end stage renal disease in patients with type I diabetes and diabetic nephropathy. *Kidney Int* 2008;74(5):649-54.

Jorsal A, Tarnow L, Flyvbjerg A, Parving HH, Rossing P, Rasmussen LM. Plasma osteoprotegerin levels predict cardiovascular and all-cause mortality and deterioration of kidney function in type 1 diabetic patients with nephropathy. *Diabetologia* 2008;51(11):2100-7.

Jorsal A, Tarnow L, Lajer M, Ek J, Hansen T, Pedersen O, et al. The PPAR gamma 2 Pro12Ala variant predicts ESRD and mortality in patients with type 1 diabetes and diabetic nephropathy. *Mol Genet Metab* 2008;94(3):347-51.

Joseph G, Tarnow L, Astrup AS, Hansen TK, Parving HH, Flyvbjerg A, et al. Plasma alpha-defensin is associated with cardiovascular morbidity and mortality in type 1 diabetic patients. *J Clin Endocrinol Metab* 2008;93(4):1470-5.

Kamper AL, Sorensen SS. Kronisk dialysebehandling. *Maanedsskrift for Praktisk Laegegerning* 2008;86:1261-8.

Kamper AL, Sorensen SS. Kronisk nyresygdom. *Maanedsskrift for Praktisk Laegegerning* 2008;86:953-63.

Ketteler M, Rix M, Fan S, Pritchard N, Oestergaard O, Chasan-Taber S, et al. Efficacy and tolerability of sevelamer carbonate in hyperphosphatemic patients who have chronic kidney disease and are not on dialysis. *Clin J Am Soc Nephrol* 2008;3(4):1125-30.

Klose M, Feldt-Rasmussen U. Does the type and severity of brain injury predict hypothalamo-pituitary dysfunction? Does post-traumatic hypopituitarism predict worse outcome? *Pituitary* 2008;11(3):255-61.

Kopple JD, Cheung AK, Christiansen JS, Djurhuus CB, El Nahas M, Feldt-Rasmussen B, et al. OP-PORTUNITY: a randomized clinical trial of growth hormone on outcome in hemodialysis patients. *Clin J Am Soc Nephrol* 2008;3(6):1741-51.

Lajer M, Tarnow L, Jorsal A, Teerlink T, Parving HH, Rossing P. Plasma concentration of asymmetric dimethylarginine (ADMA) predicts cardiovascular morbidity and mortality in type 1 diabetic patients with diabetic nephropathy. *Diabetes Care* 2008;31(4):747-52.

Langham RG, Kelly DJ, Gow RM, Zhang Y, Cox AJ, Qi W, et al. Increased renal gene transcription of protein kinase C-beta in human diabetic nephropathy: relationship to long-term glycaemic control. *Diabetologia* 2008;51(4):668-74.

Larsen K, Jensen T, Karlsmark T, Holstein PE. Incidence of bullosis diabeticorum--a controversial cause of chronic foot ulceration. *Int Wound J* 2008;5(4):591-6.

Lauenborg J, Mathiesen ER, Molsted L, Damm P. Diabetes mellitus and the metabolic syndrome after gestational diabetes. In: Hod M, ed. *Textbook of diabetes and pregnancy*. London: Informa; 2008:379-85.

Leth H, Andersen KK, Frystyk J, Tarnow L, Rossing P, Parving HH, et al. Elevated levels of high-molecular-weight adiponectin in type 1 diabetes. *J Clin Endocrinol Metab* 2008;93(8):3186-91.

- Lindegaard ML, Svarrer EM, Damm P, Mathiesen ER, Nielsen LB. Increased LDL cholesterol and CRP in infants of mothers with type 1 diabetes. *Diabetes Metab Res Rev* 2008;24(6):465-71.
- Lund SS, Petersen M, Frandsen M, Smidt UM, Parving HH, Vaag AA, et al. Sustained postprandial decrease in plasma levels of LDL cholesterol in patients with type-2 diabetes mellitus. *Scand J Clin Lab Invest* 2008;68(7):628-40.
- Lund SS, Tarnow L, Stehouwer CD, Schalkwijk CG, Teerlink T, Gram J, et al. Impact of metformin versus repaglinide on non-glycaemic cardiovascular risk markers related to inflammation and endothelial dysfunction in non-obese patients with type 2 diabetes. *Eur J Endocrinol* 2008;158(5):631-41.
- Lund SS, Tarnow L, Astrup AS, Hovind P, Jacobsen PK, Alibegovic AC, et al. Effect of adjunct metformin treatment in patients with type-1 diabetes and persistent inadequate glycaemic control. A randomized study. *PLoS ONE* 2008;3(10):e3363.
- Lund SS, Tarnow L, Frandsen M, Smidt UM, Pedersen O, Parving HH, et al. Impact of metformin versus the prandial insulin secretagogue, repaglinide, on fasting and postprandial glucose and lipid responses in non-obese patients with type 2 diabetes. *Eur J Endocrinol* 2008;158(1):35-46.
- Lykke JA, Tarnow L, Parving HH, Hilsted J. A combined abnormality in heart rate variation and QT corrected interval is a strong predictor of cardiovascular death in type 1 diabetes. *Scand J Clin Lab Invest* 2008;654-9.
- Mathiesen ER, Damm P. Pregnancy - Pharmacological problems. In: Mogensen CE, ed. *Pharmacotherapy of Diabetes*. New York: Springer; 2008:249-55.
- Mathiesen ER. Insulin aspart in diabetic pregnancy: state of the art. *Womens Health (Lond Engl)* 2008;4(2):119-24.
- Mathiesen ER, Damm P. Diabetic vascular complications in pregnancy: Nephropathy. In: Hod M, ed. *Textbook of diabetes and pregnancy*. London: Informa; 2008:330-3.
- Mathiesen ER, Rasmussen KL, Laugesen CS, Datta N, Damm P. [Diabetic retinopathy during pregnancy.]. *Ugeskr Laeger* 2008;170(50):4117-21.
- Mathiesen ER, Vaz JA. Insulin treatment in diabetic pregnancy. *Diabetes Metab Res Rev* 2008;24 Suppl 2:S3-20.
- McCance DR, Damm P, Mathiesen ER, Hod M, Kaaja R, Dunne F, et al. Evaluation of insulin antibodies and placental transfer of insulin aspart in pregnant women with type 1 diabetes mellitus. *Diabetologia* 2008;51(11):2141-3.
- Moser C, Elung-Jensen T, Hoiby N. [New recommendations for antibiotic dosing in patients with renal insufficiency and in patients undergoing haemodialysis]. *Ugeskr Laeger* 2008;170(8):629-32.
- Nguyen TQ, Tarnow L, Jorsal A, Oliver N, Roestenberg P, Ito Y, et al. Plasma connective tissue growth factor is an independent predictor of end-stage renal disease and mortality in type 1 diabetic nephropathy. *Diabetes Care* 2008;31(6):1177-82.
- Nielsen LR, Pedersen-Bjergaard U, Thorsteinsson B, Johansen M, Damm P, Mathiesen ER. Hypoglycemia in pregnant women with type 1 diabetes: predictors and role of metabolic control. *Diabetes Care* 2008;31(1):9-14.
- Olgaard K, Lewin E. Use (or misuse) of vitamin D treatment in CKD and dialysis patients. *Nephrol Dial Transplant* 2008;23(6):1786-9.
- Parving HH, Persson F, Lewis JB, Lewis EJ, Hollenberg NK. Aliskiren combined with losartan in type 2 diabetes and nephropathy. *N Engl J Med* 2008;358(23):2433-46.

- Parving HH, de Zeeuw D, Cooper ME, Remuzzi G, Liu N, Lunceford J, et al. ACE gene polymorphism and losartan treatment in type 2 diabetic patients with nephropathy. *J Am Soc Nephrol* 2008;19(4):771-9.
- Parving HH, Mauer M, Ritz E. Diabetic nephropathy. In: Brenner B, ed. *The Kidney*. Philadelphia: Elsevier; 2008:1265-98.
- Persson F, Rossing P, Schjoedt KJ, Juhl T, Tarnow L, Stehouwer CD, et al. Time course of the anti-proteinuric and antihypertensive effects of direct renin inhibition in type 2 diabetes. *Kidney Int* 2008;73(12):1419-25.
- Persson F, Rossing P, Hovind P, Stehouwer CD, Schalkwijk CG, Tarnow L, et al. Endothelial dysfunction and inflammation predict development of diabetic nephropathy in the Irbesartan in Patients with Type 2 Diabetes and Microalbuminuria (IRMA 2) study. *Scand J Clin Lab Invest* 2008;68(8):731-8.
- Ravn LS, Aizawa Y, Pollevick GD, Hofman-Bang J, Cordeiro JM, Dixen U, et al. Gain of function in IKs secondary to a mutation in KCNE5 associated with atrial fibrillation. *Heart Rhythm* 2008;5(3):427-35.
- Ringholm NL, Juul A, Pedersen-Bjergaard U, Thorsteinsson B, Damm P, Mathiesen ER. Lower levels of circulating IGF-I in Type 1 diabetic women with frequent severe hypoglycaemia during pregnancy. *Diabet Med* 2008;25(7):826-33.
- Schjoedt KJ, Hansen HP, Tarnow L, Rossing P, Parving HH. Long-term prevention of diabetic nephropathy: an audit. *Diabetologia* 2008;51(6):956-61.
- Sjolie AK, Klein R, Porta M, Orchard T, Fuller J, Parving HH, et al. Effect of candesartan on progression and regression of retinopathy in type 2 diabetes (DIRECT-Protect 2): a randomised placebo-controlled trial. *Lancet* 2008;372(9647):1385-93.
- Sprague SM, Belozeroff V, Danese MD, Martin LP, Olgaard K. Abnormal bone and mineral metabolism in kidney transplant patients--a review. *Am J Nephrol* 2008;28(2):246-53.
- Stochholm K, Laursen T, Green A, Laurberg P, Andersen M, Kristensen LO, et al. Morbidity and GH deficiency: a nationwide study. *Eur J Endocrinol* 2008;158(4):447-57.
- Sørensen SS, Kamper AK. Nyretransplantation. *Maanedsskrift for Praktisk Laegegerning* 2008;86:1509-14.
- Tarnow L, Groop PH, Hadjadj S, Kazeem G, Cambien F, Marre M, et al. European rational approach for the genetics of diabetic complications--EURAGEDIC: patient populations and strategy. *Nephrol Dial Transplant* 2008;23(1):161-8.
- Tershakovec AM, Keane WF, Zhang Z, Lyle PA, Appel GB, McGill JB, et al. Effect of LDL cholesterol and treatment with losartan on end-stage renal disease in the RENAAL study. *Diabetes Care* 2008;31(3):445-7.
- Tregouet DA, Groop PH, McGinn S, Forsblom C, Hadjadj S, Marre M, et al. G/T substitution in intron 1 of the UNC13B gene is associated with increased risk of nephropathy in patients with type 1 diabetes. *Diabetes* 2008;57(10):2843-50.
- Vestgaard M, Nielsen LR, Rasmussen AK, Damm P, Mathiesen ER. Thyroid peroxidase antibodies in pregnant women with type 1 diabetes: impact on thyroid function, metabolic control and pregnancy outcome. *Acta Obstet Gynecol Scand* 2008;87(12):1336-42.
- Vlahou A, Schanstra J, Frokiaer J, El Nahas M, Spasovski G, Mischak H, et al. Establishment of a European Network for Urine and Kidney Proteomics. *J Proteomics* 2008;71(4):490-2.
- Watt T, Feldt-Rasmussen U, Rasmussen AK, Hegedus L, Bonnema SJ, Gronvold M, et al. [Measurement of health-related quality of life in thyroid patients]. *Ugeskr Laeger* 2008;170(10):850-2.

Watt T, Rasmussen AK, Groenvold M, Bjorner JB, Watt SH, Bonnema SJ, et al. Improving a newly developed patient-reported outcome for thyroid patients, using cognitive interviewing. *Qual Life Res* 2008;17(7):1009-17.

Wilcox WR, Oliveira JP, Hopkin RJ, Ortiz A, Banikazemi M, Feldt-Rasmussen U, et al. Females with Fabry disease frequently have major organ involvement: lessons from the Fabry Registry. *Mol Genet Metab* 2008;93(2):112-28.

Yousaf U, Christensen LH, Rasmussen AK, Jensen F, Mollerup CL, Kirkegaard J, et al. Immunohistochemical staining for thyroid peroxidase (TPO) of needle core biopsies in the diagnosis of scintigraphically cold thyroid nodules. *Clin Endocrinol (Oxf)* 2008;68(6):996-1001.

Urologisk Klinik

Publikationer

Videnskabelige artikler

Bigum LH, Jensen JB, Jensen KM, Thind P. [Function of neobladders in women after cystectomy]. *Ugeskr Laeger* 2008;170(43):3416-9.

Borre M, Iversen P, Bendixen A, Iversen MG, Kehlet H. [Organisation and early outcome after radical prostatectomy in Denmark 2004-2007]. *Ugeskr Laeger* 2008;170(34):2545-9.

Colstrup H, Thind P. Gunnar and the probe. In: Brostrøm S, Mouritsen L, Sørensen T, eds. In the high-pressure zone. Kolding: In Print a/s; 2008:22-5.

Hedlund PO, Damber JE, Hagerman I, Haukaas S, Henriksson P, Iversen P, et al. Parenteral estrogen versus combined androgen deprivation in the treatment of metastatic prostatic cancer: part 2. Final evaluation of the Scandinavian Prostatic Cancer Group (SPCG) Study No. 5. *Scand J Urol Nephrol* 2008;42(3):220-9.

Iversen P, Roder MA. The Early Prostate Cancer program: bicalutamide in nonmetastatic prostate cancer. *Expert Rev Anticancer Ther* 2008;8(3):361-9.

Rindom AB, Gudnason HM, Thind PO. [Emphysematous cystitis with total necrotization of the bladder]. *Ugeskr Laeger* 2008;170(47):3876.

Roder MA, Reinhardt S, Brasso K, Iversen P. [Prostate cancer patients with lymph node metastasis. Outcome in a consecutive group of 59 patients]. *Ugeskr Laeger* 2008;170(34):2554-8.

Diagnostisk Center

Infektionshygiejnisk Enhed

Publikationer

Videnskabelige artikler

Böcher S, Gervelmeyer A, Monnet DL, Molbak K, Skov RL, Collaborator:Andersen LP. Danish CA-MRSA Study Group. *Clin Microbiol Infect* 2008;14(10):942-8.

Graff LB, Andersen LP, Bremmelgaard A, Bonnevie O, Bondesen S, Danneskjold-Samsøe B, et al. Effect of eradication of *Helicobacter pylori* in rheumatoid arthritis patients. *J Pre-Clin and Clin Res* 2008;1(1):74-9.

Graff LB, Andersen LP, Bremmelgaard A, Bonnevie O, Bondesen S, Danneskjold-Samsøe B, et al. *Helicobacter pylori* and rheumatoid arthritis. *J Pre-Clin and Clin Res* 2008;1(1):68-73.

Hoiby N, Ciofu O, Johansen HK, Andersen LP. Generel bakteriologi. In: Hoiby N, Skinhoj P, eds. *Klinisk Mikrobiologi og Infektionsmedicin*. 3rd ed. København: FADL's Forlag; 2008:21-107.

Hoiby N, Johansen HK, Andersen LP. Klinisk bakteriologi, infektionshygiejne og antibiotikabehandling. In: Hoiby N, Skinhoj P, eds. *Klinisk Mikrobiologi og Infektionsmedicin*. 3rd ed. København: FADL's Forlag; 2008:223-98.

Kupcinskas L, Lafolie P, Lignell A, Kiudelis G, Jonaitis L, Adamonis K, et al. Efficacy of the natural antioxidant astaxanthin in the treatment of functional dyspepsia in patients with or without *Helicobacter pylori* infection: a prospective, randomized, double blind, and placebo-controlled study. *Phytomedicine* 2008;15(6-7):391-9.

Rasmussen ME, Lauritsen LE, Andersen LP. [Role of *Helicobacter* species in hepatobiliary diseases]. *Ugeskr Laeger* 2008;170(23):2010-5.

Aabenhus R, Stenram U, Andersen LP, Permin H, Ljungh A. First attempt to produce experimental *Campylobacter concisus* infection in mice. *World J Gastroenterol* 2008;14(45):6954-9.

Klinik for Klinisk Fysiologi/Nuklearmedicin og PET

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Denholt CL. Development of new radiolabelled PET-ligands for a cancer specific epidermal growth factor receptor and their applications for cancer diagnosis (ph.d.-afhandling). København: Eget Forlag; 2008:1-37. Forsvaret den 17/9 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Frøkjær V. Relating cerebral serotonin 2A receptor and serotonin transporter binding to personality and familial risk for mood disorder (ph.d.-afhandling). København: Eget Forlag; 2008:1-57. Forsvaret den 11/6 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Gerlach C. Visual object recognition and category-specificity (disputats). København: Eget Forlag; 2008:1-83. Forsvaret den 7/11 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

- Andersen PA, Chakera AH, Klausen TL, Binderup T, Grossjohann HS, Friis E, et al. Radiation exposure to surgical staff during F-18-FDG-guided cancer surgery. *Eur J Nucl Med Mol Imaging* 2008;35(3):624-9.
- Bilde A, von Buchwald C, Therkildsen MH, Mortensen J, Kirkegaard J, Charabi B, et al. Need for intensive histopathologic analysis to determine lymph node metastases when using sentinel node biopsy in oral cancer. *Laryngoscope* 2008;118(3):408-14.
- Binderup T, Knigge U, Mellon Mogensen A, Palnaes Hansen C, Kjaer A. Quantitative gene expression of somatostatin receptors and noradrenaline transporter underlying scintigraphic results in patients with neuroendocrine tumors. *Neuroendocrinology* 2008;87(4):223-32.
- Chakera AH, Hansen LB, Lock-Andersen J, Drzewiecki KT, Hesse B. In-transit sentinel nodes must be found: implication from a 10-year follow-up study in melanoma. *Melanoma Res* 2008;18(5):359-64.
- Crandall CG, Wilson TE, Marving J, Vogelsang TW, Kjaer A, Hesse B, et al. Effects of passive heating on central blood volume and ventricular dimensions in humans. *J Physiol* 2008;586(1):293-301.
- Dumcke CW, Moller S. Autonomic dysfunction in cirrhosis and portal hypertension. *Scand J Clin Lab Invest* 2008;68(6):437-47.
- Eckardt R, Andersen LI, Hesse B. Nuclear cardiology and coronary surgery. *Panminerva Med* 2008;50(2):119-27.
- Erritzoe D, Rasmussen H, Kristiansen KT, Frokjaer VG, Haugbol S, Pinborg L, et al. Cortical and sub-cortical 5-HT_{2A} receptor binding in neuroleptic-naive first-episode schizophrenic patients. *Neuropsychopharmacology* 2008;33(10):2435-41.
- Fisker Hag AM, Pedersen SF, Kjaer A. Gene expression of LOX-1, VCAM-1, and ICAM-1 in pre-atherosclerotic mice. *Biochem Biophys Res Commun* 2008;377(2):689-93.
- Frokjaer VG, Mortensen EL, Nielsen FA, Haugbol S, Pinborg LH, Adams KH, et al. Frontolimbic serotonin 2A receptor binding in healthy subjects is associated with personality risk factors for affective disorder. *Biol Psychiatry* 2008;63(6):569-76.
- Frokjaer VG, Pinborg LH, Madsen J, de Nijs R, Svarer C, Wagner A, et al. Evaluation of the Serotonin Transporter Ligand 123I-ADAM for SPECT Studies on Humans. *J Nucl Med* 2008;49(2):247-54.
- Gutte H, Leth Petersen C, Kjaer A, Hesse B. Recent advances in nuclear cardiology. *Panminerva Med* 2008;50(2):105-18.
- Hall NM, Gjedde A, Kupers R. Neural mechanisms of voluntary and involuntary recall: a PET study. *Behav Brain Res* 2008;186(2):261-72.
- Hansen CL, Hansen PR, Pedersen N, Poulsen HS, Gillings N, Kjaer A. Identification of amino acid residues in PEPHC1 important for binding to the tumor-specific receptor EGFRvIII. *Chem Biol Drug Des* 2008;72(4):273-8.
- Hasselbalch SG, Madsen K, Svarer C, Pinborg LH, Holm S, Paulson OB, et al. Reduced 5-HT_{2A} receptor binding in patients with mild cognitive impairment. *Neurobiol Aging* 2008;29(12):1830-8.
- Hesse B, Heuer J, Gebauer E. [Rehabilitation in the View of Small and Midsized Enterprises: Knowledge, Appreciation and Possibilities to Cooperate - Results of the KoRB-Project]. *Rehabilitation (Stuttg)* 2008;47(6):324-33.
- Hesse B, Petersen CL, Marcassa C, Bax JJ, Bengel F, Reyes E, et al. [Myocardial perfusion scintigraphy. Exact and cost-effective coronary disease imaging - secondary publication]. *Ugeskr Laeger* 2008;170(45):3637-9.

Hesse B, Lindhardt TB, Acampa W, Anagnostopoulos C, Ballinger J, Bax JJ, et al. EANM/ESC guidelines for radionuclide imaging of cardiac function. *Eur J Nucl Med Mol Imaging* 2008;35(4):851-85.

Hesse BW, Arora NK, Burke Beckjord E, Finney Rutten LJ. Information support for cancer survivors. *Cancer* 2008;112(11 Suppl):2529-40.

Hojgaard L. [Stronger medical research in Europe?]. *Ugeskr Laeger* 2008;170(45):3633.

Hove JD, Rasmussen R, Freiberg J, Holm S, Kelbaek H, Kofoed KE. Clinical evaluation of iterative reconstruction (ordered-subset expectation maximization) in dynamic positron emission tomography: quantitative effects on kinetic modeling with N-13 ammonia in healthy subjects. *J Nucl Cardiol* 2008;15(4):530-4.

Iversen HK, Holm S, Friberg L, Tfelt-Hansen P. Intracranial hemodynamics during intravenous infusion of glyceryl trinitrate. *J Headache Pain* 2008;9(3):177-80.

Jensen MM, Jorgensen JT, Binderup T, Kjaer A. Tumor volume in subcutaneous mouse xenografts measured by microCT is more accurate and reproducible than determined by 18F-FDG-microPET or external caliper. *BMC Med Imaging* 2008;8:16.

Johansen J, Buus S, Loft A, Keiding S, Overgaard M, Hansen HS, et al. Prospective study of 18FDG-PET in the detection and management of patients with lymph node metastases to the neck from an unknown primary tumor. Results from the DAHANCA-13 study. *Head Neck* 2008;30(4):471-8.

Kalialis LV, Drzewiecki KT, Mohammadi M, Mehlsen AB, Klyver H. Spontaneous regression of metastases from malignant melanoma: a case report. *Melanoma Res* 2008;18(4):279-83.

Keller SH, Lauze F, Nielsen M. Deinterlacing using variational methods. *IEEE Trans Image Process* 2008;17(11):2015-28.

Kristiansen C, Loft A, Berthelsen AK, Graff J, Lindebjerg J, Bisgaard C, et al. PET/CT and histopathologic response to preoperative chemoradiation therapy in locally advanced rectal cancer. *Dis Colon Rectum* 2008;51(1):21-5.

Kristoffersen US, Lebech AM, Gerstoft J, Hesse B, Petersen CL, Gutte H, et al. Right and left cardiac function in HIV-infected patients investigated using radionuclide ventriculography and brain natriuretic peptide: a 5-year follow-up study. *HIV Med* 2008;9(3):180-6.

Lebech AM, Kristoffersen US, Wiinberg N, Kofoed K, Andersen O, Hesse B, et al. Coronary and peripheral endothelial function in HIV patients studied with positron emission tomography and flow-mediated dilation: relation to hypercholesterolemia. *Eur J Nucl Med Mol Imaging* 2008;35(11):2049-58.

Lindegren S, Frost S, Back T, Haglund E, Elgqvist J, Jensen H. Direct procedure for the production of ²¹¹At-labeled antibodies with an epsilon-lysyl-3-(trimethylstannyl)benzamide immunoconjugate. *J Nucl Med* 2008;49(9):1537-45.

Lindquist SG, Holm IE, Schwartz M, Law I, Stokholm J, Batbayli M, et al. Alzheimer disease-like clinical phenotype in a family with FTDP-17 caused by a MAPT R406W mutation. *Eur J Neurol* 2008;15(4):377-85.

Louring-Andersen J, Law I. The effects of bone erosion from aortic aneurysm on the regional uptake of FDG. *Clin Nucl Med* 2008;33(7):482-3.

Madsen JL, Graff J. Effects of the H2-receptor antagonist ranitidine on gastric motor function after a liquid meal in healthy humans. *Scand J Clin Lab Invest* 2008;68(8):681-4.

Marcassa C, Bax JJ, Bengel F, Hesse B, Petersen CL, Reyes E, et al. Clinical value, cost-effectiveness, and safety of myocardial perfusion scintigraphy: a position statement. *Eur Heart J* 2008;29(4):557-63.

Mortensen J. [Lung scintigraphy - SPECT/CT. The Danish Society of Clinical Physiology and Nuclear Medicine]. *Ugeskr Laeger* 2008;170(12):1040.

Naert AL, Kehlet H, Kupers R. Characterization of a novel model of tonic heat pain stimulation in healthy volunteers. *Pain* 2008;138(1):163-71.

Pietrini P, Ptito M, Kupers R. New Light from the Dark. In: Laureys S, Tononi G, eds. *The neurology of consciousness*. London: Elsevier; 2008:360-74.

Pinborg LH, Arfan H, Haugbol S, Kyvik KO, Hjelmberg JV, Svarer C, et al. The 5-HT_{2A} receptor binding pattern in the human brain is strongly genetically determined. *Neuroimage* 2008;40(3):1175-80.

Ptito M, Schneider FC, Paulson OB, Kupers R. Alterations of the visual pathways in congenital blindness. *Exp Brain Res* 2008;187(1):41-9.

Ptito M, Fumal A, de Noordhout AM, Schoenen J, Gjedde A, Kupers R. TMS of the occipital cortex induces tactile sensations in the fingers of blind Braille readers. *Exp Brain Res* 2008;184(2):193-200.

Risum S, Hogdall C, Loft A, Berthelsen AK, Hogdall E, Nedergaard L, et al. Prediction of suboptimal primary cytoreduction in primary ovarian cancer with combined positron emission tomography/computed tomography - a prospective study. *Gynecol Oncol* 2008;108(2):265-70.

Sorensen JB, Ravn J, Loft A, Brenoe J, Berthelsen AK. Preoperative staging of mesothelioma by 18F-fluoro-2-deoxy-D-glucose positron emission tomography/computed tomography fused imaging and mediastinoscopy compared to pathological findings after extrapleural pneumonectomy. *Eur J Cardiothorac Surg* 2008;34(5):1090-6.

Stauss J, Franzius C, Pfluger T, Juergens KU, Biassoni L, Begent J, et al. Guidelines for 18F-FDG PET and PET-CT imaging in paediatric oncology. *Eur J Nucl Med Mol Imaging* 2008;35(8):1581-8.

Straalman K, Kristoffersen US, Galatius H, Lanng C. Factors influencing sentinel lymph node identification failure in breast cancer surgery. *Breast* 2008;17(2):167-71.

Stralman K, Mollerup CL, Kristoffersen US, Elberg JJ. Long-term outcome after mastectomy with immediate breast reconstruction. *Acta Oncol* 2008;47(4):704-8.

Tagil K, Bondouy M, Chaborel JP, Djaballah W, Franken PR, Grandpierre S, et al. A decision support system improves the interpretation of myocardial perfusion imaging. *Eur J Nucl Med Mol Imaging* 2008;35(9):1602-7.

Tagil K, Marving J, Lomsky M, Hesse B, Edenbrandt L. Use of neural networks to improve quality control of interpretations in myocardial perfusion imaging. *Int J Cardiovasc Imaging* 2008;24(8):841-8.

Tuunanen H, Engblom E, Naum A, Nagren K, Scheinin M, Hesse B, et al. Trimetazidine, a metabolic modulator, has cardiac and extracardiac benefits in idiopathic dilated cardiomyopathy. *Circulation* 2008;118(12):1250-8.

Vogelsang TW, Jensen RJ, Hesse B, Kjaer A. BNP cannot replace gated equilibrium radionuclide ventriculography in monitoring of anthracycline-induced cardiotoxicity. *Int J Cardiol* 2008;124(2):193-7.

Vogelsang TW, Hanel B, Kristoffersen US, Petersen CL, Mehlsen J, Holmquist N, et al. Effect of eight weeks of endurance exercise training on right and left ventricular volume and mass in untrained obese subjects: a longitudinal MRI study. *Scand J Med Sci Sports* 2008;18(3):354-9.

Publikationer

Videnskabelige artikler

Ahnstrom J, Axler O, Jauhiainen M, Salomaa V, Havulinna AS, Ehnholm C, et al. Levels of apolipoprotein M are not associated with the risk of coronary heart disease in two independent case-control studies. *J Lipid Res* 2008;49(9):1912-7.

Benn M, Schwartz M, Nordestgaard BG, Tybjaerg-Hansen A. Mitochondrial haplogroups: ischemic cardiovascular disease, other diseases, mortality, and longevity in the general population. *Circulation* 2008;117(19):2492-501.

Benn M, Stene MC, Nordestgaard BG, Jensen GB, Steffensen R, Tybjaerg-Hansen A. Common and rare alleles in apolipoprotein B contribute to plasma levels of low-density lipoprotein cholesterol in the general population. *J Clin Endocrinol Metab* 2008;93(3):1038-45.

Bro S, Flyvbjerg A, Binder CJ, Bang CA, Denner L, Olgaard K, et al. A neutralizing antibody against receptor for advanced glycation end products (RAGE) reduces atherosclerosis in uremic mice. *Atherosclerosis* 2008;201(2):274-80.

Bro S, Bollano E, Bruel A, Olgaard K, Nielsen LB. Cardiac structure and function in a mouse model of uraemia without hypertension. *Scand J Clin Lab Invest* 2008;11:1-7.

Bundgaard JR, Sen JW, Johnsen AH, Rehfeld JF. Analysis of tyrosine-O-sulfation. *Methods Mol Biol* 2008;446:47-66.

Bundgaard JR, Rehfeld JF. Distinct linkage between post-translational processing and differential secretion of progastrin derivatives in endocrine cells. *J Biol Chem* 2008;283(7):4014-21.

Christoffersen C, Ahnstrom J, Axler O, Christensen EI, Dahlback B, Nielsen LB. The signal peptide anchors apolipoprotein M in plasma lipoproteins and prevents rapid clearance of apolipoprotein M from plasma. *J Biol Chem* 2008;283(27):18765-72.

Christoffersen C, Jauhiainen M, Moser M, Porse B, Ehnholm C, Boesl M, et al. Effect of apolipoprotein M on high density lipoprotein metabolism and atherosclerosis in low density lipoprotein receptor knock-out mice. *J Biol Chem* 2008;283(4):1839-47.

CRP CHD Genetics Collaboration, Tybjaerg-Hansen A. Collaborative pooled analysis of data on C-reactive protein gene variants and coronary disease: judging causality by Mendelian randomisation. *Eur J Endocrinol* 2008;23:531-40.

Dahlback B, Ahnstrom J, Christoffersen C, Nielsen LB. Apolipoprotein M: structure and function. *Future Lipidol* 2008;3(5):495-503.

Dombrowsky SL, Weischer M, Allin KH, Bojesen SE, Tybjaerg-Hansen A, Nordestgaard BG. Risk of cancer by ATM missense mutations in the general population. *J Clin Oncol* 2008;26(18):3057-62.

Fahrenkrug J, Hannibal J, Georg B. Diurnal rhythmicity of the canonical clock genes Per1, Per2 and Bmal1 in the rat adrenal gland is unaltered after hypophysectomy. *J Neuroendocrinol* 2008;20(3):323-9.

Freiberg JJ, Tybjaerg-Hansen A, Jensen JS, Nordestgaard BG. Nonfasting triglycerides and risk of ischemic stroke in the general population. *JAMA* 2008;300(18):2142-52.

Freiberg JJ, Tybjaerg-Hansen A, Sillesen H, Jensen GB, Nordestgaard BG. Promotor polymorphisms in leukotriene C4 synthase and risk of ischemic cerebrovascular disease. *Arterioscler Thromb Vasc Biol* 2008;28(5):990-6.

Friis-Hansen L, Hilsted L. Reference intervals for thyrotropin and thyroid hormones for healthy adults based on the NOBIDA material and determined using a Modular E170. *Clin Chem Lab Med* 2008;46(9):1305-12.

Friis-Hansen L, Saelsen L, Abildstrom SZ, Gotze JP, Hilsted L. An algorithm for applying flagged Sysmex XE-2100 absolute neutrophil counts in clinical practice. *Eur J Haematol* 2008;81(2):140-53.

Frikke-Schmidt R, Nordestgaard BG, Stene MC, Sethi AA, Remaley AT, Schnohr P, et al. Association of loss-of-function mutations in the ABCA1 gene with high-density lipoprotein cholesterol levels and risk of ischemic heart disease. *JAMA* 2008;299(21):2524-32.

Frikke-Schmidt R, Nordestgaard BG, Jensen GB, Steffensen R, Tybjaerg-Hansen A. Genetic variation in ABCA1 predicts ischemic heart disease in the general population. *Arterioscler Thromb Vasc Biol* 2008;28(1):180-6.

Goetze JP, Dahlstrom U, Rehfeld JF, Alehagen U. Impact of epitope specificity and precursor maturation in pro-B-type natriuretic peptide measurement. *Clin Chem* 2008;54(11):1780-7.

Gotze JP, Hillarp A, Lindblom A, Bjork P, Strandberg K, Nielsen LB. [New marker in thrombotic thrombocytopenic purpura]. *Ugeskr Laeger* 2008;170(33):2446-9.

Gotze JP, Lindblom A, Bjork P, Nielsen LB, Strandberg K, Manea M, et al. ADAMTS-13: aktoer och markoer vid trombotisk mikroangiopati. *Lakartidningen* 2008;105(15):1092-5.

Hannibal J, Brabet P, Fahrenkrug J. Mice lacking the PACAP type I receptor have impaired photic entrainment and negative masking. *Am J Physiol Regul Integr Comp Physiol* 2008;295(6):R2050-R2058.

Hansen TO, Borup R, Marstrand T, Rehfeld JF, Nielsen FC. Cholecystokinin-2 receptor mediated gene expression in neuronal PC12 cells. *J Neurochem* 2008;104(6):1450-65.

Hansen TV, Bisgaard ML, Jonson L, Albrechtsen A, Filtenborg-Barnkob B, Eiberg H, et al. Novel de novo BRCA2 mutation in a patient with a family history of breast cancer. *BMC Med Genet* 2008;9:58.

Hasemann MS, Damgaard I, Schuster MB, Theilgaard-Monch K, Sorensen AB, Mrsic A, et al. Mutation of C/EBPalpha predisposes to the development of myeloid leukemia in a retroviral insertional mutagenesis screen. *Blood* 2008;111(8):4309-21.

Heid IM, Boes E, Mueller M, Kollerits B, Lamina C, Coassin S, et al. A genome-wide association analysis of high-density lipoprotein cholesterol in the population-based KORA study sheds new light on intergenic regions. *Circ Cardiovasc Genet* 2008;1(1):10-20.

Jacobsen LC, Sorensen OE, Cowland JB, Borregaard N, Theilgaard-Monch K. The secretory leukocyte protease inhibitor (SLPI) and the secondary granule protein lactoferrin are synthesized in myelocytes, colocalize in subcellular fractions of neutrophils, and are coreleased by activated neutrophils. *J Leukoc Biol* 2008;83(5):1155-64.

Jensen M, Palsgaard J, Borup R, De Meyts P, Schaffer L. Activation of the insulin receptor (IR) by insulin and a synthetic peptide has different effects on gene expression in IR-transfected L6 myoblasts. *Biochem J* 2008;412(3):435-45.

Jorgensen HL, Larsen B, Ingwersen P, Rehfeld JF. [Research activity in clinical biochemistry]. *Ugeskr Laeger* 2008;170(36):2798-802.

Kamstrup PR, Tybjaerg-Hansen A, Steffensen R, Nordestgaard BG. Pentanucleotide repeat polymorphism, lipoprotein(a) levels, and risk of ischemic heart disease. *J Clin Endocrinol Metab* 2008;93(10):3769-76.

Kamstrup PR, Benn M, Tybjaerg-Hansen A, Nordestgaard BG. Extreme lipoprotein(a) levels and risk of myocardial infarction in the general population: the Copenhagen City Heart Study. *Circulation* 2008;117(2):176-84.

Kirkeby A, Torup L, Bochsén L, Kjalke M, Abel K, Theilgaard-Monch K, et al. High-dose erythropoietin alters platelet reactivity and bleeding time in rodents in contrast to the neuroprotective variant carbamyl-erythropoietin (CEPO). *Thromb Haemost* 2008;99(4):720-8.

Kirstetter P, Schuster MB, Bereshchenko O, Moore S, Dvinge H, Kurz E, et al. Modeling of C/EBPalpha mutant acute myeloid leukemia reveals a common expression signature of committed myeloid leukemia-initiating cells. *Cancer Cell* 2008;13(4):299-310.

Lanke E, Kristoffersson AC, Philips M, Holmberg L, Lethagen S. Characterization of a novel mutation in the von Willebrand factor propeptide in a distinct subtype of recessive von Willebrand disease. *Thromb Haemost* 2008;100(2):211-6.

Lassen KS, Bradbury AR, Rehfeld JF, Heegaard NH. Microscale characterization of the binding specificity and affinity of a monoclonal antisulfotyrosyl IgG antibody. *Electrophoresis* 2008;29(12):2557-64.

Lewis SJ, Lawlor DA, Nordestgaard BG, Tybjaerg-Hansen A, Ebrahim S, Zacho J, et al. The methyl-enedetetrahydrofolate reductase C677T genotype and the risk of obesity in three large population-based cohorts. *Eur J Endocrinol* 2008;159(1):35-40.

Lindegaard ML, Wassif CA, Vaisman B, Amar M, Wasmuth EV, Shamburek R, et al. Characterization of placental cholesterol transport: ABCA1 is a potential target for in utero therapy of Smith-Lemli-Opitz syndrome. *Hum Mol Genet* 2008;17(23):3806-13.

Lindegaard ML, Svarrer EM, Damm P, Mathiesen ER, Nielsen LB. Increased LDL cholesterol and CRP in infants of mothers with type 1 diabetes. *Diabetes Metab Res Rev* 2008;24(6):465-71.

Lindegaard ML, Nielsen LB. Maternal diabetes causes coordinated down-regulation of genes involved with lipid metabolism in the murine fetal heart. *Metabolism* 2008;57(6):766-73.

Lutzen A, de Wind N, Georgijevic D, Nielsen FC, Rasmussen LJ. Functional analysis of HNPCC-related missense mutations in MSH2. *Mutat Res* 2008;645(1-2):44-55.

Luuk H, Koks S, Plaas M, Hannibal J, Rehfeld JF, Vasar E. Distribution of Wfs1 protein in the central nervous system of the mouse and its relation to clinical symptoms of the Wolfram syndrome. *J Comp Neurol* 2008;509(6):642-60.

Maniecki MB, Hasle H, Friis-Hansen L, Lausen B, Nielsen OJ, Bendix K, et al. Impaired CD163-mediated hemoglobin-scavenging and severe toxic symptoms in patients treated with gemtuzumab ozogamicin. *Blood* 2008;112(4):1510-4.

Mortensen OH, Andersen K, Fischer C, Nielsen AR, Nielsen S, Akerstrom T, et al. Calprotectin is released from human skeletal muscle tissue during exercise. *J Physiol* 2008;586(14):3551-62.

Nielsen BS, Egeblad M, Rank F, Askautrud HA, Pennington CJ, Pedersen TX, et al. Matrix metalloproteinase 13 is induced in fibroblasts in polyomavirus middle T antigen-driven mammary carcinoma without influencing tumor progression. *PLoS ONE* 2008;3(8):e2959.

Nielsen FC, Orntoft TF. [Genomic microarray technology. The Danish Society of Clinical Biochemistry]. *Ugeskr Laeger* 2008;170(12):1037.

Nielsen LB, Dahlback B. Lipid metabolism: why is apoM an apolipoprotein? *Curr Opin Lipidol* 2008;19(6):622-3.

Nielsen SJ, Rehfeld JF, Goetze JP. Mismeasure of C-type natriuretic peptide. *Clin Chem* 2008;54(1):225-7.

- Nielsen SJ, Gotze JP, Jensen HL, Rehfeld JF. ProCNP and CNP are expressed primarily in male genital organs. *Regul Pept* 2008;146(1-3):204-12.
- Nordestgaard BG, Benn M, Schnohr P, Tybjaerg-Hansen A. Nonfasting triglycerides and ischemic heart disease in men and women. *Cardiol Rev* 2008;25:43-8.
- Nygren JM, Liuba K, Breitbach M, Stott S, Thoren L, Roell W, et al. Myeloid and lymphoid contribution to non-haematopoietic lineages through irradiation-induced heterotypic cell fusion. *Nature Cell Biology* 2008;10(5):584-92.
- Orom UA, Nielsen FC, Lund AH. MicroRNA-10a binds the 5'UTR of ribosomal protein mRNAs and enhances their translation. *Mol Cell* 2008;30(4):460-71.
- Pedersen-Bjergaard U, Thomsen CE, Hogenhaven H, Smed A, Kjaer TW, Holst JJ, et al. Angiotensin-converting enzyme activity and cognitive impairment during hypoglycaemia in healthy humans. *J Renin Angiotensin Aldosterone Syst* 2008;9(1):37-48.
- Pedersen MV, Helweg-Larsen RB, Nielsen FC, Berezin V, Bock E, Penkowa M. The synthetic NCAM-derived peptide, FGL, modulates the transcriptional response to traumatic brain injury. *Neurosci Lett* 2008;437(2):148-53.
- Pedersen NB, Hjollund KR, Johnsen AH, Orskov C, Rosenkilde MM, Hartmann B, et al. Porcine glucagon-like peptide-2: structure, signaling, metabolism and effects. *Regul Pept* 2008;146(1-3):310-20.
- Pedersen SH, Nielsen LB, Mortensen A, Nilas L, Ottesen B. Progestins oppose the effects of estradiol on the endothelin-1 receptor type B in coronary arteries from ovariectomized hyperlipidemic rabbits. *Menopause* 2008;15(3):503-10.
- Plomgaard P, Nielsen LB. Lipid metabolism: new insight into the modulatory role of apolipoprotein C-I in inflammation. *Curr Opin Lipidol* 2008;19(4):431-2.
- Qader SS, Hakanson R, Rehfeld JF, Lundquist I, Salehi A. Proghrelin-derived peptides influence the secretion of insulin, glucagon, pancreatic polypeptide and somatostatin: a study on isolated islets from mouse and rat pancreas. *Regul Pept* 2008;146(1-3):230-7.
- Quintana A, Molinero A, Borup R, Nielsen FC, Campbell IL, Penkowa M, et al. Effect of astrocyte-targeted production of IL-6 on traumatic brain injury and its impact on the cortical transcriptome. *Dev Neurobiol* 2008;68(2):195-208.
- Ravn LS, Benn M, Nordestgaard BG, Sethi AA, Agerholm-Larsen B, Jensen GB, et al. Angiotensinogen and ACE gene polymorphisms and risk of atrial fibrillation in the general population. *Pharmacogenet Genomics* 2008;18(6):525-33.
- Rehfeld JF, Zhu X, Norrbom C, Bundgaard JR, Johnsen AH, Nielsen JE, et al. Prohormone convertases 1/3 and 2 together orchestrate the site-specific cleavages of progastrin to release gastrin-34 and gastrin-17. *Biochem J* 2008;415(1):35-43.
- Rehfeld JF, Bundgaard JR, Hannibal J, Zhu X, Norrbom C, Steiner DF, et al. The cell-specific pattern of cholecystokinin peptides in endocrine cells versus neurons is governed by the expression of prohormone convertases 1/3, 2, and 5/6. *Endocrinology* 2008;149(4):1600-8.
- Sorensen LB, Cueto HT, Andersen MT, Bitz C, Holst JJ, Rehfeld JF, et al. The effect of salatriam, a low-calorie modified triacylglycerol, on appetite and energy intake. *Am J Clin Nutr* 2008;87(5):1163-9.
- Stene MC, Frikke-Schmidt R, Nordestgaard BG, Grande P, Schnohr P, Tybjaerg-Hansen A. Functional promoter variant in zinc finger protein 202 predicts severe atherosclerosis and ischemic heart disease. *J Am Coll Cardiol* 2008;52(5):369-77.

Thomassen M, Hansen TV, Borg A, Lianee HT, Wikman F, Pedersen IS, et al. BRCA1 and BRCA2 mutations in Danish families with hereditary breast and/or ovarian cancer. *Acta Oncol* 2008;47(4):772-7.

Thoren LA, Liuba K, Bryder D, Nygren JM, Jensen CT, Qian H, et al. Kit regulates maintenance of quiescent hematopoietic stem cells. *J Immunol* 2008;180(4):2045-53.

Tolstrup JS, Nordestgaard BG, Rasmussen S, Tybjaerg-Hansen A, Gronbaek M. [Genetic variations in alcohol dehydrogenase, drinking habits and alcoholism]. *Ugeskr Laeger* 2008;170(35):2672-5.

Tolstrup JS, Nordestgaard BG, Rasmussen S, Tybjaerg-Hansen A, Gronbaek M. Alcoholism and alcohol drinking habits predicted from alcohol dehydrogenase genes. *Pharmacogenomics J* 2008;8(3):220-7.

Weischenfeldt J, Damgaard I, Bryder D, Theilgaard-Monch K, Thoren LA, Nielsen FC, et al. NMD is essential for hematopoietic stem and progenitor cells and for eliminating by-products of programmed DNA rearrangements. *Genes Dev* 2008;22(10):1381-96.

Weischer M, Bojesen SE, Ellervik C, Tybjaerg-Hansen A, Nordestgaard BG. CHEK2*1100delC genotyping for clinical assessment of breast cancer risk: meta-analyses of 26,000 patient cases and 27,000 controls. *J Clin Oncol* 2008;26(4):542-8.

Zacho J, Tybjaerg-Hansen A, Jensen JS, Grande P, Sillesen H, Nordestgaard BG. Genetically elevated C-reactive protein and ischemic vascular disease. *N Engl J Med* 2008;359(18):1897-908.

Klinisk Farmakologisk Afdeling

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Glintborg B. Medication use among acutely hospitalised medical patients (ph.d.-afhandling). København: Eget Forlag; 2008:1-95. Forsvaret den 18/1 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Berendt L, Hakansson C, Bach KF, Dalhoff K, Andreasen PB, Petersen LG, et al. Effect of European Clinical Trials Directive on academic drug trials in Denmark: retrospective study of applications to the Danish Medicines Agency 1993-2006. *BMJ* 2008;336(7634):33-5.

Berendt L, Hakansson C, Bach KF, Dalhoff K, Andreasen PB, Petersen LG, et al. [Effect of the GCP Directive on academic drug trials]. *Ugeskr Laeger* 2008;170(33):2437-9.

Cicero AF, Nascetti S, Lopez-Sabater MC, Elosua R, Salonen JT, Nyyssonen K, et al. Changes in LDL fatty acid composition as a response to olive oil treatment are inversely related to lipid oxidative damage: The EUROLIVE study. *J Am Coll Nutr* 2008;27(2):314-20.

Cooke MS, Olinski R, Loft S. Measurement and meaning of oxidatively modified DNA lesions in urine. *Cancer Epidemiol Biomarkers Prev* 2008;17(1):3-14.

Ehrmann BM, Henriksen T, Cech NB. Relative importance of basicity in the gas phase and in solution for determining selectivity in electrospray ionization mass spectrometry. *J Am Soc Mass Spectrom* 2008;19(5):719-28.

Glintborg B, Poulsen HE, Dalhoff KP. The use of nationwide on-line prescription records improves the drug history in hospitalized patients. *Br J Clin Pharmacol* 2008;65(2):265-9.

Glintborg B, Olsen L, Poulsen H, Linnet K, Dalhoff K. Reliability of self-reported use of amphetamine, barbiturates, benzodiazepines, cannabinoids, cocaine, methadone, and opiates among acutely hospitalized elderly medical patients. *Clin Toxicol (Phila)* 2008;46(3):239-42.

Gottipati KR, Poulsen H, Starcher B. Passive cigarette smoke exposure inhibits ultraviolet light B-induced skin tumors in SKH-1 hairless mice by blocking the nuclear factor kappa B signalling pathway. *Exp Dermatol* 2008;17(9):780-7.

Guarnieri S, Loft S, Riso P, Porrini M, Risom L, Poulsen HE, et al. DNA repair phenotype and dietary antioxidant supplementation. *Br J Nutr* 2008;99(5):1018-24.

Hansen M, Baunsgaard D, Autrup H, Vogel UB, Moller P, Lindecrona R, et al. Sucrose, glucose and fructose have similar genotoxicity in the rat colon and affect the metabolome. *Food Chem Toxicol* 2008;46(2):752-60.

Hansen ML, Gadsboll N, Gislason GH, Abildstrom SZ, Schramm TK, Folke F, et al. Atrial fibrillation pharmacotherapy after hospital discharge between 1995 and 2004: a shift towards beta-blockers. *Europace* 2008;10(4):395-402.

Juhler RK, Henriksen TH, Ernsten V, Vinther FP, Rosenberg P. Impact of basic soil parameters on pesticide disappearance investigated by multivariate partial least square regression and statistics. *J Environ Qual* 2008;37(5):1719-32.

Klinisk Immunologi

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Hummelshøj, T. The Ficolins- Functional analysis and genetic variation (ph.d.-afhandling). Frederiksberg: Samfundslitteratur Grafik; 2008:1-50. Forsvaret den 19/9 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Banke AB, Andersen JS, Heslet L, Johansson PI, Shahidi S. [Mortality and morbidity in surgery for abdominal aortic aneurysm]. *Ugeskr Laeger* 2008;170(43):3430-4.

Dyrbye H, Broholm H, Dziegiel MH, Laursen H. The M129V polymorphism of codon 129 in the prion gene (PRNP) in the Danish population. *Eur J Epidemiol* 2008;23(1):23-7.

Ekelund CK, Skibsted L, Sogaard K, Main KM, Dziegiel MH, Schwartz M, et al. Dizygotic monozygotic twin pregnancy conceived following intracytoplasmic sperm injection treatment and complicated by twin-twin transfusion syndrome and blood chimerism. *Ultrasound Obstet Gynecol* 2008;32(6):832-4.

Erikstrup C, Kallestrup P, Zinyama-Gutsire RB, Gomo E, van Dam GJ, Deelder AM, et al. Schistosomiasis and infection with human immunodeficiency virus 1 in rural Zimbabwe: systemic inflammation during co-infection and after treatment for schistosomiasis. *Am J Trop Med Hyg* 2008;79(3):331-7.

Erikstrup C, Kallestrup P, Zinyama-Gutsire RB, Gomo E, Luneborg-Nielsen M, Gerstoft J, et al. p24 as a predictor of mortality in a cohort of HIV-1-infected adults in rural Africa. *J Acquir Immune Defic Syndr* 2008;48(3):345-9.

Fischer LA, Norgaard A, Permin H, Ryder LP, Marquart H, Svejgaard A, et al. Multiple flat warts associated with idiopathic CD4-positive T lymphocytopenia. *J Am Acad Dermatol* 2008;58(Suppl 2):S37-S38.

Gaardbo JC, Nielsen SD, Vedel SJ, Ersboll AK, Harritshoj L, Ryder LP, et al. Regulatory T cells in human immunodeficiency virus-infected patients are elevated and independent of immunological and virological status, as well as initiation of highly active anti-retroviral therapy. *Clin Exp Immunol* 2008;154(1):80-6.

Gaarder C, Naess PA, Frischknecht Christensen E, Hakala P, Handolin L, Heier HE, et al. Scandinavian guidelines - "The massively bleeding patient". *Scand J Surg* 2008;97(1):15-36.

Garred P. Mannose-binding lectin genetics: from A to Z. *Biochem Soc Trans* 2008;36(Pt 6):1461-6.

Harritshoj LH, Dickmeiss E, Hansen MB, Ullum H, Jorgensen LB, Gerstoft J. Transfusion-transmitted human immunodeficiency virus infection by a Danish blood donor with a very low viral load in the pre-seroconversion window phase. *Transfusion* 2008;48(9):2026-8.

Henriksen K, Sorensen MG, Jensen VK, Dziegiel MH, Nosjean O, Karsdal MA. Ion transporters involved in acidification of the resorption lacuna in osteoclasts. *Calcif Tissue Int* 2008;83(3):230-42.

Honore C, Rorvig S, Munthe-Fog L, Hummelshoj T, Madsen HO, Borregaard N, et al. The innate pattern recognition molecule Ficolin-1 is secreted by monocytes/macrophages and is circulating in human plasma. *Mol Immunol* 2008;45(10):2782-9.

Hummelshoj T, Munthe-Fog L, Madsen HO, Garred P. Functional SNPs in the human ficolin (FCN) genes reveal distinct geographical patterns. *Mol Immunol* 2008;45(9):2508-20.

Hummelshoj T, Fog LM, Madsen HO, Sim RB, Garred P. Comparative study of the human ficolins reveals unique features of Ficolin-3 (Hakata antigen). *Mol Immunol* 2008;45(6):1623-32.

Johansson PI, Bochsén L, Stensballe J, Secher NH. Transfusion packages for massively bleeding patients: the effect on clot formation and stability as evaluated by Thrombelastograph (TEG). *Transfus Apher Sci* 2008;39(1):3-8.

Johansson PI, Jacobsen N, Viuff D, Olsen EH, Rojkjaer R, Andersen S, et al. Differential clot stabilising effects of rFVIIa and rFXIII-A2 in whole blood from thrombocytopenic patients and healthy volunteers. *Br J Haematol* 2008;143(4):559-69.

Johansson PI, Bochsén L, Andersen S, Viuff D. Investigation of the effect of kaolin and tissue factor-activated citrated whole blood, on clot forming variables, as evaluated by thromboelastograph. *Transfusion* 2008;48(11):2377-83.

Johansson PI. Off-label use of recombinant factor VIIa for treatment of haemorrhage: results from randomized clinical trials. *Vox Sang* 2008;95(1):1-7.

Johansson PI, Swiatek F, Jorgensen L, Jensen LP, Secher NH. Intraoperative platelet and plasma improves survival in patients operated for a rAAA: a follow-up evaluation. *Eur J Vasc Endovasc Surg* 2008;36(4):397-400.

Johansson PI, Svendsen MS, Salado J, Bochsén L, Kristensen AT. Investigation of the thrombin-generating capacity, evaluated by thrombogram, and clot formation evaluated by thrombelastography of platelets stored in the blood bank for up to 7 days. *Vox Sang* 2008;94(2):113-8.

Kornblit B, Masmus T, Madsen HO, Ryder LP, Svejgaard A, Jakobsen B, et al. Haematopoietic cell transplantation with non-myeloablative conditioning in Denmark: disease-specific outcome, complications and hospitalization requirements of the first 100 transplants. *Bone Marrow Transplant* 2008;41(10):851-9.

Kornblit B, Munthe-Fog L, Madsen HO, Strom J, Vindelov L, Garred P. Association of HMGB1 polymorphisms with outcome in patients with systemic inflammatory response syndrome. *Crit Care* 2008;12(3):R83.

Krejsgaard T, Gjerdrum LM, Ralfkiaer E, Lauenborg B, Eriksen KW, Mathiesen AM, et al. Malignant Tregs express low molecular splice forms of FOXP3 in Sezary syndrome. *Leukemia* 2008;22(12):2230-9.

Larsen R, Berkowicz A, Lousen T, Hedegaard M, Clausen FB, Krog GR, et al. Massive fetomaternal hemorrhage: clearance of fetal red blood cells after intravenous anti-D prophylaxis monitored by flow cytometry. *Transfusion* 2008;48(8):1707-12.

Lausten-Thomsen U, Hjalgrim H, Marquart H, Lutterodt M, Petersen BL, Schmiegelow K. ETV6-RUNX1 transcript is not frequent in early human haematopoiesis. *Eur J Haematol* 2008;81(2):161-2.

Lundquist R, Dziegiel MH, Agren MS. Bioactivity and stability of endogenous fibrogenic factors in platelet-rich fibrin. *Wound Repair Regen* 2008;16(3):356-63.

Masmas TN, Petersen SL, Madsen HO, Ryder LP, Kornblit B, Svejgaard A, et al. Graft rejection after hematopoietic cell transplantation with nonmyeloablative conditioning. *Am J Hematol* 2008;83(7):563-9.

Munthe-Fog L, Hummelshoj T, Ma YJ, Hansen BE, Koch C, Madsen HO, et al. Characterization of a polymorphism in the coding sequence of FCN3 resulting in a Ficolin-3 (Hakata antigen) deficiency state. *Mol Immunol* 2008;45(9):2660-6.

Nielsen LK, Green TH, Sandlie I, Michaelsen TE, Dziegiel MH. In vitro assessment of recombinant, mutant immunoglobulin G anti-D devoid of hemolytic activity for treatment of ongoing hemolytic disease of the fetus and newborn. *Transfusion* 2008;48(1):12-9.

Nielsen LK, Dziegiel MH. Recombinant human immunoglobulin (Ig)A1 and IgA2 anti-D used for detection of IgA deficiency and anti-IgA. *Transfusion* 2008;48(9):1892-7.

Olsen L, Hansen T, Jakobsen KD, Djurovic S, Melle I, Agartz I, et al. The estrogen hypothesis of schizophrenia implicates glucose metabolism: association study in three independent samples. *BMC Med Genet* 2008;9:39.

Ostrowski SR, Katzenstein TL, Pedersen BK, Gerstoft J, Ullum H. Residual viraemia in HIV-1-infected patients with plasma viral load ≤ 20 copies/ml is associated with increased blood levels of soluble immune activation markers. *Scand J Immunol* 2008;68(6):652-60.

Rath J, Geisler C, Christiansen CB, Hastrup N, Madsen HO, Andersen MK, et al. Epstein-Barr virus reactivation is a potentially severe complication in chronic lymphocytic leukemia patients with poor prognostic biological markers and fludarabine refractory disease. *Haematologica* 2008;93(9):1424-6.

Rosenkrands I, Aagaard C, Weldingh K, Brock I, Dziegiel MH, Singh M, et al. Identification of Rv0222 from RD4 as a novel serodiagnostic target for tuberculosis. *Tuberculosis (Edinb)* 2008;88(4):335-43.

Sellebjerg F, Datta P, Larsen J, Rieneck K, Alsing I, Oturai A, et al. Gene expression analysis of interferon-beta treatment in multiple sclerosis. *Mult Scler* 2008;14(5):615-21.

Stefansson H, Rujescu D, Cichon S, Pietilainen OP, Ingason A, Steinberg S, et al. Large recurrent microdeletions associated with schizophrenia. *Nature* 2008;455(7210):232-6.

Svejgaard A. The immunogenetics of multiple sclerosis. *Immunogenetics* 2008;60(6):275-86.

Svensen CB, Hummelshoj T, Munthe-Fog L, Milman N, Garred P, Laursen IA, et al. Ficolins and Mannose-Binding Lectin in Danish patients with sarcoidosis. *Respir Med* 2008;102(9):1237-42.

Szeplaki G, Hirschberg K, Gombos T, Varga L, Prohaszka Z, Dosa E, et al. Early complement activation follows eversion carotid endarterectomy and correlates with the time of clamping of the carotid artery. *Mol Immunol* 2008;45(11):3289-94.

Tang ST, Wang M, Lamberth K, Harndahl M, Dziegiel MH, Claesson MH, et al. MHC-I-restricted epitopes conserved among variola and other related orthopoxviruses are recognized by T cells 30 years after vaccination. *Arch Virol* 2008;153(10):1833-44.

Taudorf S, Krabbe KS, Berg RM, Moller K, Pedersen BK, Bruunsgaard H. Common studied polymorphisms do not affect plasma cytokine levels upon endotoxin exposure in humans. *Clin Exp Immunol* 2008;152(1):147-52.

Varga L, Szeplaki G, Laki J, Kocsis A, Kristof K, Gal P, et al. Depressed activation of the lectin pathway of complement in hereditary angioedema. *Clin Exp Immunol* 2008;153(1):68-74.

Viuff D, Lauritzen B, Pusateri AE, Andersen S, Rojkjaer R, Johansson PI. Effect of haemodilution, acidosis, and hypothermia on the activity of recombinant factor VIIa (NovoSeven). *Br J Anaesth* 2008;101(3):324-31.

Wiinberg B, Jensen AL, Johansson PI, Rozanski E, Tranholm M, Kristensen AT. Thromboelastographic evaluation of hemostatic function in dogs with disseminated intravascular coagulation. *J Vet Intern Med* 2008;22(2):357-65.

Klinisk Mikrobiologisk Afdeling

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Calum C. Impact of the thermal injury on the host response and consequences for the course of infections (ph.d.-afhandling). København: Eget Forlag; 2008:1-87. Forsvaret den 30/10 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Lee B. Phenotypic and genotypic characterization of *Pseudomonas aeruginosa* isolates from patients with cystic fibrosis (ph.d.-afhandling). København: Eget Forlag; 2008:1-138. Forsvaret den 30/7 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Adjei GO, Kristensen K, Goka BQ, Hoegberg LC, Alifrangis M, Rodrigues OP, et al. Effect of concomitant artesunate administration and cytochrome P4502C8 polymorphisms on the pharmacokinetics of amodiaquine in Ghanaian children with uncomplicated malaria. *Antimicrob Agents Chemother* 2008;52(12):4400-6.

Adjei GO, Kurtzhals JA, Rodrigues OP, Alifrangis M, Hoegberg LC, Kitcher ED, et al. Amodiaquine-artesunate vs artemether-lumefantrine for uncomplicated malaria in Ghanaian children: a randomized efficacy and safety trial with one year follow-up. *Malar J* 2008;7:127.

Arendrup MC, Fuursted K, Gahrn-Hansen B, Schonheyder HC, Knudsen JD, Jensen IM, et al. Semi-national surveillance of fungaemia in Denmark 2004-2006: increasing incidence of fungaemia and numbers of isolates with reduced azole susceptibility. *Clin Microbiol Infect* 2008;14(5):487-94.

Bannister WP, Ruiz L, Cozzi-Lepri A, Mocroft A, Kirk O, Staszewski S, et al. Comparison of genotypic resistance profiles and virological response between patients starting nevirapine and efavirenz in EuroSIDA. *AIDS* 2008;22(3):367-76.

Bannister WP, Friis-Moller N, Mocroft A, Viard JP, van Lunzen J, Kirk O, et al. Incidence of abacavir hypersensitivity reactions in euroSIDA. *Antivir Ther* 2008;13(5):687-96.

Bannister WP, Cozzi-Lepri A, Clotet B, Mocroft A, Kjaer J, Reiss P, et al. Transmitted drug resistant HIV-1 and association with virologic and CD4 cell count response to combination antiretroviral therapy in the EuroSIDA Study. *J Acquir Immune Defic Syndr* 2008;48(3):324-33.

Bjarnsholt T, Kirketerp-Moller K, Jensen PO, Madsen KG, Phipps R, Kroghfelt K, et al. Why chronic wounds will not heal: a novel hypothesis. *Wound Repair Regen* 2008;16(1):2-10.

Bjarnsholt T, Givskov M. Quorum sensing inhibitory drugs as next generation antimicrobials: worth the effort? *Curr Infect Dis Rep* 2008;10(1):22-8.

Brandt CT, Simonsen H, Liptrot M, Sogaard LV, Lundgren JD, Ostergaard C, et al. In vivo study of experimental pneumococcal meningitis using magnetic resonance imaging. *BMC Med Imaging* 2008;8:1.

Brandt CT, Holm D, Liptrot M, Ostergaard C, Lundgren JD, Frimodt-Moller N, et al. Impact of bacteraemia on the pathogenesis of experimental pneumococcal meningitis. *J Infect Dis* 2008;197(2):235-44.

Ciofu O, Lee B, Johannesson M, Hermansen NO, Meyer P, Hoiby N. Investigation of the algT operon sequence in mucoid and non-mucoid *Pseudomonas aeruginosa* isolates from 115 Scandinavian patients with cystic fibrosis and in 88 in vitro non-mucoid revertants. *Microbiology* 2008;154(Pt 1):103-13.

Coenen T, Lundgren J, Lazarus JV, Matic S. Optimal HIV testing and earlier care: the way forward in Europe. *HIV Med* 2008;9 Suppl 2:1-5.

Cozzi-Lepri A, Phillips AN, Clotet B, Mocroft A, Ruiz L, Kirk O, et al. Detection of HIV drug resistance during antiretroviral treatment and clinical progression in a large European cohort study. *AIDS* 2008;22(16):2187-98.

Currier JS, Lundgren JD. Cardiovascular risk in HIV disease. *Curr Opin HIV AIDS* 2008;3:205-51.

Currier JS, Lundgren JD. Guidelines for managing cardiovascular risk: an evolving area. *Curr Opin HIV AIDS* 2008;3:205-6.

Currier JS, Lundgren JD, Carr A, Klein D, Sabin CA, Sax PE, et al. Epidemiological evidence for cardiovascular disease in HIV-infected patients and relationship to highly active antiretroviral therapy. *Circulation* 2008;118(2):e29-e35.

Deforche K, Cozzi-Lepri A, Theys K, Clotet B, Camacho RJ, Kjaer J, et al. Modelled in vivo HIV fitness under drug selective pressure and estimated genetic barrier towards resistance are predictive for virological response. *Antivir Ther* 2008;13(3):399-407.

El-Sadr WM, Grund B, Neuhaus J, Babiker A, Cohen CJ, Darbyshire J, et al. Risk for opportunistic disease and death after reinitiating continuous antiretroviral therapy in patients with HIV previously receiving episodic therapy: a randomized trial. *Ann Intern Med* 2008;149(5):289-99.

Fenger RV, Linneberg A, Tvede M, Ostergaard C. Increasing seroprevalence of *Clostridium difficile* in an adult Danish general population. *Epidemiol Infect* 2008;1-6.

Gazzard B, Clumeck N, D'Arminio Monforte A, Lundgren JD. Indicator disease-guided testing for HIV - the next step for Europe? *HIV Med* 2008;9 Suppl 2:34-40.

Gordin FM, Roediger MP, Girard PM, Lundgren JD, Miro JM, Palfreeman A, et al. Pneumonia in HIV-infected persons: increased risk with cigarette smoking and treatment interruption. *Am J Respir Crit Care Med* 2008;178(6):630-6.

Gotzsche PC, Johansen HK. House dust mite control measures for asthma. *Cochrane Database Syst Rev* 2008;(2):CD001187.

Gotzsche PC, Johansen HK. House dust mite control measures for asthma: systematic review. *Allergy* 2008;63(6):646-59.

Grinspoon SK, Grunfeld C, Kotler DP, Currier JS, Lundgren JD, Dube MP, et al. State of the science conference: initiative to decrease cardiovascular risk and increase quality of care for patients living with HIV/AIDS: executive summary. *Circulation* 2008;118(2):198-210.

Hansen CR, Pressler T, Hoiby N. Early aggressive eradication therapy for intermittent *Pseudomonas aeruginosa* airway colonization in cystic fibrosis patients: 15 years experience. *J Cyst Fibros* 2008;7(6):523-30.

Hoiby N. Systematisk bakteriologi. In: Hoiby N, Skinhoj P, eds. *Klinisk Mikrobiologi og Infektionsmedicin*. København: FADL's Forlag; 2008:109-222.

Hoiby N. Korte træk af mikrobiologiens historie. In: Hoiby N, Skinhoj P, eds. *Klinisk Mikrobiologi og Infektionsmedicin*. København: FADL's Forlag; 2008:1-4.

Hoiby N. Mikrobiologi - alment. In: Hoiby N, Skinhoj P, eds. *Klinisk Mikrobiologi og Infektionsmedicin*. København: FADL's Forlag; 2008:5-8.

Hoiby N, Ciofu O, Johansen HK, Andersen JP. Generel bakteriologi. In: Hoiby N, Skinhoj P, eds. *Klinisk Mikrobiologi og Infektionsmedicin*. København: FADL's Forlag; 2008:21-107.

Hoiby N, Johansen HK, Andersen LP. Klinisk bakteriologi, infektionshygiejne og antibiotikabehandling. In: Hoiby N, Skinhoj P, eds. *Klinisk Mikrobiologi og Infektionsmedicin*. København: FADL's Forlag; 2008:223-98.

Hoiby N. 125 years anniversary of Christian Gram's staining method. *ESCMID NEWS* 2008;2:49-51.

Hoiby N, Johansen HK, Moser C, Ciofu O. Clinical relevance of *Pseudomonas aeruginosa*: a master of adaptation and survival strategies. In: Rehm BHA, ed. *Pseudomonas. Model Organism, Pathogen, Cell Factory*. Weinheim: Wiley-VCH Verlag GmbH & Co; 2008:25-44.

Jensen JU, Lundgren B, Hein L, Mohr T, Petersen PL, Andersen LH, et al. The Procalcitonin And Survival Study (PASS) - a randomised multi-center investigator-initiated trial to investigate whether daily measurements biomarker Procalcitonin and pro-active diagnostic and therapeutic responses to abnormal Procalcitonin levels, can improve survival in intensive care unit patients. Calculated sample size (target population): 1000 patients. *BMC Infect Dis* 2008;8:91.

Jensen JU, Lundgren JD. Procalcitonin in liver transplant patients - yet another stone turned. *Crit Care* 2008;12(1):108.

Johansen HK, Moskowitz SM, Ciofu O, Pressler T, Høiby N. Spread of colistin resistant non-mucoid *Pseudomonas aeruginosa* among chronically infected Danish cystic fibrosis patients. *J Cyst Fibros* 2008;7(5):391-7.

Johansen HK, Bjarnsholt T, Høiby N. [Has the new technology made Gram's staining method redundant? The Danish Society of Clinical Microbiology]. *Ugeskr Laeger* 2008;170(12):1041.

Johansen HK, Gotzsche PC. Vaccines for preventing infection with *Pseudomonas aeruginosa* in cystic fibrosis. *Cochrane Database Syst Rev* 2008;(4):CD001399.

Kirketerp-Møller K, Jensen PO, Fazli M, Madsen KG, Pedersen J, Moser C, et al. Distribution, organization, and ecology of bacteria in chronic wounds. *J Clin Microbiol* 2008;46(8):2717-22.

Kjaer J, Hoj L, Fox Z, Lundgren JD. Prediction of phenotypic susceptibility to antiretroviral drugs using physiochemical properties of the primary enzymatic structure combined with artificial neural networks. *HIV Med* 2008;9(8):642-52.

Kristiansen S, Bjarnsholt T, Adeltoft D, Ifversen P, Givskov M. The *Pseudomonas aeruginosa* autoinducer dodecanoyl-homoserine lactone inhibits the putrescine synthesis in human cells. *APMIS* 2008;116(5):361-71.

Kuller LH, Tracy R, Belloso W, De Wit S, Drummond F, Lane HC, et al. Inflammatory and coagulation biomarkers and mortality in patients with HIV infection. *PLoS Med* 2008;5(10):e203.

- Kurtzhals J. Clinical Pharmacology of Antimalarial Drugs--First AHRO International Malaria Symposium. *IDrugs* 2008;11(10):713-5.
- Kurtzhals JA, Gomme G. [Malaria diagnostics]. *Ugeskr Laeger* 2008;170(26-32):2342-5.
- Kurtzhals JAL. Importance of the long-acting partner drug in artemisinin-based combination therapy. *Expert Review of Clin Pharmacol* 2008;1:745-7.
- Larsen MK, Thomsen TR, Moser C, Hoiby N, Nielsen PH. Use of cultivation-dependent and -independent techniques to assess contamination of central venous catheters: a pilot study. *BMC Clin Pathol* 2008;8:10.
- Liu XL, Song ZJ, Wu H, Chen YQ, Wang LZ, Kong JL, et al. Effects of quorum sensing defects on in chronic *Pseudomonas aeruginosa* lung infection in rats. *Chinese Journal of Nosocomiology* 2008;18:151-3.
- Lundgren JD, Kirk O, Mocroft A. EuroSIDA: a prospective observational study of chronic HIV Infection across the European Continent. In: Zuniga JM, Whiteside A, Ghaziani A, Bartlett JG, eds. *A Decade of HAART*. Oxford: Oxford University Press; 2008:195-212.
- Lundgren JD, Babiker A, El-Sadr W, Emery S, Grund B, Neaton JD, et al. Inferior clinical outcome of the CD4+ cell count-guided antiretroviral treatment interruption strategy in the SMART study: role of CD4+ Cell counts and HIV RNA levels during follow-up. *J Infect Dis* 2008;197(8):1145-55.
- Lundgren JD, Neuhaus J, Babiker A, Cooper D, Duprez D, El-Sadr W, et al. Use of nucleosides reverse transcriptase inhibitors and risk of myocardial infection in HIV-infected patients. The SMART/INSIGHT and the D:A:D study groups. *AIDS* 2008;22:F17-F24.
- Lundgren JD, Battegay M, Behrens G, De Wit S, Guaraldi G, Katlama C, et al. European AIDS Clinical Society (EACS) guidelines on the prevention and management of metabolic diseases in HIV. *HIV Med* 2008;9(2):72-81.
- Mocroft A, Kirk O, Aldins P, Chies A, Blaxhult A, Chentsova N, et al. Loss to follow-up in an international, multicentre observational study. *HIV Med* 2008;9(5):261-9.
- Mocroft A, Horban A, Clotet B, D'Arminio Monforte A, Bogner JR, Aldins P, et al. Regional differences in the risk of triple class failure in European patients starting combination antiretroviral therapy after 1 January 1999. *HIV Med* 2008;9(1):41-6.
- Monforte A, Abrams D, Pradier C, Weber R, Reiss P, Bonnet F, et al. HIV-induced immunodeficiency and mortality from AIDS-defining and non-AIDS-defining malignancies. *AIDS* 2008;22(16):2143-53.
- Moser C, Elung-Jensen T, Hoiby N. [New recommendations for antibiotic dosing in patients with renal insufficiency and in patients undergoing haemodialysis]. *Ugeskr Laeger* 2008;170(8):629-32.
- Pamp SJ, Gjermansen M, Johansen HK, Tolker-Nielsen T. Tolerance to the antimicrobial peptide colistin in *Pseudomonas aeruginosa* biofilms is linked to metabolically active cells, and depends on the *pmr* and *mexAB-oprM* genes. *Mol Microbiol* 2008;68(1):223-40.
- Philipsen KR, Christiansen LE, Mandsberg LF, Ciofu O, Madsen H. Maximum Likelihood based comparison of the specific growth rates for *P. aeruginosa* and four mutator strains. *J Microbiol Methods* 2008;75(3):551-7.
- Phillips AN, Neaton J, Lundgren JD. The role of HIV in serious diseases other than AIDS. *AIDS* 2008;22(18):2409-18.
- Phillips AN, Pillay D, Miners AH, Bennett DE, Gilks CF, Lundgren JD. Outcomes from monitoring of patients on antiretroviral therapy in resource-limited settings with viral load, CD4 cell count, or clinical observation alone: a computer simulation model. *Lancet* 2008;371(9622):1443-51.

Phillips AN, Carr A, Neuhaus J, Visnegarwala F, Prineas R, Burman WJ, et al. Interruption of antiretroviral therapy and risk of cardiovascular disease in persons with HIV-1 infection: exploratory analyses from the SMART trial. *Antivir Ther* 2008;13(2):177-87.

Podlekareva D, Bannister W, Mocroft A, Abrosimova L, Karpov I, Lundgren JD, et al. The EuroSIDA study: Regional differences in the HIV-1 epidemic and treatment response to antiretroviral therapy among HIV-infected patients across Europe--a review of published results. *Cent Eur J Public Health* 2008;16(3):99-105.

Podlekareva D, Mocroft A, Kirk O, Reiss P, Aldins P, Katlama C, et al. Fungal infection as a risk factor for HIV disease progression among patients with a CD4 count above 200/microl in the era of cART. *Scand J Infect Dis* 2008;40(11):908-13.

Reekie J, Mocroft A, Kirk O, Lundgren JD. The clinical application of the EuroSIDA risk score. *AIDS Hepat Digest* 2008;126:1-5.

Reekie J, Mocroft A, Sambatakou H, Machala L, Chiesi A, van Lunzen J, et al. Does less frequent routine monitoring of patients on a stable, fully suppressed cART regimen lead to an increased risk of treatment failure? *AIDS* 2008;22(17):2381-90.

Sabin CA, Worm SW, Weber R, Reiss P, El-Sadr W, Dabis F, et al. Use of nucleoside reverse transcriptase inhibitors and risk of myocardial infarction in HIV-infected patients enrolled in the D:A:D study: a multi-cohort collaboration. *Lancet* 2008;371(9622):1417-26.

Sabin CA, D'Arminio Monforte A, Friis-Moller N, Weber R, El-Sadr WM, Reiss P, et al. Changes over time in risk factors for cardiovascular disease and use of lipid-lowering drugs in HIV-infected individuals and impact on myocardial infarction. *Clin Infect Dis* 2008;46(7):1101-10.

Skindersoe ME, Ettinger-Epstein P, Rasmussen TB, Bjarnsholt T, de Nys R, Givskov M. Quorum sensing antagonism from marine organisms. *Mar Biotechnol (NY)* 2008;10(1):56-63.

Skindersoe ME, Alhede M, Phipps R, Yang L, Jensen PO, Rasmussen TB, et al. Effects of antibiotics on quorum sensing in *Pseudomonas aeruginosa*. *Antimicrob Agents Chemother* 2008;52(10):3648-63.

Smith CJ, Olsen CH, Mocroft A, Viard JP, Staszewski S, Panos G, et al. The role of antiretroviral therapy in the incidence of pancreatitis in HIV-positive individuals in the EuroSIDA study. *AIDS* 2008;22(1):47-56.

Tedaldi E, Peters L, Neuhaus J, Puoti M, Rockstroh J, Klein MB, et al. Opportunistic disease and mortality in patients coinfecting with hepatitis B or C virus in the strategic management of antiretroviral therapy (SMART) study. *Clin Infect Dis* 2008;47(11):1468-75.

Theander TT, Kurtzhals J. Parasitologi. In: Hoiby N, Skinhoj P, eds. *Klinisk Mikrobiologi og Infektionsmedicin*. København: FADL's Forlag; 2008:481-537.

Tramper-Stranders GA, van der Ent CK, Wolfs TF, Kimpen JL, Fleer A, Johansen U, et al. *Pseudomonas aeruginosa* diversity in distinct paediatric patient groups. *Clin Microbiol Infect* 2008;14(10):935-41.

Wiese L, Hempel C, Penkowa M, Kirkby N, Kurtzhals JA. Recombinant human erythropoietin increases survival and reduces neuronal apoptosis in a murine model of cerebral malaria. *Malar J* 2008;7:3.

Yan P, Chen YQ, Song ZJ, Wu H, Kong JL, Qin XJ. Pathogenic effects of biofilm in chronic *Pseudomonas aeruginosa* lung infection in rats. *J Nanjing Medical University* 2008;22:34-8.

Yang L, Haagensen JA, Jelsbak L, Johansen HK, Sternberg C, Hoiby N, et al. In situ growth rates and biofilm development of *Pseudomonas aeruginosa* populations in chronic lung infections. *J Bacteriol* 2008;190(8):2767-76.

Publikationer

Videnskabelige artikler

Bilde A, von Buchwald C, Therkildsen MH, Mortensen J, Kirkegaard J, Charabi B, et al. Need for intensive histopathologic analysis to determine lymph node metastases when using sentinel node biopsy in oral cancer. *Laryngoscope* 2008;118(3):408-14.

Blichert-Toft M, Nielsen M, Dyrby M, Møller S, Rank F, Overgaard M, et al. Long-term results of breast conserving surgery vs. mastectomy for early stage invasive breast cancer: 20-year follow-up of the Danish randomized DBCG-82TM protocol. *Acta Oncol* 2008;47(4):672-81.

Bramow S, Faber-Rod JC, Jacobsen C, Kutzelnigg A, Patrikios P, Sørensen PS, et al. Fatal neurogenic pulmonary edema in a patient with progressive multiple sclerosis. *Mult Scler* 2008;14(5):711-5.

Broholm H, Born PW, Guterbaum D, Dyrbye H, Laursen H. Detecting chromosomal alterations at 1p and 19q by FISH and DNA fragment analysis - a comparative study in human gliomas. *Clin Neuropathol* 2008;27(6):378-87.

Burton CM, Iversen M, Scheike T, Carlsen J, Andersen CB. Is lymphocytic bronchiolitis a marker of acute rejection? An analysis of 2,697 transbronchial biopsies after lung transplantation. *J Heart Lung Transplant* 2008;27(10):1128-34.

Burton CM, Iversen M, Carlsen J, Andersen CB. Interstitial inflammatory lesions of the pulmonary allograft: a retrospective analysis of 2697 transbronchial biopsies. *Transplantation* 2008;86(6):811-9.

Burton CM, Iversen M, Scheike T, Carlsen J, Andersen CB. Minimal acute cellular rejection remains prevalent up to 2 years after lung transplantation: a retrospective analysis of 2697 transbronchial biopsies. *Transplantation* 2008;85(4):547-53.

Bzorek M, Stamp IM, Petersen BL, Frederiksen L. Use of commercially available rabbit monoclonal antibodies for immunofluorescence double staining. *Appl Immunohistochem Mol Morphol* 2008;16(4):387-92.

Bzorek MSr, Petersen BL, Hansen L. Simultaneous phenotyping and genotyping (FICTION-methodology) on paraffin sections and cytologic specimens: a comparison of 2 different protocols. *Appl Immunohistochem Mol Morphol* 2008;16(3):279-86.

Cardwell CR, Stene LC, Joner G, Cinek O, Svensson J, Goldacre MJ, et al. Caesarean section is associated with an increased risk of childhood-onset type 1 diabetes mellitus: a meta-analysis of observational studies. *Diabetologia* 2008;51(5):726-35.

Catovsky D, Müller-Hermelink HK, Ralfkiaer E. T-cell prolymphocytic leukemia. In: Swerdlow SH, Campo E, Harris NL, Jaffe ES, Pileri SA, Stein H, et al, eds. *WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues*. Lyon: IARC Press; 2008:270-1.

Celis JE, Gromov P, Cabezon T, Moreira JM, Friis E, Jirstrom K, et al. 15-prostaglandin dehydrogenase expression alone or in combination with ACSM1 defines a subgroup of the apocrine molecular subtype of breast carcinoma. *Mol Cell Proteomics* 2008;7(10):1795-809.

Chan JKC, Jaffe E, Ralfkiaer E, Ko YH. Aggressive NK-cell leukemia. In: Swerdlow SH, Campo E, Harris NL, Jaffe ES, Pileri SA, Stein H, et al, eds. *WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues*. Lyon: IARC Press; 2008:276-7.

- Cordes H, Bergstrom AL, Ohm J, Laursen H, Heegaard PM. Characterisation of new monoclonal antibodies reacting with prions from both human and animal brain tissues. *J Immunol Methods* 2008;337(2):106-20.
- Dejligbjerg M, Grauslund M, Litman T, Collins L, Qian X, Jeffers M, et al. Differential effects of class I isoform histone deacetylase depletion and enzymatic inhibition by belinostat or valproic acid in HeLa cells. *Mol Cancer* 2008;7:70.
- Dejligbjerg M, Grauslund M, Christensen IJ, Tjornelund J, Buhl Jensen P, Sehested M. Identification of predictive biomarkers for the histone deacetylase inhibitor belinostat in a panel of human cancer cell lines. *Cancer Biomark* 2008;4(2):101-9.
- Dyrbye H, Broholm H, Dziegiel MH, Laursen H. The M129V polymorphism of codon 129 in the prion gene (PRNP) in the Danish population. *Eur J Epidemiol* 2008;23(1):23-7.
- Ejsing-Duun M, Josephsen J, Aasted B, Buschard K, Hansen AK. Dietary gluten reduces the number of intestinal regulatory T cells in mice. *Scand J Immunol* 2008;67(6):553-9.
- Faurshou M, Penkowa M, Andersen CB, Starklint H, Jacobsen S. The renal metallothionein expression profile is altered in human lupus nephritis. *Arthritis Res Ther* 2008;10(4):R76.
- Funda DP, Kaas A, Tlaskalova-Hogenova H, Buschard K. Gluten-free but also gluten-enriched (gluten+) diet prevent diabetes in NOD mice; the gluten enigma in type 1 diabetes. *Diabetes Metab Res Rev* 2008;24(1):59-63.
- Geisler CH, Kolstad A, Laurell A, Andersen NS, Pedersen LB, Jerkeman M, et al. Long-term progression-free survival of mantle cell lymphoma after intensive front-line immunochemotherapy with in vivo-purged stem cell rescue: a nonrandomized phase 2 multicenter study by the Nordic Lymphoma Group. *Blood* 2008;112(7):2687-93.
- Gjerdum LM, Woetmann A, Odum N, Hother C, Henrik-Nielsen R, Gniadecki R, et al. FOXP3 positive regulatory T-cells in cutaneous and systemic CD30 positive T-cell lymphoproliferations. *Eur J Haematol* 2008;80(6):483-9.
- Gromov P, Celis JE, Gromova I, Rank F, Timmermans-Wielenga V, Moreira JMA. A single solution for the analysis of tissue samples by different proteomic technologies. *Molecular Oncology* 2008;2:368-79.
- Gronbaek K, Ralfkiaer U, Dahl C, Hother C, Burns JS, Kassem M, et al. Frequent hypermethylation of DBC1 in malignant lymphoproliferative neoplasms. *Mod Pathol* 2008;21(5):632-8.
- Hermansen NE, Ralfkiaer EM, Kjeldsen L. [Disseminated fusariosis in a patient with acute lymphoblastic leukaemia]. *Ugeskr Laeger* 2008;170(37):2892.
- Hillig T, Engelholm LH, Ingvarsen S, Madsen DH, Gardsvoll H, Larsen JK, et al. A composite role of vitronectin and urokinase in the modulation of cell morphology upon expression of the urokinase receptor. *J Biol Chem* 2008;283(22):15217-23.
- Ingvarsen S, Madsen DH, Hillig T, Lund LR, Holmbeck K, Behrendt N, et al. Dimerization of endogenous MT1-MMP is a regulatory step in the activation of the 72-kDa gelatinase MMP-2 on fibroblasts and fibrosarcoma cells. *Biol Chem* 2008;389(7):943-53.
- Jaffe ES, Gaulard P, Ralfkiaer E, Cerroni L, Meijer CJLM. Subcutaneous panniculitis-like T-cell lymphoma. *WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues*. 2nd ed. Lyon: IARC Press; 2008:294-5.
- Jensen SA, Vainer B, Witton CJ, Jorgensen JT, Sorensen JB. Prognostic significance of numeric aberrations of genes for thymidylate synthase, thymidine phosphorylase and dihydrofolate reductase in colorectal cancer. *Acta Oncol* 2008;47(6):1054-61.

- Kamstrup MR, Ralfkiaer E, Skovgaard GL, Gniadecki R. Potential involvement of Notch1 signalling in the pathogenesis of primary cutaneous CD30-positive lymphoproliferative disorders. *Br J Dermatol* 2008;158(4):747-53.
- Kastrup IB, Worm J, Ralfkiaer E, Hokland P, Guldborg P, Gronbaek K. Genetic and epigenetic alterations of the reduced folate carrier in untreated diffuse large B-cell lymphoma. *Eur J Haematol* 2008;80(1):61-6.
- Khan N, Jeffers M, Kumar S, Hackett C, Boldog F, Khramtsov N, et al. Determination of the class and isoform selectivity of small-molecule histone deacetylase inhibitors. *Biochem J* 2008;409(2):581-9.
- Kharagjitsingh AV, Prinsen K, Lemkes HH, de Vries RR, Roep BO, Buschard K. Reduced frequency of blood group Lewis a-b- in female Type 1 diabetes patients. *Diabet Med* 2008;25(2):236-8.
- Kragelund C, Hansen C, Torpet LA, Nauntofte B, Brosen K, Pedersen AM, et al. Expression of two drug-metabolizing cytochrome P450-enzymes in human salivary glands. *Oral Dis* 2008;14(6):533-40.
- Krejsgaard T, Gjerdrum LM, Ralfkiaer E, Lauenborg B, Eriksen KW, Mathiesen AM, et al. Malignant Tregs express low molecular splice forms of FOXP3 in Sezary syndrome. *Leukemia* 2008;22(12):2230-9.
- Kristensen DM, Nielsen JE, Skakkebaek NE, Graem N, Jacobsen GK, Rajpert de Meyts E, et al. Presumed pluripotency markers UTF-1 and REX-1 are expressed in human adult testes and germ cell neoplasms. *Hum Reprod* 2008;23(4):775-82.
- Laenkholm AV, Jensen MB, Kroman N, Rank F. Breast cancer in situ. From pre-malignant lesion of uncertain significance to well-defined non-invasive malignant lesion. The Danish Breast Cancer Cooperative Group Register 1977-2007 revisited. *Acta Oncol* 2008;47(4):765-71.
- Larsen KB, Laursen H, Graem N, Samuelson GB, Bogdanovic N, Pakkenberg B. Reduced cell number in the neocortical part of the human fetal brain in Down syndrome. *Ann Anat* 2008;190(5):421-7.
- Lausten-Thomsen U, Hjalgrim H, Marquart H, Lutterodt M, Petersen BL, Schmiegelow K. ETV6-RUNX1 transcript is not frequent in early human haematopoiesis. *Eur J Haematol* 2008;81(2):161-2.
- Lerche CM, Philipsen PA, Sehested M, Wulf HC. Photocarcinogenesis of topical tazarotene and isotretinoin alone and in combination with valproic acid in hairless mice. *Exp Dermatol* 2008;17(11):972-4.
- Li J, Gromov P, Gromova I, Moreira JM, Timmermans-Wielenga V, Rank F, et al. Omics-based profiling of carcinoma of the breast and matched regional lymph node metastasis. *Proteomics* 2008;8(23-24):5038-52.
- Lindquist SG, Hasholt L, Bahl JM, Heegaard NH, Andersen BB, Norremolle A, et al. A novel presenilin 2 mutation (V393M) in early-onset dementia with profound language impairment. *Eur J Neurol* 2008;15(10):1135-9.
- Mahillo-Fernandez I, de Pedro-Cuesta J, Bleda MJ, Cruz M, Molbak K, Laursen H, et al. Surgery and risk of sporadic Creutzfeldt-Jakob disease in Denmark and Sweden: registry-based case-control studies. *Neuroepidemiology* 2008;31(4):229-40.
- Maroun LL, Graem N, Skibsted L. Fetal cor triatriatum dexter: a report of two cases associated with nuchal edema in early second trimester. *Pediatr Dev Pathol* 2008;11(1):59-62.
- Marquard L, Gjerdrum LM, Christensen IJ, Jensen PB, Sehested M, Ralfkiaer E. Prognostic significance of the therapeutic targets histone deacetylase 1, 2, 6 and acetylated histone H4 in cutaneous T-cell lymphoma. *Histopathology* 2008;53(3):267-77.
- Marquard L, Petersen KD, Persson M, Hoff KD, Jensen PB, Sehested M. Monitoring the effect of belinostat in solid tumors by H4 acetylation. *APMIS* 2008;116(5):382-92.

- Milman N, Andersen CB, Mortensen SA, Sander K. Cardiac sarcoidosis and heart transplantation: a report of four consecutive patients. *Sarcoidosis Vasc Diffuse Lung Dis* 2008;25(1):51-9.
- Moller A, Specht L, Toft PB, Sjo LD. [Extranodal marginal zone lymphoma of the ocular adnexa]. *Ugeskr Laeger* 2008;170(45):3660-3.
- Moller AK, Gundgaard MG, Petersen BL, Daugaard G. [Unknown primary tumour - diagnostic strategies and treatment]. *Ugeskr Laeger* 2008;170(48):3946-9.
- Moller CH, Norgaard MA, Gotze JP, Andersen CB, Olsen NV, Steinbruchel DA. Selective Retrograde Venous Revascularization of the Myocardium when PCI or CABG Is Impossible: Investigation in a Porcine Model. *Heart Surg Forum* 2008;11(2):E99-104.
- Muhic A, Hovgaard D, Mork Petersen M, Daugaard S, Hojlund Bech B, Roed H, et al. Local control and survival in patients with soft tissue sarcomas treated with limb sparing surgery in combination with interstitial brachytherapy and external radiation. *Radiother Oncol* 2008;88(3):382-7.
- Nielsen BS, Egeblad M, Rank F, Askautrud HA, Pennington CJ, Pedersen TX, et al. Matrix metalloproteinase 13 is induced in fibroblasts in polyomavirus middle T antigen-driven mammary carcinoma without influencing tumor progression. *PLoS ONE* 2008;3(8):e2959.
- Nielsen OH, Vainer B, Rask-Madsen J. Non-IBD and noninfectious colitis. *Nat Clin Pract Gastroenterol Hepatol* 2008;5(1):28-39.
- Olesen UH, Christensen MK, Bjorkling F, Jaattela M, Jensen PB, Sehested M, et al. Anticancer agent CHS-828 inhibits cellular synthesis of NAD. *Biochem Biophys Res Commun* 2008;367(4):799-804.
- Pedersen JF, Madsen LG, Larsen VA, Hamberg O, Horn T, Federspiel BH, et al. A Doppler waveform index to characterize hepatic vein velocity pattern and evaluate hepatic fibrosis. *J Clin Ultrasound* 2008;36(4):208-11.
- Pileri SA, Weisenburger DD, Sng I, Jaffe ES, Ralfkiaer E, Nakamura S, Müller-Hermelink HK. Peripheral T-cell lymphoma, not otherwise specified. In: Swerdlow SH, Campo E, Harris NL, Jaffe ES, Pileri SA, Stein H, et al, eds. *WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues*. Lyon: IARC Press; 2008:306-8.
- Pontes Andersen CC, Holmstrup P, Buschard K, Flyvbjerg A. Renal alterations in prediabetic rats with periodontitis. *J Periodontol* 2008;79(4):684-90.
- Ralfkiaer E, Cerroni L, Sander CA, Smoller BR, Willemze R. Mycosis fungoides. In: Swerdlow SH, Campo E, Harris NL, Jaffe ES, Pileri SA, Stein H, et al, eds. *WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues*. Lyon: IARC Press; 2008:296-8.
- Ralfkiaer E, Willemze R, Whittaker SJ. Sezary syndrome. In: Swerdlow SH, Campo E, Harris NL, Jaffe ES, Pileri SA, Stein H, et al, eds. *WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues*. Lyon: IARC Press; 2008:299.
- Ralfkiaer E, Willemze R, Paulli M, Kadin ME. Primary cutaneous CD30-positive T-cell lymphoproliferative disorders. In: Swerdlow SH, Campo E, Harris NL, Jaffe ES, Pileri SA, Stein H, et al, eds. *WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues*. Lyon: IARC Press; 2008:300-1.
- Rath J, Geisler C, Christiansen CB, Hastrup N, Madsen HO, Andersen MK, et al. Epstein-Barr virus reactivation is a potentially severe complication in chronic lymphocytic leukemia patients with poor prognostic biological markers and fludarabine refractory disease. *Haematologica* 2008;93(9):1424-6.
- Risum S, Hogdall C, Loft A, Berthelsen AK, Hogdall E, Nedergaard L, et al. Prediction of suboptimal primary cytoreduction in primary ovarian cancer with combined positron emission tomography/computed tomography - a prospective study. *Gynecol Oncol* 2008;108(2):265-70.

Sciot R, Debiec-Rychter M, Daugaard S, Fisher C, Collin F, van Glabbeke M, et al. Distribution and prognostic value of histopathologic data and immunohistochemical markers in gastrointestinal stromal tumours (GISTs): an analysis of the EORTC phase III trial of treatment of metastatic GISTs with imatinib mesylate. *Eur J Cancer* 2008;44(13):1855-60.

Sjo LD, Ralfkiaer E, Prause JU, Petersen JH, Madsen J, Pedersen NT, et al. Increasing incidence of ophthalmic lymphoma in Denmark from 1980 to 2005. *Invest Ophthalmol Vis Sci* 2008;49(8):3283-8.

Sorensen LC, Maroun LL, Borch K, Lou HC, Greisen G. Neonatal cerebral oxygenation is not linked to foetal vasculitis and predicts intraventricular haemorrhage in preterm infants. *Acta Paediatr* 2008;97(11):1529-34.

Steiniche T, Vainer B, Franzmann M, Hagemann-Madsen R, Bak M. [Emergency cancer investigation requires quick tissue specimen handling. The Danish Society of Pathologic Anatomy and Cytology]. *Ugeskr Laeger* 2008;170(12):1050.

Warren KE, McCully C, Dvinge H, Tjornelund J, Sehested M, Lichenstein HS, et al. Plasma and cerebrospinal fluid pharmacokinetics of the histone deacetylase inhibitor, belinostat (PXD101), in non-human primates. *Cancer Chemother Pharmacol* 2008;62(3):433-7.

Yousaf U, Christensen LH, Rasmussen AK, Jensen F, Mollerup CL, Kirkegaard J, et al. Immunohistochemical staining for thyroid peroxidase (TPO) of needle core biopsies in the diagnosis of scintigraphically cold thyroid nodules. *Clin Endocrinol (Oxf)* 2008;68(6):996-1001.

Aanaes K, Hasselby JP, Bilde A, Therkildsen MH, von Buchwald C. Heterotopic neuroglial tissue: two cases involving the tongue and the buccal region. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2008;105(6):e22-e29.

Radiologisk Klinik

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Boesen M. Magnetic resonance imaging of joints following intra-articular treatment and procedures in arthritis (ph.d.-afhandling). København: Eget Forlag; 2008:1-92. Forsvaret den 4/7 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Brushoej CB. Prevention and development of screening methods for common overuse injuries to the knee and shin (ph.d.-afhandling). København: Eget Forlag; 2008:1-66. Forsvaret den 18/1 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Marklund M. Magnetic resonance mammography on midfield in women with primary breast cancer (ph.d.-afhandling). København: Eget Forlag; 2008:1-79. Forsvaret den 14/3 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Alamili M, Berg JO, Lindstrom C, Jensen CV, Wettergren A. [Gastroduodenal intussusception causing gastric retention]. *Ugeskr Laeger* 2008;170(9):753.

Andersen SB, Vejborg I, von Euler-Chelpin M. Participation behaviour following a false positive test in the Copenhagen mammography screening programme. *Acta Oncol* 2008;47(4):550-5.

- Bakke M, Eriksson L, Thorsen NM, Sewerin I, Petersson A, Wagner A. Modified condylotomy versus conventional conservative treatment in painful reciprocal clicking - a preliminary prospective study in eight patients. *Clin Oral Investig* 2008;12(4):353-9.
- Berry M, Reznick R, Lystig T, Lonn L. The use of virtual reality for training in carotid artery stenting: a construct validation study. *Acta Radiol* 2008;49(7):801-5.
- Berry M, Hellstrom M, Gothlin J, Reznick R, Lonn L. Endovascular training with animals versus virtual reality systems: an economic analysis. *J Vasc Interv Radiol* 2008;19(2 Pt 1):233-8.
- Bihrmann K, Jensen A, Olsen AH, Njor S, Schwartz W, Vejborg I, et al. Performance of systematic and non-systematic ('opportunistic') screening mammography: a comparative study from Denmark. *J Med Screen* 2008;15(1):23-6.
- Boesen M, Boesen L, Jensen KE, Cimmino MA, Torp-Pedersen S, Terslev L, et al. Clinical outcome and imaging changes after intraarticular (IA) application of etanercept or methylprednisolone in rheumatoid arthritis: magnetic resonance imaging and ultrasound-Doppler show no effect of IA injections in the wrist after 4 weeks. *J Rheumatol* 2008;35(4):584-91.
- Brandberg J, Lonn L, Bergelin E, Sjoström L, Forssell-Aronsson E, Starck G. Accurate tissue area measurements with considerably reduced radiation dose achieved by patient-specific CT scan parameters. *Br J Radiol* 2008;81(970):801-8.
- Brushoj C, Holmich P, Nielsen MB, Albrecht-Beste E. Acute patellofemoral pain: aggravating activities, clinical examination, MRI and ultrasound findings. *Br J Sports Med* 2008;42(1):64-7.
- Brushoj C, Larsen K, Albrecht-Beste E, Nielsen MB, Loye F, Holmich P. Prevention of overuse injuries by a concurrent exercise program in subjects exposed to an increase in training load: a randomized controlled trial of 1020 army recruits. *Am J Sports Med* 2008;36(4):663-70.
- Christensen AF, Nielsen BM, Engelholm SA. Three-dimensional endoluminal ultrasound-guided interstitial brachytherapy in patients with anal cancer. *Acta Radiol* 2008;49(2):132-7.
- Danielsen ER, Elberling TV, Rasmussen AK, Dock J, Hording M, Perrild H, et al. Reduced parietooccipital white matter glutamine measured by proton magnetic resonance spectroscopy in treated graves' disease patients. *J Clin Endocrinol Metab* 2008;93(8):3192-8.
- Delle M, Falkenberg M, Nyman N, Formgren J, Konrad P, Lindgren H, et al. [Misleading about the treatment of abdominal aortic aneurysm]. *Lakartidningen* 2008;105(3):143-4.
- Dohn UM, Ejbjerg BJ, Hasselquist M, Narvestad E, Moller J, Thomsen HS, et al. Detection of bone erosions in rheumatoid arthritis wrist joints with magnetic resonance imaging, computed tomography and radiography. *Arthritis Res Ther* 2008;10(1):R25.
- Eriksson JW, Jansson PA, Carlberg B, Hagg A, Kurland L, Svensson MK, et al. Hydrochlorothiazide, but not Candesartan, aggravates insulin resistance and causes visceral and hepatic fat accumulation: the mechanisms for the diabetes preventing effect of Candesartan (MEDICA) Study. *Hypertension* 2008;52(6):1030-7.
- Ewertsen C, Grossjohann HS, Nielsen KR, Torp-Pedersen S, Nielsen MB. Biopsy guided by real-time sonography fused with MRI: a phantom study. *AJR Am J Roentgenol* 2008;190(6):1671-4.
- Frevert S, Dahl B, Lonn L. Update on the roles of angiography and embolisation in pelvic fracture. *Injury* 2008;39(11):1290-4.
- Frokjaer VG, Pinborg LH, Madsen J, de Nijs R, Svarer C, Wagner A, et al. Evaluation of the serotonin transporter ligand 123I-ADAM for SPECT studies on humans. *J Nucl Med* 2008;49(2):247-54.
- Gran F, Udesen J, Nielsen MB, Jensen JA. Coded ultrasound for blood flow estimation using subband processing. *IEEE Trans Ultrason Ferroelectr Freq Control* 2008;55(10):2211-20.

- Hauerberg J, Kosteljanetz M, Boge-Rasmussen T, Dons K, Gideon P, Springborg JB, et al. Anterior cervical discectomy with or without fusion with ray titanium cage: a prospective randomized clinical study. *Spine* 2008;33(5):458-64.
- Hillingso JG, Svendsen LB, Nielsen MB. Focused bedside ultrasonography by clinicians: experiences with a basic introductory course. *Scand J Gastroenterol* 2008;43(2):229-33.
- Knudsen LS, Klarlund M, Skjodt H, Jensen T, Ostergaard M, Jensen KE, et al. Biomarkers of inflammation in patients with unclassified polyarthritis and early rheumatoid arthritis. Relationship to disease activity and radiographic outcome. *J Rheumatol* 2008;35(7):1277-87.
- Kristensen TS, Kofoed KF, von der Recke P, Nielsen MB. [The new CT scanners. The Danish Society of Radiology]. *Ugeskr Laeger* 2008;170(12):1052.
- Laurell L, Court-Payen M, Nielsen S, Zak M, Thomsen C, Boesen M, Fasth A. Place de l'échographie dans la prise en charge et le traitement de l'arthrite juvénile idiopathique. In: Brasseur J-L, Zeitoun-Eiss D, Renoux J, Grenier P, eds. *Actualités en échographie de l'appareil locomoteur*. Montpellier: Sauramps Médical; 2008:73-97.
- Leonhardt H, Mellander S, Snygg J, Lonn L. Endovascular management of acute bleeding arterioenteric fistulas. *Cardiovasc Intervent Radiol* 2008;31(3):542-9.
- Lonn L, Frevert S. Kaerlssystemet och kaerlinterventioner. In: Aspelin P, Pettersson H, eds. *Kaerlssystemet och Kaerlinterventioner*. Pozkal: Studentlitteratur; 2008:700-22.
- Lonn L, Resch T, Lindholt J. Endovascular treatment of aortic aneurysms: a Scandinavian point of view. In: Sakalihan N, Kuvniemi H, Michel JB, eds. *Aortic Aneurysms. New Insights Into an Old Problem*. Liège: Les Éditions de l'Université de Liège; 2008:407-29.
- Lonn L. [Endovascular repair of aortic aneurysm a paradigmatic shift]. *Ugeskr Laeger* 2008;170(11):926-8.
- Lynnerup N, Belard E, Buch-Olsen K, Sejrsen B, Damgaard K. Intra- and interobserver error of the Greulich-Pyle method as used on a Danish forensic sample. *Forensic Sci Int* 2008;179(2-3):242-6.
- Madsen MA, Frevert S, Madsen PL, Eiberg JP. Splenic arteriovenous fistula treated with percutaneous transarterial embolization. *Eur J Vasc Endovasc Surg* 2008;36(5):562-4.
- Marklund M, Torp-Pedersen S, Bentzon N, Thomsen C, Roslind A, Nolsoe CP. Contrast kinetics of the malignant breast tumour - border versus centre enhancement on dynamic midfield MRI. *Eur J Radiol* 2008;65(2):279-85.
- Milman N, Burton CM, Iversen M, Videbaek R, Jensen CV, Carlsen J. Pulmonary hypertension in end-stage pulmonary sarcoidosis: therapeutic effect of sildenafil? *J Heart Lung Transplant* 2008;27(3):329-34.
- Muhic A, Hovgaard D, Mork Petersen M, Daugaard S, Hojlund Bech B, Roed H, et al. Local control and survival in patients with soft tissue sarcomas treated with limb sparing surgery in combination with interstitial brachytherapy and external radiation. *Radiother Oncol* 2008;88(3):382-7.
- Nielsen BM. Personal comments on imaging of pancreatic cancer. *Ultraschall Med* 2008;29:375-6.
- Nielsen KR, Grossjohann HS, Hansen CP, Nielsen MB. Use of contrast-enhanced ultrasound imaging to detect the first draining lymph node (FDLN) in a swine model: correlation of imaging findings with the distance from the injection site to the FDLN. *J Ultrasound Med* 2008;27(8):1203-9.
- Olsen RH, Krogh-Madsen R, Thomsen C, Booth FW, Pedersen BK. Metabolic responses to reduced daily steps in healthy nonexercising men. *JAMA* 2008;299(11):1261-3.

Pedersen KD, Gormsen M, Dalsgaard F. Pediatric MSCT - pulmonary diseases. In: Hoogendoorn J, ed. *Visions*. Zoetermeer: Toshiba Medical Systems; 2008:1-9.

Udesen J, Gran F, Hansen KL, Jensen JA, Thomsen C, Nielsen MB. High frame-rate blood vector velocity imaging using plane waves: simulations and preliminary experiments. *IEEE Trans Ultrason Ferroelectr Freq Control* 2008;55(8):1729-43.

von Euler-Chelpin M, Olsen AH, Njor S, Jensen A, Vejborg I, Schwartz W, et al. Does educational level determine screening participation? *Eur J Cancer Prev* 2008;17(3):273-8.

von Euler-Chelpin M, Olsen AH, Njor S, Vejborg I, Schwartz W, Lynge E. Socio-demographic determinants of participation in mammography screening. *Int J Cancer* 2008;122(2):418-23.

Yousaf U, Christensen LH, Rasmussen AK, Jensen F, Mollerup CL, Kirkegaard J, et al. Immunohistochemical staining for thyroid peroxidase (TPO) of needle core biopsies in the diagnosis of scintigraphically cold thyroid nodules. *Clin Endocrinol (Oxf)* 2008;68(6):996-1001.

Finsencentret

Allergiklinikken

Allergiklinikken forskning er fordelt på Allergiambulatoriet, Fødevareallergiambulatoriet, Laboratorium for Medicinsk Allergologi og Referencelaboratoriet ved Rigshospitalet.

Publikationer

Videnskabelige artikler

Gudmundsson G, Sigurdarson ST, Tomasson K, Gislason D, Hallas T. [House dust mites at Icelandic farms]. *Laeknabladid* 2008;94(11):723-7.

Holzhauser T, Ree R, Poulsen LK, Bannon GA. Analytical criteria for performance characteristics of IgE binding methods for evaluating safety of biotech food products. *Food Chem Toxicol* 2008;46 Suppl 10:S15-S19.

Jensen BM, Akin C, Gilfillan AM. Pharmacological targeting of the KIT growth factor receptor: a therapeutic consideration for mast cell disorders. *Br J Pharmacol* 2008;154(8):1572-82.

Jensen LB, Pedersen MH, Skov PS, Poulsen LK, Bindslev-Jensen C, Andersen SB, et al. Peanut cross-reacting allergens in seeds and sprouts of a range of legumes. *Clin Exp Allergy* 2008;38(12):1969-77.

Jensen LB, Torp AM, Andersen SB, Skov PS, Poulsen LK, Knol EF, et al. The biological activity of a recombinantly expressed (His)(6)-tagged peanut allergen (rAra h 1) is unaffected by endotoxin removal. *J Immunol Methods* 2008;335(1-2):116-20.

Malling HJ, Thomsen AB, Andersen JS. Heterogeneity can impair the results of Cochrane meta-analyses despite accordance with statistical guidelines. *Allergy* 2008;63(12):1643-5.

Malling HJ, Bousquet J. Subcutaneous immunotherapy for allergic rhinoconjunctivitis, allergic asthma, and prevention of allergic diseases. *Clin Allergy Immunol* 2008;21:343-58.

Pauli G, Larsen TH, Rak S, Horak F, Pastorello E, Valenta R, et al. Efficacy of recombinant birch pollen vaccine for the treatment of birch-allergic rhinoconjunctivitis. *J Allergy Clin Immunol* 2008;122(5):951-60.

Pedersen MH, Holzhauser T, Bisson C, Conti A, Jensen LB, Skov PS, et al. Soybean allergen detection methods - a comparison study. *Mol Nutr Food Res* 2008;52(12):1486-96.

Poulsen LK. Facilitated antigen presentation: circumstantial evidence? *Clin Exp Allergy* 2008;38(8):1246-8.

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Krogh-Madsen R. Systemic inflammation - role of insulin and free fatty acids (ph.d.-afhandling). København: Eget Forlag; 2008:1-73. Forsvaret den 28/3 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Lindegaard B. Inflammation and insulin resistance in HIV-associated lipodystrophy (ph.d.-afhandling). København: Eget Forlag; 2008:5-96. Forsvaret den 29/2 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Petersen AM. Low-grade inflammation and metabolism in human skeletal muscle - focus on TNF, physical training and smoking (ph.d.-afhandling). København: Eget Forlag; 2008:1-171. Forsvaret den 24/10 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Andersen K, Pedersen BK. The role of inflammation in vascular insulin resistance with focus on IL-6. *Horm Metab Res* 2008;40(9):635-9.

Andreasen AS, Krabbe KS, Krogh-Madsen R, Taudorf S, Pedersen BK, Møller K. Human endotoxemia as a model of systemic inflammation. *Curr Med Chem* 2008;15(17):1697-705.

Broholm C, Mortensen OH, Nielsen S, Akerstrom T, Zankari A, Dahl B, et al. Exercise induces expression of leukaemia inhibitory factor in human skeletal muscle. *J Physiol* 2008;586(8):2195-201.

Erikstrup C, Kallestrup P, Zinyama-Gutsire RB, Gomo E, van Dam GJ, Deelder AM, et al. Schistosomiasis and infection with human immunodeficiency virus 1 in rural Zimbabwe: systemic inflammation during co-infection and after treatment for schistosomiasis. *Am J Trop Med Hyg* 2008;79(3):331-7.

Franks PW, Scheele C, Loos RJ, Nielsen AR, Finucane FM, Wahlestedt C, et al. Genomic variants at the PINK1 locus are associated with transcript abundance and plasma nonesterified fatty acid concentrations in European whites. *FASEB J* 2008;22(9):3135-45.

Hameed M, Toft AD, Pedersen BK, Harridge SD, Goldspink G. Effects of eccentric cycling exercise on IGF-I splice variant expression in the muscles of young and elderly people. *Scand J Med Sci Sports* 2008;18(4):447-52.

Johansen JS, Pedersen AN, Schroll M, Jørgensen T, Pedersen BK, Bruunsgaard H. High serum YKL-40 level in a cohort of octogenarians is associated with increased risk of all-cause mortality. *Clin Exp Immunol* 2008;151(2):260-6.

Keller P, Petrie JT, De Rose P, Gerin I, Wright WS, Chiang SH, et al. Fat-specific protein 27 regulates storage of triacylglycerol. *J Biol Chem* 2008;283(21):14355-65.

Kiilerich K, Birk JB, Damsgaard R, Wojtaszewski JF, Pilegaard H. Regulation of PDH in human arm and leg muscles at rest and during intense exercise. *Am J Physiol Endocrinol Metab* 2008;294(1):E36-E42.

Komulainen P, Pedersen M, Hanninen T, Bruunsgaard H, Lakka TA, Kivipelto M, et al. BDNF is a novel marker of cognitive function in ageing women: the DR's EXTRA Study. *Neurobiol Learn Mem* 2008;90(4):596-603.

- Krogh-Madsen R, Plomgaard P, Akerstrom T, Moller K, Schmitz O, Pedersen BK. Effect of short-term intralipid infusion on the immune response during low-dose endotoxemia in humans. *Am J Physiol Endocrinol Metab* 2008;294(2):E371-E379.
- Leick L, Wojtaszewski JF, Johansen ST, Kiilerich K, Comes G, Hellsten Y, et al. PGC-1alpha is not mandatory for exercise- and training-induced adaptive gene responses in mouse skeletal muscle. *Am J Physiol Endocrinol Metab* 2008;294(2):E463-E474.
- Lindgaard B, Hansen T, Hvid T, van Hall G, Plomgaard P, Ditlevsen S, et al. The effect of strength and endurance training on insulin sensitivity and fat distribution in human immunodeficiency virus-infected patients with lipodystrophy. *J Clin Endocrinol Metab* 2008;93(10):3860-9.
- Lundby C, Boushel R, Robach P, Moller K, Saltin B, Calbet JA. During hypoxic exercise some vasoconstriction is needed to match O₂ delivery with O₂ demand at the microcirculatory level. *J Physiol* 2008;586(1):123-30.
- Lundby C, Hellsten Y, Jensen MB, Munch AS, Pilegaard H. Erythropoietin receptor in human skeletal muscle and the effects of acute and long-term injections with recombinant human erythropoietin on the skeletal muscle. *J Appl Physiol* 2008;104(4):1154-60.
- Mortensen OH, Andersen K, Fischer C, Nielsen AR, Nielsen S, Akerstrom T, et al. Calprotectin is released from human skeletal muscle tissue during exercise. *J Physiol* 2008;586(14):3551-62.
- Nielsen AR, Hojman P, Erikstrup C, Fischer CP, Plomgaard P, Mounier R, et al. Association between interleukin-15 and obesity: interleukin-15 as a potential regulator of fat mass. *J Clin Endocrinol Metab* 2008;93(11):4486-93.
- Nielsen AR, Erikstrup C, Johansen JS, Fischer CP, Plomgaard P, Krogh-Madsen R, et al. Plasma YKL-40: a BMI-independent marker of type 2 diabetes. *Diabetes* 2008;57(11):3078-82.
- Nielsen S, Pedersen BK. Skeletal muscle as an immunogenic organ. *Curr Opin Pharmacol* 2008;8(3):346-51.
- Olsen RH, Krogh-Madsen R, Thomsen C, Booth FW, Pedersen BK. Metabolic responses to reduced daily steps in healthy nonexercising men. *JAMA* 2008;299(11):1261-3.
- Ostrowski SR, Katzenstein TL, Pedersen BK, Gerstoft J, Ullum H. Residual viraemia in HIV-1-infected patients with plasma viral load ≤ 20 copies/ml is associated with increased blood levels of soluble immune activation markers. *Scand J Immunol* 2008;68(6):652-60.
- Pedersen BK, Febbraio MA. Muscle as an endocrine organ: focus on muscle-derived interleukin-6. *Physiol Rev* 2008;88(4):1379-406.
- Pedersen BK. Motionens betydning for befolkningens generelle sundhed og sygelighed. In: Beyer N, Lund H, Klinge K, eds. *Træning i forebyggelse, behandling og rehabilitering*. 1st ed. København: Munksgaard Danmark; 2008:21-8.
- Pilegaard H, Richter EA. PGC-1alpha: important for exercise performance? *J Appl Physiol* 2008;104(5):1264-5.
- Plomgaard P, Fischer CP, Ibfelt T, Pedersen BK, van Hall G. Tumor necrosis factor-alpha modulates human in vivo lipolysis. *J Clin Endocrinol Metab* 2008;93(2):543-9.
- Taudorf S, Krabbe KS, Berg RM, Moller K, Pedersen BK, Bruunsgaard H. Common studied polymorphisms do not affect plasma cytokine levels upon endotoxin exposure in humans. *Clin Exp Immunol* 2008;152(1):147-52.
- van Hall G, Steensberg A, Fischer C, Keller C, Moller K, Moseley P, et al. Interleukin-6 markedly decreases skeletal muscle protein turnover and increases nonmuscle amino acid utilization in healthy individuals. *J Clin Endocrinol Metab* 2008;93(7):2851-8.

Center for Muskelforskning

(Copenhagen Muscle Research Centre; CMRC)

CMRC omfatter forskningsgrupper på RH, BBH, Det Sundhedsvidenskabelige Fakultet og Det Naturvidenskabelige Fakultet. På RH indgår fire forskningsgrupper i CMRC. De publikationer, der udgår fra de grupper, der repræsenteres ved Bente Klarlund Pedersen, Niels Secher og John Vissing, er også opført under Epidemiklinikken, Finsencenteret; Neurologisk klinik, Neurocenteret; og Anæstesi og operationsklinikken, Abdominalcenteret.

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Krogh-Madsen R. Systemic inflammation - role of insulin and free fatty acids (ph.d.-afhandling). København: Eget Forlag; 2008:1-73. Forsvaret den 28/3 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Lindegaard B. Inflammation and insulin resistance in HIV-associated lipodystrophy (ph.d.-afhandling). København: Eget Forlag; 2008:5-96. Forsvaret den 29/2 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Petersen AM. Low-grade inflammation and metabolism in human skeletal muscle - focus on TNF, physical training and smoking (ph.d.-afhandling). København: Eget Forlag; 2008:1-171. Forsvaret den 24/10 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Andersen K, Pedersen BK. The role of inflammation in vascular insulin resistance with focus on IL-6. *Horm Metab Res* 2008;40(9):635-9.

Andersen ST, Haller RG, Vissing J. Effect of oral sucrose shortly before exercise on work capacity in McArdle disease. *Arch Neurol* 2008;65(6):786-9.

Andersen ST, Vissing J. Carbohydrate- and protein-rich diets in McArdle disease: effects on exercise capacity. *J Neurol Neurosurg Psychiatry* 2008;79(12):1359-63.

Andreassen AS, Krabbe KS, Krogh-Madsen R, Taudorf S, Pedersen BK, Møller K. Human endotoxemia as a model of systemic inflammation. *Curr Med Chem* 2008;15(17):1697-705.

Bartsch P, Dvorak J, Saltin B. Football at high altitude. *Scand J Med Sci Sports* 2008;18 Suppl 1:iii-iv.

Bartsch P, Saltin B, Dvorak J. Consensus statement on playing football at different altitude. *Scand J Med Sci Sports* 2008;18 Suppl 1:96-9.

Bartsch P, Saltin B. General introduction to altitude adaptation and mountain sickness. *Scand J Med Sci Sports* 2008;18 Suppl 1:1-10.

Broholm C, Mortensen OH, Nielsen S, Akerstrom T, Zankari A, Dahl B, et al. Exercise induces expression of leukaemia inhibitory factor in human skeletal muscle. *J Physiol* 2008;586(8):2195-201.

Calbet JA, Robach P, Lundby C, Boushel R. Is pulmonary gas exchange during exercise in hypoxia impaired with the increase of cardiac output? *Appl Physiol Nutr Metab* 2008;33(3):593-600.

Crandall CG, Wilson TE, Marving J, Vogelsang TW, Kjaer A, Hesse B, et al. Effects of passive heating on central blood volume and ventricular dimensions in humans. *J Physiol* 2008;586(1):293-301.

Duno M, Svein ML, Schwartz M, Vissing J. cDNA analyses of CAPN3 enhance mutation detection and reveal a low prevalence of LGMD2A patients in Denmark. *Eur J Hum Genet* 2008;16(8):935-40.

Franks PW, Scheele C, Loos RJ, Nielsen AR, Finucane FM, Wahlestedt C, et al. Genomic variants at the PINK1 locus are associated with transcript abundance and plasma nonesterified fatty acid concentrations in European whites. *FASEB J* 2008;22(9):3135-45.

Gandhi GY, Murad MH, Flynn DN, Erwin PJ, Cavalcante AB, Bay NH, et al. Effect of perioperative insulin infusion on surgical morbidity and mortality: systematic review and meta-analysis of randomized trials. *Mayo Clin Proc* 2008;83(4):418-30.

Gonzalez-Alonso J, Mortensen SP, Jeppesen TD, Ali L, Barker H, Damsgaard R, et al. Haemodynamic responses to exercise, ATP infusion and thigh compression in humans: insight into the role of muscle mechanisms on cardiovascular function. *J Physiol* 2008;586(9):2405-17.

Hameed M, Toft AD, Pedersen BK, Harridge SD, Goldspink G. Effects of eccentric cycling exercise on IGF-I splice variant expression in the muscles of young and elderly people. *Scand J Med Sci Sports* 2008;18(4):447-52.

Helge JW, Damsgaard R, Overgaard K, Andersen JL, Donsmark M, Dyrskog SE, et al. Low-intensity training dissociates metabolic from aerobic fitness. *Scand J Med Sci Sports* 2008;18(1):86-94.

Hengstman GJ, De Bleecker JL, Feist E, Vissing J, Denton CP, Manoussakis MN, et al. Open-label trial of anti-TNF-alpha in dermato- and polymyositis treated concomitantly with methotrexate. *Eur Neurol* 2008;59(3-4):159-63.

Hjermind LE, Vissing J, Asmus F, Krag T, Lochmuller H, Walter MC, et al. No muscle involvement in myoclonus-dystonia caused by epsilon-sarcoglycan gene mutations. *Eur J Neurol* 2008;15(5):525-9.

Jans O, Tollund C, Bundgaard-Nielsen M, Selmer C, Warberg J, Secher NH. Goal-directed fluid therapy: stroke volume optimisation and cardiac dimensions in supine healthy humans. *Acta Anaesthesiol Scand* 2008;52(4):536-40.

Jensen TE, Schjerling P, Viollet B, Wojtaszewski JF, Richter EA. AMPK alpha1 activation is required for stimulation of glucose uptake by twitch contraction, but not by H₂O₂, in mouse skeletal muscle. *PLoS ONE* 2008;3(5):e2102.

Jeppesen TD, Schwartz M, Colding-Jorgensen E, Krag T, Hauerslev S, Vissing J. Phenotype and clinical course in a family with a new de novo Twinkle gene mutation. *Neuromuscul Disord* 2008;18(4):306-9.

Johansen JS, Pedersen AN, Schroll M, Jorgensen T, Pedersen BK, Bruunsgaard H. High serum YKL-40 level in a cohort of octogenarians is associated with increased risk of all-cause mortality. *Clin Exp Immunol* 2008;151(2):260-6.

Johansson PI, Bochsén L, Stensballe J, Secher NH. Transfusion packages for massively bleeding patients: the effect on clot formation and stability as evaluated by Thrombelastograph (TEG). *Transfus Apher Sci* 2008;39(1):3-8.

Johansson PI, Swiatek F, Jorgensen L, Jensen LP, Secher NH. Intraoperative platelet and plasma improves survival in patients operated for a rAAA: a follow-up evaluation. *Eur J Vasc Endovasc Surg* 2008;36(4):397-400.

Jorgensen TB, Sorensen AM, Jansen EC. Iatrogenic systemic air embolism treated with hyperbaric oxygen therapy. *Acta Anaesthesiol Scand* 2008;52(4):566-8.

Joyner MJ, Saltin B. Exercise physiology and human performance: systems biology before systems biology! *J Physiol* 2008;586(1):9.

Keller P, Petrie JT, De Rose P, Gerin I, Wright WS, Chiang SH, et al. Fat-specific protein 27 regulates storage of triacylglycerol. *J Biol Chem* 2008;283(21):14355-65.

Kiilerich K, Birk JB, Damsgaard R, Wojtaszewski JF, Pilegaard H. Regulation of PDH in human arm and leg muscles at rest and during intense exercise. *Am J Physiol Endocrinol Metab* 2008;294(1):E36-E42.

Kim YS, Immink RV, Stok WJ, Karemaker JM, Secher NH, van Lieshout JJ. Dynamic cerebral autoregulatory capacity is affected early in Type 2 diabetes. *Clin Sci (Lond)* 2008;115(8):255-62.

Komulainen P, Pedersen M, Hanninen T, Bruunsgaard H, Lakka TA, Kivipelto M, et al. BDNF is a novel marker of cognitive function in ageing women: the DR's EXTRA Study. *Neurobiol Learn Mem* 2008;90(4):596-603.

Krogh-Madsen R, Plomgaard P, Akerstrom T, Moller K, Schmitz O, Pedersen BK. Effect of short-term intralipid infusion on the immune response during low-dose endotoxemia in humans. *Am J Physiol Endocrinol Metab* 2008;294(2):E371-E379.

Larsen TS, Rasmussen P, Overgaard M, Secher NH, Nielsen HB. Non-selective beta-adrenergic blockade prevents reduction of the cerebral metabolic ratio during exhaustive exercise in humans. *J Physiol* 2008;586(Pt 11):2807-15.

Leick L, Wojtaszewski JF, Johansen ST, Kiilerich K, Comes G, Hellsten Y, et al. PGC-1 α is not mandatory for exercise- and training-induced adaptive gene responses in mouse skeletal muscle. *Am J Physiol Endocrinol Metab* 2008;294(2):E463-E474.

Lindegaard B, Hansen T, Hvid T, van Hall G, Plomgaard P, Ditlevsen S, et al. The effect of strength and endurance training on insulin sensitivity and fat distribution in human immunodeficiency virus-infected patients with lipodystrophy. *J Clin Endocrinol Metab* 2008;93(10):3860-9.

Lundby C, Hellsten Y, Jensen MB, Munch AS, Pilegaard H. Erythropoietin receptor in human skeletal muscle and the effects of acute and long-term injections with recombinant human erythropoietin on the skeletal muscle. *J Appl Physiol* 2008;104(4):1154-60.

Lundby C, Achman-Andersen NJ, Thomsen JJ, Norgaard AM, Robach P. Testing for recombinant human erythropoietin in urine: problems associated with current anti-doping testing. *J Appl Physiol* 2008;105(2):417-9.

Lundby C, Boushel R, Robach P, Moller K, Saltin B, Calbet JA. During hypoxic exercise some vasoconstriction is needed to match O₂ delivery with O₂ demand at the microcirculatory level. *J Physiol* 2008;586(1):123-30.

Lundby C, Robach P, Boushel R, Thomsen JJ, Rasmussen P, Koskolou M, et al. Does recombinant human Epo increase exercise capacity by means other than augmenting oxygen transport? *J Appl Physiol* 2008;105(2):581-7.

Mizuno M, Savard GK, Areskog NH, Lundby C, Saltin B. Skeletal muscle adaptations to prolonged exposure to extreme altitude: a role of physical activity? *High Alt Med Biol* 2008;9(4):311-7.

Moller P, Risom L, Lundby C, Mikkelsen L, Loft S. Hypoxia and oxidation levels of DNA and lipids in humans and animal experimental models. *IUBMB Life* 2008;60(11):707-23.

Mortensen OH, Andersen K, Fischer C, Nielsen AR, Nielsen S, Akerstrom T, et al. Calprotectin is released from human skeletal muscle tissue during exercise. *J Physiol* 2008;586(14):3551-62.

Mortensen SP, Damsgaard R, Dawson EA, Secher NH, Gonzalez-Alonso J. Restrictions in systemic and locomotor skeletal muscle perfusion, oxygen supply and VO₂ during high-intensity whole-body exercise in humans. *J Physiol* 2008;586(10):2621-35.

Mourtzakis M, Graham TE, Gonzalez-Alonso J, Saltin B. Glutamate availability is important in intramuscular amino acid metabolism and TCA cycle intermediates but does not affect peak oxidative metabolism. *J Appl Physiol* 2008;105(2):547-54.

- Nielsen AR, Hojman P, Erikstrup C, Fischer CP, Plomgaard P, Mounier R, et al. Association between interleukin-15 and obesity: interleukin-15 as a potential regulator of fat mass. *J Clin Endocrinol Metab* 2008;93(11):4486-93.
- Nielsen AR, Erikstrup C, Johansen JS, Fischer CP, Plomgaard P, Krogh-Madsen R, et al. Plasma YKL-40: a BMI-independent marker of type 2 diabetes. *Diabetes* 2008;57(11):3078-82.
- Nielsen S, Pedersen BK. Skeletal muscle as an immunogenic organ. *Curr Opin Pharmacol* 2008;8(3):346-51.
- Olsen RH, Krogh-Madsen R, Thomsen C, Booth FW, Pedersen BK. Metabolic responses to reduced daily steps in healthy nonexercising men. *JAMA* 2008;299(11):1261-3.
- Orngreen MC, Schelhaas HJ, Jeppesen TD, Akman HO, Wevers RA, Andersen ST, et al. Is muscle glycogenolysis impaired in X-linked phosphorylase b kinase deficiency? *Neurology* 2008;70(20):1876-82.
- Ostrowski SR, Katzenstein TL, Pedersen BK, Gerstoft J, Ullum H. Residual viraemia in HIV-1-infected patients with plasma viral load ≤ 20 copies/ml is associated with increased blood levels of soluble immune activation markers. *Scand J Immunol* 2008;68(6):652-60.
- Pedersen BK, Febbraio MA. Muscle as an endocrine organ: focus on muscle-derived interleukin-6. *Physiol Rev* 2008;88(4):1379-406.
- Pedersen BK. Motionens betydning for befolkningens generelle sundhed og sygelighed. In: Beyer N, Lund H, Klinge K, eds. *Træning i forebyggelse, behandling og rehabilitering*. 1st ed. København: Munksgaard Danmark; 2008:21-8.
- Pilegaard H, Richter EA. PGC-1 α : important for exercise performance? *J Appl Physiol* 2008;104(5):1264-5.
- Plomgaard P, Fischer CP, Ibfelt T, Pedersen BK, van Hall G. Tumor necrosis factor- α modulates human in vivo lipolysis. *J Clin Endocrinol Metab* 2008;93(2):543-9.
- Quistorff B, Secher NH, van Lieshout JJ. Lactate fuels the human brain during exercise. *FASEB J* 2008;22(10):3443-9.
- Robach P, Calbet JA, Thomsen JJ, Boushel R, Mollard P, Rasmussen P, et al. The ergogenic effect of recombinant human erythropoietin on VO₂max depends on the severity of arterial hypoxemia. *PLoS ONE* 2008;3(8):e2996.
- Rosenmeier JB, Yegutkin GG, Gonzalez-Alonso J. Activation of ATP/UTP-selective receptors increases blood flow and blunts sympathetic vasoconstriction in human skeletal muscle. *J Physiol* 2008;586(Pt 20):4993-5002.
- Rowland T, Saltin B. Learning from children: the emergence of pediatric exercise science. *J Appl Physiol* 2008;105(1):322-4.
- Sahlberg M, Svantesson U, Magnusson Thomas E, Andersson BA, Saltin B, Strandvik B. Muscular strength after different types of training in physically active patients with cystic fibrosis. *Scand J Med Sci Sports* 2008;18(6):756-64.
- Secher NH, Nissen P, Swiatek FA, Frederiksen HJ. [Anaesthesia in connection with liver transplantation]. *Ugeskr Laeger* 2008;170(16):1335-8.
- Secher NH, Seifert T, van Lieshout JJ. Cerebral blood flow and metabolism during exercise: implications for fatigue. *J Appl Physiol* 2008;104(1):306-14.
- Sveen ML, Thune JJ, Kober L, Vissing J. Cardiac involvement in patients with limb-girdle muscular dystrophy type 2 and Becker muscular dystrophy. *Arch Neurol* 2008;65(9):1196-201.

Sveen ML, Jeppesen TD, Hauerslev S, Kober L, Krag TO, Vissing J. Endurance training improves fitness and strength in patients with Becker muscular dystrophy. *Brain* 2008;131(Pt 11):2824-31.

Taudorf S, Krabbe KS, Berg RM, Moller K, Pedersen BK, Bruunsgaard H. Common studied polymorphisms do not affect plasma cytokine levels upon endotoxin exposure in humans. *Clin Exp Immunol* 2008;152(1):147-52.

van Hall G, Steensberg A, Fischer C, Keller C, Moller K, Moseley P, et al. Interleukin-6 markedly decreases skeletal muscle protein turnover and increases nonmuscle amino acid utilization in healthy individuals. *J Clin Endocrinol Metab* 2008;93(7):2851-8.

van Lieshout JJ, Secher NH. Point:counterpoint: sympathetic activity does/does not influence cerebral blood flow. Point: sympathetic activity does influence cerebral blood flow. *J Appl Physiol* 2008;105(4):1364-6.

Vigano A, Ripamonti M, De Palma S, Capitanio D, Vasso M, Wait R, et al. Proteins modulation in human skeletal muscle in the early phase of adaptation to hypobaric hypoxia. *Proteomics* 2008;8(22):4668-79.

Vissing K, Overgaard K, Nedergaard A, Fredsted A, Schjerling P. Effects of concentric and repeated eccentric exercise on muscle damage and calpain-calpastatin gene expression in human skeletal muscle. *Eur J Appl Physiol* 2008;103(3):323-32.

Vissing K, McGee SL, Roepstorff C, Schjerling P, Hargreaves M, Kiens B. Effect of sex differences on human MEF2 regulation during endurance exercise. *Am J Physiol Endocrinol Metab* 2008;294(2):E408-E415.

Volianitis S, Fabricius-Bjerre A, Overgaard A, Stromstad M, Bjarrum M, Carlson C, et al. The cerebral metabolic ratio is not affected by oxygen availability during maximal exercise in humans. *J Physiol* 2008;586(1):107-12.

Epidemiklinikken

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Krogh-Madsen R. Systemic inflammation - role of insulin and free fatty acids (ph.d.-afhandling). København: Eget Forlag; 2008:1-73. Forsvaret den 28/3 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Lindegaard B. Inflammation and insulin resistance in HIV-associated lipodystrophy (ph.d.-afhandling). København: Eget Forlag; 2008:5-96. Forsvaret den 29/2 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Petersen AM. Low-grade inflammation and metabolism in human skeletal muscle - focus on TNF, physical training and smoking (ph.d.-afhandling). København: Eget Forlag; 2008:1-171. Forsvaret den 24/10 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Andersen K, Pedersen BK. The role of inflammation in vascular insulin resistance with focus on IL-6. *Horm Metab Res* 2008;40(9):635-9.

Andreasen AS, Krabbe KS, Krogh-Madsen R, Taudorf S, Pedersen BK, Moller K. Human endotoxemia as a model of systemic inflammation. *Curr Med Chem* 2008;15(17):1697-705.

- Bang D, Herlin T, Stegger M, Andersen AB, Torkko P, Tortoli E, et al. *Mycobacterium arosiense* sp. nov., a slowly growing, scotochromogenic species causing osteomyelitis in an immunocompromised child. *Int J Syst Evol Microbiol* 2008;58(Pt 10):2398-402.
- Benfield T, Atzori C, Miller RF, Helweg-Larsen J. Second-line salvage treatment of AIDS-associated *Pneumocystis jirovecii* pneumonia: a case series and systematic review. *J Acquir Immune Defic Syndr* 2008;48(1):63-7.
- Broholm C, Mortensen OH, Nielsen S, Akerstrom T, Zankari A, Dahl B, et al. Exercise induces expression of leukaemia inhibitory factor in human skeletal muscle. *J Physiol* 2008;586(8):2195-201.
- Elbasit IE, Khalil IF, Elbashir MI, Masuadi EM, Bygbjerg IC, Alifrangis M, et al. High frequency of *Plasmodium falciparum* CICNI/SGEAA and CVIET haplotypes without association with resistance to sulfadoxine/pyrimethamine and chloroquine combination in the Daraweesh area, in Sudan. *Eur J Clin Microbiol Infect Dis* 2008;27(8):725-32.
- Enevold A, Lusingu JP, Mmbando B, Alifrangis M, Lemnge MM, Bygbjerg IC, et al. Reduced risk of uncomplicated malaria episodes in children with alpha+ thalassemia in northeastern Tanzania. *Am J Trop Med Hyg* 2008;78(5):714-20.
- Enosse S, Magnussen P, Abacassamo F, Gomez-Olive X, Ronn AM, Thompson R, et al. Rapid increase of *Plasmodium falciparum* dhfr/dhps resistant haplotypes, after the adoption of sulphadoxine-pyrimethamine as first line treatment in 2002, in southern Mozambique. *Malar J* 2008;7:115.
- Erikstrup C, Kallestrup P, Zinyama-Gutsire RB, Gomo E, van Dam GJ, Deelder AM, et al. Schistosomiasis and infection with human immunodeficiency virus 1 in rural Zimbabwe: systemic inflammation during co-infection and after treatment for schistosomiasis. *Am J Trop Med Hyg* 2008;79(3):331-7.
- Erikstrup C, Kallestrup P, Zinyama-Gutsire RB, Gomo E, Luneborg-Nielsen M, Gerstoft J, et al. p24 as a predictor of mortality in a cohort of HIV-1-infected adults in rural Africa. *J Acquir Immune Defic Syndr* 2008;48(3):345-9.
- Fabiansen C, Kronborg G, Thybo S, Nielsen JO. [Ebola haemorrhagic fever]. *Ugeskr Laeger* 2008;170(48):3949-52.
- Franks PW, Scheele C, Loos RJ, Nielsen AR, Finucane FM, Wahlestedt C, et al. Genomic variants at the PINK1 locus are associated with transcript abundance and plasma nonesterified fatty acid concentrations in European whites. *FASEB J* 2008;22(9):3135-45.
- Friis H, Range N, Pedersen ML, Molgaard C, Changalucha J, Krarup H, et al. Hypovitaminosis D is common among pulmonary tuberculosis patients in Tanzania but is not explained by the acute phase response. *J Nutr* 2008;138(12):2474-80.
- Hameed M, Toft AD, Pedersen BK, Harridge SD, Goldspink G. Effects of eccentric cycling exercise on IGF-I splice variant expression in the muscles of young and elderly people. *Scand J Med Sci Sports* 2008;18(4):447-52.
- Hansen AB, Gerstoft J, Kirk O, Mathiesen L, Pedersen C, Nielsen H, et al. Unmeasured confounding caused slightly better response to HAART within than outside a randomized controlled trial. *J Clin Epidemiol* 2008;61(1):87-94.
- Harritshoj LH, Dickmeiss E, Hansen MB, Ullum H, Jorgensen LB, Gerstoft J. Transfusion-transmitted human immunodeficiency virus infection by a Danish blood donor with a very low viral load in the pre-seroconversion window phase. *Transfusion* 2008;48(9):2026-8.
- Hoegh S, Lohse N, Hansen AB, Gerstoft J, Kronborg G, Larsen CS, et al. [Changes in immunological status among newly-diagnosed HIV-infected in Denmark 1995-2005]. *Ugeskr Laeger* 2008;170(9):740-4.

Hornum M, Mortensen KL, Kamper AL, Andersen AB. Limitations of the QuantiFERON-TB Gold test in detecting Mycobacterium tuberculosis infection in immunocompromised patients. *Eur J Intern Med* 2008;19(2):137-9.

Hviid L, Barfod L. Malaria vaccines: immunity, models and monoclonal antibodies. *Trends Parasitol* 2008;24(9):392-5.

Johansen JS, Pedersen AN, Schroll M, Jorgensen T, Pedersen BK, Bruunsgaard H. High serum YKL-40 level in a cohort of octogenarians is associated with increased risk of all-cause mortality. *Clin Exp Immunol* 2008;151(2):260-6.

Katzenstein TL, Petersen AB, Jorgensen LB, Strand TJ, Madsen TV, Gerstoft J. Seventeen-year-old mother-to-child HIV type 1 transmission identified by phylogeny and signature patterns. *AIDS Res Hum Retroviruses* 2008;24(8):1117-20.

Katzenstein TL, Gerstoft J. Zidovudine monotherapy in pregnancy: is it state of the art? *HIV Med* 2008;9(7):445-7.

Keller P, Petrie JT, De Rose P, Gerin I, Wright WS, Chiang SH, et al. Fat-specific protein 27 regulates storage of triacylglycerol. *J Biol Chem* 2008;283(21):14355-65.

Kiilerich K, Birk JB, Damsgaard R, Wojtaszewski JF, Pilegaard H. Regulation of PDH in human arm and leg muscles at rest and during intense exercise. *Am J Physiol Endocrinol Metab* 2008;294(1):E36-E42.

Kolte IV, Skinhoj P, Keiding N, Lynge E. The Spanish flu in Denmark. *Scand J Infect Dis* 2008;40(6-7):538-46.

Komulainen P, Pedersen M, Hanninen T, Bruunsgaard H, Lakka TA, Kivipelto M, et al. BDNF is a novel marker of cognitive function in ageing women: the DR's EXTRA Study. *Neurobiol Learn Mem* 2008;90(4):596-603.

Kristoffersen US, Lebech AM, Gerstoft J, Hesse B, Petersen CL, Gutte H, et al. Right and left cardiac function in HIV-infected patients investigated using radionuclide ventriculography and brain natriuretic peptide: a 5-year follow-up study. *HIV Med* 2008;9(3):180-6.

Krogh-Madsen R, Plomgaard P, Akerstrom T, Moller K, Schmitz O, Pedersen BK. Effect of short-term intralipid infusion on the immune response during low-dose endotoxemia in humans. *Am J Physiol Endocrinol Metab* 2008;294(2):E371-E379.

Lebech AM, Kristoffersen US, Wiinberg N, Kofoed K, Andersen O, Hesse B, et al. Coronary and peripheral endothelial function in HIV patients studied with positron emission tomography and flow-mediated dilation: relation to hypercholesterolemia. *Eur J Nucl Med Mol Imaging* 2008;35(11):2049-58.

Leick L, Wojtaszewski JF, Johansen ST, Kiilerich K, Comes G, Hellsten Y, et al. PGC-1alpha is not mandatory for exercise- and training-induced adaptive gene responses in mouse skeletal muscle. *Am J Physiol Endocrinol Metab* 2008;294(2):E463-E474.

Lindegaard B, Hansen T, Hvid T, van Hall G, Plomgaard P, Ditlevsen S, et al. The effect of strength and endurance training on insulin sensitivity and fat distribution in human immunodeficiency virus-infected patients with lipodystrophy. *J Clin Endocrinol Metab* 2008;93(10):3860-9.

Lohse N, Ladefoged K, Obel N. Implementation and effectiveness of antiretroviral therapy in Greenland. *Emerg Infect Dis* 2008;14(1):56-9.

Lundby C, Hellsten Y, Jensen MB, Munch AS, Pilegaard H. Erythropoietin receptor in human skeletal muscle and the effects of acute and long-term injections with recombinant human erythropoietin on the skeletal muscle. *J Appl Physiol* 2008;104(4):1154-60.

- Madsen TV, Lohse N, Jensen ES, Obel N, Ladefoged K, Gerstoft J, et al. Short communication: high prevalence of drug-resistant human immunodeficiency virus type 1 in treatment-naive patients in Greenland. *AIDS Res Hum Retroviruses* 2008;24(8):1073-7.
- Madsen TV, Gerstoft J, Nielsen C, Jorgensen LB. Reappearance of an 11-year-old sequence in an HIV-1 infected patient during treatment interruption. *Scand J Infect Dis* 2008;40(2):174-82.
- Magistrado P, Salanti A, Tuikue Ndam NG, Mwakalinga SB, Resende M, Dahlback M, et al. VAR2CSA expression on the surface of placenta-derived Plasmodium falciparum-infected erythrocytes. *J Infect Dis* 2008;198(7):1071-4.
- Massaga JJ, Lusingu JP, Makunde R, Malebo HM, Chile MM, Akida JA, et al. Biological and haematological safety profile of oral amodiaquine and chloroquine in healthy volunteers with or without Plasmodium falciparum infection in northeast Tanzania. *Tanzan J Health Res* 2008;10(3):144-50.
- Mbonye AK, Bygbjerg IC, Magnussen P. Prevention and treatment practices and implications for malaria control in Mukono District Uganda. *J Biosoc Sci* 2008;40(2):283-96.
- Mbonye AK, Bygbjerg I, Magnussen P. Intermittent preventive treatment of malaria in pregnancy: a community-based delivery system and its effect on parasitemia, anemia and low birth weight in Uganda. *Int J Infect Dis* 2008;12(1):22-9.
- Mbonye AK, Hansen KS, Bygbjerg IC, Magnussen P. Intermittent preventive treatment of malaria in pregnancy: the incremental cost-effectiveness of a new delivery system in Uganda. *Trans R Soc Trop Med Hyg* 2008;102(7):685-93.
- Mbonye AK, Bygbjerg IC, Magnussen P. Intermittent preventive treatment of malaria in pregnancy: a new delivery system and its effect on maternal health and pregnancy outcomes in Uganda. *Bull World Health Organ* 2008;86(2):93-100.
- Mbonye AK, Schultz Hansen K, Bygbjerg IC, Magnussen P. Effect of a community-based delivery of intermittent preventive treatment of malaria in pregnancy on treatment seeking for malaria at health units in Uganda. *Public Health* 2008;122(5):516-25.
- Meyrowitsch D, Konradsen F, Rasch V, Vestergaard LS. [Does male circumcision prevent HIV/AIDS? The Danish Society for Tropical Medicine and International Health]. *Ugeskr Laeger* 2008;170(12):1056.
- Moller K, Skinhoj P. [Dexamethasone in acute bacterial meningitis - the global and the local perspective]. *Ugeskr Laeger* 2008;170(3):160.
- Mortensen OH, Andersen K, Fischer C, Nielsen AR, Nielsen S, Akerstrom T, et al. Calprotectin is released from human skeletal muscle tissue during exercise. *J Physiol* 2008;586(14):3551-62.
- Mubyazi GM, Bygbjerg IC, Magnussen P, Olsen O, Byskov J, Hansen KS, et al. Prospects, achievements, challenges and opportunities for scaling-up malaria chemoprevention in pregnancy in Tanzania: the perspective of national level officers. *Malar J* 2008;7:135.
- Mwangi R, Chandler C, Nasuwa F, Mbakilwa H, Poulsen A, Bygbjerg IC, et al. Perceptions of mothers and hospital staff of paediatric care in 13 public hospitals in northern Tanzania. *Trans R Soc Trop Med Hyg* 2008;102(8):805-10.
- Nielsen AR, Hojman P, Erikstrup C, Fischer CP, Plomgaard P, Mounier R, et al. Association between interleukin-15 and obesity: interleukin-15 as a potential regulator of fat mass. *J Clin Endocrinol Metab* 2008;93(11):4486-93.
- Nielsen AR, Erikstrup C, Johansen JS, Fischer CP, Plomgaard P, Krogh-Madsen R, et al. Plasma YKL-40: a BMI-independent marker of type 2 diabetes. *Diabetes* 2008;57(11):3078-82.

- Nielsen S, Pedersen BK. Skeletal muscle as an immunogenic organ. *Curr Opin Pharmacol* 2008;8(3):346-51.
- Obel N, Reinholdt H, Omland LH, Engsig F, Sorensen HT, Hansen AB. Retriability in The Danish National Hospital Registry of HIV and hepatitis B and C coinfection diagnoses of patients managed in HIV centers 1995-2004. *BMC Med Res Methodol* 2008;8:25.
- Olsen RH, Krogh-Madsen R, Thomsen C, Booth FW, Pedersen BK. Metabolic responses to reduced daily steps in healthy nonexercising men. *JAMA* 2008;299(11):1261-3.
- Omland LH, Vestergaard BF, Wandall JH. Herpes simplex virus type 2 infections of the central nervous system: a retrospective study of 49 patients. *Scand J Infect Dis* 2008;40(1):59-62.
- Omland LH, Weis N, Skinhoj P, Laursen A, Christensen PB, Nielsen HI, et al. Impact of hepatitis B virus co-infection on response to highly active antiretroviral treatment and outcome in HIV-infected individuals: a nationwide cohort study. *HIV Med* 2008;9(5):300-6.
- Ostrowski SR, Katzenstein TL, Pedersen BK, Gerstoft J, Ullum H. Residual viraemia in HIV-1-infected patients with plasma viral load ≤ 20 copies/ml is associated with increased blood levels of soluble immune activation markers. *Scand J Immunol* 2008;68(6):652-60.
- Pedersen BK. Motionens betydning for befolkningens generelle sundhed og sygelighed. In: Beyer N, Lund H, Klinge K, eds. *Træning i forebyggelse, behandling og rehabilitering*. 1st ed. København: Munksgaard Danmark; 2008:21-8.
- Pedersen BK, Febbraio MA. Muscle as an endocrine organ: focus on muscle-derived interleukin-6. *Physiol Rev* 2008;88(4):1379-406.
- Pedersen M, Brandt CT, Knudsen GM, Ostergaard C, Skinhoj P, Skovsted IC, et al. The effect of *S. pneumoniae* bacteremia on cerebral blood flow autoregulation in rats. *J Cereb Blood Flow Metab* 2008;28(1):126-34.
- Pedersen MØ, Pedersen DS, Pedersen M, Penkowa M. [Neisseria meningitidis. The pathophysiological role of lipopolysaccharides in association with meningococcal disease and septic shock]. *Ugeskr Laeger* 2008;170(6):421-6.
- Pilegaard H, Richter EA. PGC-1alpha: important for exercise performance? *J Appl Physiol* 2008;104(5):1264-5.
- Plomgaard P, Fischer CP, Ibfelt T, Pedersen BK, van Hall G. Tumor necrosis factor-alpha modulates human in vivo lipolysis. *J Clin Endocrinol Metab* 2008;93(2):543-9.
- Range N, Andersen AB, van Leth F, Magnussen P, Mugomela A, Friis H. Risk factors for smear negative and culture positive results among pulmonary tuberculosis patients in Mwanza, Tanzania. *The Open Tropical Medicine Journal* 2008;6:68-73.
- Resende M, Nielsen MA, Dahlback M, Ditlev SB, Andersen P, Sander AF, et al. Identification of glycosaminoglycan binding regions in the Plasmodium falciparum encoded placental sequestration ligand, VAR2CSA. *Malar J* 2008;7:104.
- Reyburn H, Mwakasungula E, Chonya S, Mtei F, Bygbjerg I, Poulsen A, et al. Clinical assessment and treatment in paediatric wards in the north-east of the United Republic of Tanzania. *Bull World Health Organ* 2008;86(2):132-9.
- Sogaard OS, Lohse N, Gerstoft J, Kronborg G, Ostergaard L, Pedersen C, et al. Hospitalization for pneumonia among individuals with and without HIV infection, 1995-2007: a Danish population-based, nationwide cohort study. *Clin Infect Dis* 2008;47(10):1345-53.
- Søborg B, Ladefoged K, Koch A, Andersen ÅB. Tuberkulosesmittebyrde i Grønland. *Ugeskr Laeger* 2008;170(12-13):1026.

Taudorf S, Krabbe KS, Berg RM, Moller K, Pedersen BK, Bruunsgaard H. Common studied polymorphisms do not affect plasma cytokine levels upon endotoxin exposure in humans. *Clin Exp Immunol* 2008;152(1):147-52.

Tuikue Ndam N, Bischoff E, Proux C, Lavstsen T, Salanti A, Guitard J, et al. Plasmodium falciparum transcriptome analysis reveals pregnancy malaria associated gene expression. *PLoS ONE* 2008;3(3):e1855.

van Hall G, Steensberg A, Fischer C, Keller C, Moller K, Moseley P, et al. Interleukin-6 markedly decreases skeletal muscle protein turnover and increases nonmuscle amino acid utilization in healthy individuals. *J Clin Endocrinol Metab* 2008;93(7):2851-8.

Vestergaard LS, Lusingu JP, Nielsen MA, Mmbando BP, Dodoo D, Akanmori BD, et al. Differences in human antibody reactivity to Plasmodium falciparum variant surface antigens are dependent on age and malaria transmission intensity in northeastern Tanzania. *Infect Immun* 2008;76(6):2706-14.

Vijdea R, Stegger M, Sosnovskaja A, Andersen AB, Thomsen VO, Bang D. Multidrug-resistant tuberculosis: rapid detection of resistance to rifampin and high or low levels of isoniazid in clinical specimens and isolates. *Eur J Clin Microbiol Infect Dis* 2008;27(11):1079-86.

Finsenlaboratoriet

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Hillig T. Mechanisms in uPAR signalling and uPARAP in collagen remodelling (ph.d.-afhandling). København: Eget Forlag; 2008:1-86. Forsvaret den 28/3 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Illemann M. Histological studies of extracellular matrix degrading proteases in primary colon adenocarcinomas and their liver metastasis (ph.d.-afhandling). København: Eget Forlag; 2008:1-119. Forsvaret den 22/8 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Almholt K, Juncker-Jensen A, Green KA, Solberg H, Lund LR, Romer J. The plasminogen activation system in tissue remodelling and cancer invasion. In: Edwards D, Hoyer-Hansen G, Blasi F, Sloane BF, eds. *The Cancer Degradome: proteases and cancer biology*. New York: Springer Verlag; 2008:203-21.

Almholt K, Juncker-Jensen A, Laerum OD, Dano K, Johnsen M, Lund LR, et al. Metastasis is strongly reduced by the matrix metalloproteinase inhibitor Galardin in the MMTV-PyMT transgenic breast cancer model. *Mol Cancer Ther* 2008;7(9):2758-67.

Alyahya GA, Kolko M, Prause JU, Nielsen BS, Wang J, Heegaard S. Matrix metalloproteinase-2 is expressed in melanoma-associated spongiform scleropathy. *Invest Ophthalmol Vis Sci* 2008;49(7):2806-11.

Bache N, Rand KD, Roepstorff P, Ploug M, Jorgensen TJ. Hydrogen atom scrambling in selectively labeled anionic peptides upon collisional activation by MALDI tandem time-of-flight mass spectrometry. *J Am Soc Mass Spectrom* 2008;19(12):1719-25.

Blacher S, Jost M, Melen-Lamalle L, Lund LR, Romer J, Foidart JM, et al. Quantification of in vivo tumor invasion and vascularization by computerized image analysis. *Microvasc Res* 2008;75(2):169-78.

Bulow S, Bulow C, Vasen H, Jarvinen H, Bjork J, Christensen IJ. Colectomy and ileorectal anastomosis is still an option for selected patients with familial adenomatous polyposis. *Dis Colon Rectum* 2008;51(9):1318-23.

Christensen IJ, Pappot H, Hoyer-Hansen G. The plasminogen activation system as a source of prognostic markers in cancer. In: Edwards D, Hoyer-Hansen G, Blasi F, Sloane BF, eds. *The Cancer Degradome: proteases and cancer biology*. New York: Springer Verlag; 2008:569-86.

Dejligbjerg M, Grauslund M, Litman T, Collins L, Qian X, Jeffers M, et al. Differential effects of class I isoform histone deacetylase depletion and enzymatic inhibition by belinostat or valproic acid in HeLa cells. *Mol Cancer* 2008;7:70.

Frederiksen CB, Lomholt AF, Lottenburger T, Davis GJ, Dowell BL, Blankenstein MA, et al. Assessment of the biological variation of plasma tissue inhibitor of metalloproteinases-1. *Int J Biol Markers* 2008;23(1):42-7.

Green KA, Almholt K, Ploug M, Rono B, Castellino FJ, Johnsen M, et al. Profibrinolytic effects of metalloproteinases during skin wound healing in the absence of plasminogen. *J Invest Dermatol* 2008;128(8):2092-101.

Hansen LV, Laerum OD, Illemann M, Nielsen BS, Ploug M. Altered expression of the urokinase receptor homologue, C4.4A, in invasive areas of human esophageal squamous cell carcinoma. *Int J Cancer* 2008;122(4):734-41.

Henic E, Borgfeldt C, Christensen IJ, Casslen B, Hoyer-Hansen G. Cleaved forms of the urokinase plasminogen activator receptor in plasma have diagnostic potential and predict postoperative survival in patients with ovarian cancer. *Clin Cancer Res* 2008;14(18):5785-93.

Hillig T, Engelholm LH, Behrendt N. The endocytic collagen receptor, uPARAP/Endo180, in cancer invasion and tissue remodeling. In: Edwards D, Hoyer-Hansen G, Blasi F, Sloane BF, eds. *The Cancer Degradome: proteases and cancer biology*. New York: Springer Verlag; 2008:245-58.

Hillig T, Engelholm LH, Ingvarsen S, Madsen DH, Gardsvoll H, Larsen JK, et al. A composite role of vitronectin and urokinase in the modulation of cell morphology upon expression of the urokinase receptor. *J Biol Chem* 2008;283(22):15217-23.

Ingvarsen S, Madsen DH, Hillig T, Lund LR, Holmbeck K, Behrendt N, et al. Dimerization of endogenous MT1-MMP is a regulatory step in the activation of the 72-kDa gelatinase MMP-2 on fibroblasts and fibrosarcoma cells. *Biol Chem* 2008;389(7):943-53.

Iversen LH, Bulow S, Christensen IJ, Laurberg S, Harling H. Postoperative medical complications are the main cause of early death after emergency surgery for colonic cancer. *Br J Surg* 2008;95(8):1012-9.

Jacobsen B, Ploug M. The urokinase receptor and its structural homologue C4.4A in human cancer: expression, prognosis and pharmacological inhibition. *Curr Med Chem* 2008;15(25):2559-73.

Jacobsen B, Kjaergaard M, Gaardsvoll H, Ploug M. Structure and inhibition of the urokinase-type plasminogen activator receptor (uPAR). In: Edwards D, Hoyer-Hansen G, Blasi F, Sloane BF, eds. *The Cancer Degradome: proteases and cancer biology*. New York: Springer Verlag; 2008:699-719.

Johansen JS, Lottenburger T, Nielsen HJ, Jensen JE, Svendsen MN, Kollerup G, et al. Diurnal, weekly, and long-time variation in serum concentrations of YKL-40 in healthy subjects. *Cancer Epidemiol Biomarkers Prev* 2008;17(10):2603-8.

Kjaergaard M, Hansen LV, Jacobsen B, Gardsvoll H, Ploug M. Structure and ligand interactions of the urokinase receptor (uPAR). *Front Biosci* 2008;13:5441-61.

Knudsen LS, Christensen IJ, Lottenburger T, Svendsen MN, Nielsen HJ, Nielsen L, et al. Pre-analytical and biological variability in circulating interleukin 6 in healthy subjects and patients with rheumatoid arthritis. *Biomarkers* 2008;13(1):59-78.

Laerum OD, Illemann M, Skarstein A, Helgeland L, Ovrebo K, Dano K, et al. Crohn's disease but not chronic ulcerative colitis induces the expression of PAI-1 in enteric neurons. *Am J Gastroenterol* 2008;103(9):2350-8.

Larsen AK, Lametsch R, Elce J, Larsen JK, Thomsen B, Larsen MR, et al. Genetic disruption of calpain correlates with loss of membrane blebbing and differential expression of RhoGDI-1, cofilin and tropomyosin. *Biochem J* 2008;411(3):657-66.

Li ZB, Niu G, Wang H, He L, Yang L, Ploug M, et al. Imaging of urokinase-type plasminogen activator receptor expression using a ⁶⁴Cu-labeled linear peptide antagonist by microPET. *Clin Cancer Res* 2008;14(15):4758-66.

Lund IK, Jogi A, Rono B, Rasch MG, Lund LR, Almholst K, et al. Antibody-mediated targeting of the urokinase-type plasminogen activator proteolytic function neutralizes fibrinolysis in vivo. *J Biol Chem* 2008;283(47):32506-15.

Marquard L, Gjerdrum LM, Christensen IJ, Jensen PB, Sehested M, Ralfkiaer E. Prognostic significance of the therapeutic targets histone deacetylase 1, 2, 6 and acetylated histone H4 in cutaneous T-cell lymphoma. *Histopathology* 2008;53(3):267-77.

Nielsen BS, Egeblad M, Rank F, Askautrud HA, Pennington CJ, Pedersen TX, et al. Matrix metalloproteinase 13 is induced in fibroblasts in polyomavirus middle T antigen-driven mammary carcinoma without influencing tumor progression. *PLoS ONE* 2008;3(8):e2959.

Nojgaard C, Host NB, Christensen IJ, Poulsen SH, Egstrup K, Price PA, et al. Serum levels of YKL-40 increases in patients with acute myocardial infarction. *Coron Artery Dis* 2008;19(4):257-63.

Rasch MG, Pass J, Illemann M, Hoyer-Hansen G, Lund IK. Discrimination of different forms of the murine urokinase plasminogen activator receptor on the cell surface using monoclonal antibodies. *J Immunol Methods* 2008;339(1):55-65.

Rasch MG, Lund IK, Almasi CE, Hoyer-Hansen G. Intact and cleaved uPAR forms: diagnostic and prognostic value in cancer. *Front Biosci* 2008;13:6752-62.

Rasmussen BB, Andersson M, Christensen IJ, Moller S. Evaluation of and quality assurance in HER2 analysis in breast carcinomas from patients registered in Danish Breast Cancer Group (DBCG) in the period of 2002-2006. A nationwide study including correlation between HER-2 status and other prognostic variables. *Acta Oncol* 2008;47(4):784-8.

Schjoldager KT, Maltesen HR, Balmer S, Lund LR, Claesson MH, Sjostrom H, et al. Cellular cross talk in the small intestinal mucosa: postnatal lymphocytic immigration elicits a specific epithelial transcriptional response. *Am J Physiol Gastrointest Liver Physiol* 2008;294(6):G1335-G1343.

Schrohl AS, Mueller V, Christensen IJ, Pantel K, Thomssen C, Bruenner N. A comparative study of tissue inhibitor of metalloproteinases-1 levels in plasma and tumour tissue from patients with primary breast cancer and in plasma from patients with metastatic breast cancer. *Tumour Biol* 2008;29(3):181-7.

Sorensen NM, Schrohl AS, Jensen V, Christensen IJ, Nielsen HJ, Brunner N. Comparative studies of tissue inhibitor of metalloproteinases-1 in plasma, serum and tumour tissue extracts from patients with primary colorectal cancer. *Scand J Gastroenterol* 2008;43(2):186-91.

Talman ML, Rasmussen BB, Andersen J, Christensen IJ. Estrogen receptor analyses in the Danish Breast Cancer Cooperative Group. History, methods, prognosis and clinical implications. *Acta Oncol* 2008;47(4):789-94.

Ytting H, Christensen IJ, Thiel S, Jensenius JC, Nielsen HJ. Pre- and postoperative levels in serum of mannan-binding lectin associated serine protease-2 -a prognostic marker in colorectal cancer. *Hum Immunol* 2008;69(7):414-20.

Hæmatologisk Klinik

Publikationer

Videnskabelige artikler

Andreasson U, Ek S, Merz H, Rosenquist R, Andersen N, Jerkeman M, et al. B cell lymphomas express CX3CR1 a non-B cell lineage adhesion molecule. *Cancer Lett* 2008;259(2):138-45.

Berg JO, Vindelov L, Schmidt G, Drzewiecki KT. Allogeneic split-skin grafting in stem cell transplanted patients. *J Plast Reconstr Aesthet Surg* 2008;61(12):1512-5.

Berntorp E, Archey W, Auerswald G, Federici AB, Franchini M, Knaub S, et al. A systematic overview of the first pasteurised VWF/FVIII medicinal product, Haemate P/ Humate -P: history and clinical performance. *Eur J Haematol Suppl* 2008;(70):3-35.

Bjerrum OW, Dufva IH, Stentoft J, Hasselbalch HC. [Dasatinib. A novel tyrosine kinase inhibitor for the treatment of chronic myeloid leukaemia]. *Ugeskr Laeger* 2008;170(5):331-3.

Budde U, Schneppenheim R, Eikenboom J, Goodeve A, Will K, Drewke E, et al. Detailed von Willebrand factor multimer analysis in patients with von Willebrand disease in the European study, molecular and clinical markers for the diagnosis and management of type 1 von Willebrand disease (MCMDM-1VWD). *J Thromb Haemost* 2008;6(5):762-71.

Castaman G, Lethagen S, Federici AB, Tosetto A, Goodeve A, Budde U, et al. Response to desmopressin is influenced by the genotype and phenotype in type 1 von Willebrand disease (VWD): results from the European Study MCMDM-1VWD. *Blood* 2008;111(7):3531-9.

Evens AM, Hutchings M, Diehl V. Treatment of Hodgkin lymphoma: the past, present, and future. *Nat Clin Pract Oncol* 2008;5(9):543-56.

Gallamini A, Hutchings M, Avigdor A, Polliack A. Early interim PET scan in Hodgkin lymphoma: where do we stand? *Leuk Lymphoma* 2008;49(4):659-62.

Geisler CH, Kolstad A, Laurell A, Andersen NS, Pedersen LB, Jerkeman M, et al. Long-term progression-free survival of mantle cell lymphoma after intensive front-line immunochemotherapy with in vivo-purged stem cell rescue: a nonrandomized phase 2 multicenter study by the Nordic Lymphoma Group. *Blood* 2008;112(7):2687-93.

Girinsky T, Specht L, Ghalibafian M, Edeline V, Bonniaud G, Van Der Maazen R, et al. The conundrum of Hodgkin lymphoma nodes: to be or not to be included in the involved node radiation fields. The EORTC-GELA lymphoma group guidelines. *Radiother Oncol* 2008;88(2):202-10.

Gronbaek K, Treppendahl M, Asmar F, Guldborg P. Epigenetic changes in cancer as potential targets for prophylaxis and maintenance therapy. *Basic Clin Pharmacol Toxicol* 2008;103(5):389-96.

Gronbaek K, Ralfkiaer U, Dahl C, Hother C, Burns JS, Kassem M, et al. Frequent hypermethylation of DBC1 in malignant lymphoproliferative neoplasms. *Mod Pathol* 2008;21(5):632-8.

Gunnarsson R, Staaf J, Jansson M, Ottesen AM, Goransson H, Liljedahl U, et al. Screening for copy-number alterations and loss of heterozygosity in chronic lymphocytic leukemia - a comparative study of four differently designed, high resolution microarray platforms. *Genes Chromosomes Cancer* 2008;47(8):697-711.

Haberichter SL, Castaman G, Budde U, Peake I, Goodeve A, Rodeghiero F, et al. Identification of type 1 von Willebrand disease patients with reduced von Willebrand factor survival by assay of the VWF propeptide in the European study: molecular and clinical markers for the diagnosis and management of type 1 VWD (MCMDM-1VWD). *Blood* 2008;111(10):4979-85.

Hermansen NE, Ralfkiaer EM, Kjeldsen L. [Disseminated fusariosis in a patient with acute lymphoblastic leukaemia]. *Ugeskr Laeger* 2008;170(37):2892.

Honore C, Rorvig S, Munthe-Fog L, Hummelshoj T, Madsen HO, Borregaard N, et al. The innate pattern recognition molecule Ficolin-1 is secreted by monocytes/macrophages and is circulating in human plasma. *Mol Immunol* 2008;45(10):2782-9.

Hutchings M, Specht L. PET/CT in the management of haematological malignancies. *Eur J Haematol* 2008;80(5):369-80.

Jacobsen LC, Sorensen OE, Cowland JB, Borregaard N, Theilgaard-Monch K. The secretory leukocyte protease inhibitor (SLPI) and the secondary granule protein lactoferrin are synthesized in myelocytes, colocalize in subcellular fractions of neutrophils, and are coreleased by activated neutrophils. *J Leukoc Biol* 2008;83(5):1155-64.

Kamstrup MR, Specht L, Skovgaard GL, Gniadecki R. A prospective, open-label study of low-dose total skin electron beam therapy in mycosis fungoides. *Int J Radiat Oncol Biol Phys* 2008;71(4):1204-7.

Kastrup IB, Worm J, Ralfkiaer E, Hokland P, Guldborg P, Gronbaek K. Genetic and epigenetic alterations of the reduced folate carrier in untreated diffuse large B-cell lymphoma. *Eur J Haematol* 2008;80(1):61-6.

Kimby E, Jurlander J, Geisler C, Hagberg H, Holte H, Lehtinen T, et al. Long-term molecular remissions in patients with indolent lymphoma treated with rituximab as a single agent or in combination with interferon alpha-2a: a randomized phase II study from the Nordic Lymphoma Group. *Leuk Lymphoma* 2008;49(1):102-12.

Kollgaard T, Hadrup SR, Petersen SL, Masmus TN, Andersen MH, Spierings E, et al. Natural T-cell responses against minor histocompatibility antigen (mHag) HY following HLA-matched hematopoietic cell transplantation: what are the requirements for a 'good' mHag? *Leukemia* 2008;22(10):1948-51.

Kornblit B, Munthe-Fog L, Madsen HO, Strom J, Vindelov L, Garred P. Association of HMGB1 polymorphisms with outcome in patients with systemic inflammatory response syndrome. *Crit Care* 2008;12(3):R83.

Kornblit B, Masmus T, Madsen HO, Ryder LP, Svejgaard A, Jakobsen B, et al. Haematopoietic cell transplantation with non-myeloablative conditioning in Denmark: disease-specific outcome, complications and hospitalization requirements of the first 100 transplants. *Bone Marrow Transplant* 2008;41(10):851-9.

Lanke E, Kristoffersson AC, Philips M, Holmberg L, Lethagen S. Characterization of a novel mutation in the von Willebrand factor propeptide in a distinct subtype of recessive von Willebrand disease. *Thromb Haemost* 2008;100(2):211-6.

Lanke E, Kristoffersson AC, Isaksson C, Holmberg L, Lethagen S. N1421K mutation in the glycoprotein Ib binding domain impairs ristocetin- and botrocetin-mediated binding of von Willebrand factor to platelets. *Eur J Haematol* 2008;81(5):384-90.

Lanke E, Lanke J, Lethagen S. Patients' and their family members' understanding of the genetics of type 1 von Willebrand disease. *Haemophilia* 2008;14(5):1127-30.

Larsen TS, Bjerrum OW, Pallisgaard N, Andersen MT, Moller MB, Hasselbalch HC. Sustained major molecular response on interferon alpha-2b in two patients with polycythemia vera. *Ann Hematol* 2008;87(10):847-50.

Lethagen S, Hillarp A, Ekholm C, Mattson E, Hallden C, Friberg B. Distribution of von Willebrand factor levels in young women with and without bleeding symptoms: influence of ABO blood group and promoter haplotypes. *Thromb Haemost* 2008;99(6):1013-8.

Maniecki MB, Hasle H, Friis-Hansen L, Lausen B, Nielsen OJ, Bendix K, et al. Impaired CD163-mediated hemoglobin-scavenging and severe toxic symptoms in patients treated with gemtuzumab ozogamicin. *Blood* 2008;112(4):1510-4.

Mantoni MY, Kristensen M, Brogaard MH, Sivertsen JC, Nielsen JD, Strandberg C, et al. [Diagnostic strategy in patients with clinically suspected deep vein thrombosis]. *Ugeskr Laeger* 2008;170(14):1129-33.

Masmas TN, Petersen SL, Madsen HO, Ryder LP, Kornblit B, Svejgaard A, et al. Graft rejection after hematopoietic cell transplantation with nonmyeloablative conditioning. *Am J Hematol* 2008;83(7):563-9.

Moller A, Specht L, Toft PB, Sjo LD. [Extranodal marginal zone lymphoma of the ocular adnexa]. *Ugeskr Laeger* 2008;170(45):3660-3.

Mylin AK, Abildgaard N, Johansen JS, Andersen NF, Heckendorff L, Standal T, et al. High serum YKL-40 concentration is associated with severe bone disease in newly diagnosed multiple myeloma patients. *Eur J Haematol* 2008;80(4):310-7.

Pecci A, Panza E, Pujol-Moix N, Klersy C, Di Bari F, Bozzi V, et al. Position of nonmuscle myosin heavy chain IIA (NMMHC-IIA) mutations predicts the natural history of MYH9-related disease. *Hum Mutat* 2008;29(3):409-17.

Rath J, Geisler C, Christiansen CB, Hastrup N, Madsen HO, Andersen MK, et al. Epstein-Barr virus reactivation is a potentially severe complication in chronic lymphocytic leukemia patients with poor prognostic biological markers and fludarabine refractory disease. *Haematologica* 2008;93(9):1424-6.

Rawstron AC, Orfao A, Beksac M, Bezdicikova L, Brooimans RA, Bumbea H, et al. Report of the European Myeloma Network on multiparametric flow cytometry in multiple myeloma and related disorders. *Haematologica* 2008;93(3):431-8.

Schollkopf C, Melbye M, Munksgaard L, Smedby KE, Rostgaard K, Glimelius B, et al. *Borrelia* infection and risk of non-Hodgkin lymphoma. *Blood* 2008;111(12):5524-9.

Sorensen OE, Borregaard N, Cole AM. Antimicrobial peptides in innate immune responses. *Contrib Microbiol* 2008;15:61-77.

Stecher CW, Gronbaek K, Hasle H. A novel splice mutation in the TP53 gene associated with Leydig cell tumor and primitive neuroectodermal tumor. *Pediatr Blood Cancer* 2008;50(3):701-3.

Wagener G, Gubitosa G, Wang S, Borregaard N, Kim M, Lee HT. Urinary neutrophil gelatinase-associated lipocalin and acute kidney injury after cardiac surgery. *Am J Kidney Dis* 2008;52(3):425-33.

Wagener G, Gubitosa G, Wang S, Borregaard N, Kim M, Lee HT. Increased incidence of acute kidney injury with aprotinin use during cardiac surgery detected with urinary NGAL. *Am J Nephrol* 2008;28(4):576-82.

Institut for Inflammationsforskning (IIR)

* Tilknyttet andre afdelinger/centre på Rigshospitalet, men lægger væsentlig forskningsvirksomhed i Institut for Inflammationsforskning.

Publikationer

Videnskabelige artikler

Ainsworth MA, Bendtzen K, Brynskov J. Tumor necrosis factor-alpha binding capacity and anti-infliximab antibodies measured by fluid-phase radioimmunoassays as predictors of clinical efficacy of infliximab in Crohn's disease. *Am J Gastroenterol* 2008;103(4):944-8.

Atzeni F, Bendtzen K, Bobbio-Pallavicini F, Conti F, Cutolo M, Montecucco C, et al. Infections and treatment of patients with rheumatic diseases. *Clin Exp Rheumatol* 2008;26(1 Suppl 48):S67-S73.

Banga JP, Nielsen CH, Gilbert JA, El FD, Hegedus L. Application of new therapies in Graves' disease and thyroid-associated ophthalmopathy: animal models and translation to human clinical trials. *Thyroid* 2008;18(9):973-81.

Baslund B, Bendtzen K. [Biopharmaceuticals in the treatment of rheumatoid arthritis]. *Ugeskr Laeger* 2008;170(24):2108-10.

Baslund B, Gregers J, Nielsen CH. Reduced folate carrier polymorphism determines methotrexate uptake by B cells and CD4+ T cells. *Rheumatology (Oxford)* 2008;47(4):451-3.

Bendtzen K. [The immune system and inflammatory diseases]. *Ugeskr Laeger* 2008;170(24):2110-5.

Bendtzen K. Immunogenicity of biopharmaceuticals. In: van de Weert M, Møller EH, eds. *Biotechnology: Pharmaceutical Aspects*. New York: Springer; 2008:189-203.

Bendtzen K, Kromminga A. Immunogenicity of interferon-beta. In: van de Weert M, Møller EH, eds. *Biotechnology: Pharmaceutical Aspects*. New York: Springer; 2008:127-36.

El Fassi D, Nielsen CH, Hegedus L. [Biological treatment options for Graves' ophthalmopathy]. *Ugeskr Laeger* 2008;170(24):2128-30.

El Fassi D, Nielsen CH, Kjeldsen J, Clemmensen O, Hegedus L. Ulcerative colitis following B lymphocyte depletion with rituximab in a patient with Graves' disease. *Gut* 2008;57(5):714-5.

Farrell R, Bendtzen K, Bertolotto A, Clark B, Comabella M, Deisenhammer F, et al. Neutralizing antibodies to interferon beta-1b are not associated with disease worsening in multiple sclerosis. *J Int Med Res* 2008;36(1):204-8.

Geismar K, Enevold C, Sorensen LK, Gyntelberg F, Bendtzen K, Sigurd B, et al. Involvement of interleukin-1 genotypes in the association of coronary heart disease with periodontitis. *J Periodontol* 2008;79(12):2322-30.

Hedegaard CJ, Krakauer M, Bendtzen K, Sorensen PS, Sellebjerg F, Nielsen CH. The effect of beta-interferon therapy on myelin basic protein-elicited CD4+ T cell proliferation and cytokine production in multiple sclerosis. *Clin Immunol* 2008;129(1):80-9.

Hedegaard CJ, Krakauer M, Bendtzen K, Lund H, Sellebjerg F, Nielsen CH. T helper cell type 1 (Th1), Th2 and Th17 responses to myelin basic protein and disease activity in multiple sclerosis. *Immunology* 2008;125(2):161-9.

Jorgensen KT, Wiik A, Pedersen M, Hedegaard CJ, Vestergaard BF, Gislefoss RE, et al. Cytokines, autoantibodies and viral antibodies in pre-morbid and postdiagnostic sera from patients with rheumatoid arthritis: case-control study nested in a cohort of Norwegian blood donors. *Ann Rheum Dis* 2008;67(6):860-6.

- Koch J, Boschian A, Hau J, Rieneck K. Frequency of the cancer-resistant phenotype in SR/CR mice and the effect of litter seriation. *In Vivo* 2008;22(5):565-9.
- Kolsen-Petersen JA, Bendtzen K, Tonnesen E. Infusion of hypertonic saline before elective hysterectomy: effects on cytokines and stress hormones. *Br J Anaesth* 2008;100(4):478-84.
- Krejsgaard T, Gjerdrum LM, Ralfkiaer E, Lauenborg B, Eriksen KW, Mathiesen AM, et al. Malignant Tregs express low molecular splice forms of FOXP3 in Sezary syndrome. *Leukemia* 2008;22(12):2230-9.
- Lobner M, Walsted A, Larsen R, Bendtzen K, Nielsen CH. Enhancement of human adaptive immune responses by administration of a high-molecular-weight polysaccharide extract from the cyanobacterium *Arthrospira platensis*. *J Med Food* 2008;11(2):313-22.
- Mangano K, Sardesai NY, Quattrocchi C, Mazzon E, Cuzzocrea S, Bendtzen K, et al. Effects of the immunomodulator, VGX-1027, in endotoxin-induced uveitis in Lewis rats. *Br J Pharmacol* 2008;155(5):722-30.
- Mangano K, Dati G, Quattrocchi C, Proietti L, Mazzarino C, Di Marco R, et al. Preventive and curative effects of cyclophosphamide in an animal model of Guillain Barre syndrome. *J Neuroimmunol* 2008;196(1-2):107-15.
- Mangano K, Sardesai N, D'Alcamo M, Libra M, Malaguarnera L, Donia M, et al. In vitro inhibition of enterobacteria-reactive CD4+CD25- T cells and suppression of immunoinflammatory colitis in mice by the novel immunomodulatory agent VGX-1027. *Eur J Pharmacol* 2008;586(1-3):313-21.
- Nielsen CH, El Fassi D, Hegedus L. [Novel treatment of Graves' disease using the B-lymphocyte depleting agent rituximab]. *Ugeskr Laeger* 2008;170(24):2131-4.
- Nielsen CH, Brix TH, Gardas A, Banga JP, Hegedus L. Epitope recognition patterns of thyroid peroxidase autoantibodies in healthy individuals and patients with Hashimoto's thyroiditis. *Clin Endocrinol (Oxf)* 2008;69(4):664-8.
- Nielsen OH, Bendtzen K. [Biological drugs in the treatment of immunoinflammatory diseases]. *Ugeskr Laeger* 2008;170(24):2103.
- Sellebjerg F, Datta P, Larsen J, Rieneck K, Alsing I, Oturai A, et al. Gene expression analysis of interferon-beta treatment in multiple sclerosis. *Mult Scler* 2008;14(5):615-21.
- Skov L, Bendtzen K. [Biological response modifiers in the treatment of immunoinflammatory diseases]. *Ugeskr Laeger* 2008;170(24):2120-6.
- Sorensen LK, Havemose-Poulsen A, Sonder SU, Bendtzen K, Holmstrup P. Blood cell gene expression profiling in subjects with aggressive periodontitis and chronic arthritis. *J Periodontol* 2008;79(3):477-85.
- Sorensen PS, Koch-Henriksen N, Flachs EM, Bendtzen K. Is the treatment effect of IFN-beta restored after the disappearance of neutralizing antibodies? *Mult Scler* 2008;14(6):837-42.

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Christensen HC. Cellular telephones and the risk of brain tumors (ph.d.-afhandling). København: Eget Forlag; 2008:1-145. Forsvaret den 8/11 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Poulsen TT. Gene therapy for small cell lung cancer - targeting the neuroendocrine phenotype (ph.d.-afhandling). København: Eget Forlag; 2008:1-145. Forsvaret den 3/10 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Als AB, Sengelov L, von der Maase H. Gemcitabine and cisplatin in locally advanced and metastatic bladder cancer; 3- or 4-week schedule? *Acta Oncol* 2008;47(1):110-9.

Andersen J, Kamby C, Ejlertsen B, Cold S, Ewertz M, Jacobsen EH, et al. Tamoxifen for one year versus two years versus 6 months of Tamoxifen and 6 months of megestrol acetate: a randomized comparison in postmenopausal patients with high-risk breast cancer (DBCG 89C). *Acta Oncol* 2008;47(4):718-24.

Andersen P, Pedersen MW, Woetmann A, Villingshoj M, Stockhausen MT, Odum N, et al. EGFR induces expression of IRF-1 via STAT1 and STAT3 activation leading to growth arrest of human cancer cells. *Int J Cancer* 2008;122(2):342-9.

Andersson M, Awada A, Barrett-Lee P, Hupperets P, Jackisch C, Kubista E, et al. European oncologists preferences for the management of breast cancer: case presentations and expert commentary. *The Breast* 2008;17 Suppl 2:1-11.

Andersson M, Jensen MB, Engholm G, Henrik Storm H. Risk of second primary cancer among patients with early operable breast cancer registered or randomised in Danish Breast Cancer cooperative Group (DBCG) protocols of the 77, 82 and 89 programmes during 1977-2001. *Acta Oncol* 2008;47(4):755-64.

Baumann P, Nyman J, Hoyer M, Gagliardi G, Lax I, Wennberg B, et al. Stereotactic body radiotherapy for medically inoperable patients with stage I non-small cell lung cancer - a first report of toxicity related to COPD/CVD in a non-randomized prospective phase II study. *Radiother Oncol* 2008;88(3):359-67.

Bech C, Sorensen JB. Polyneuropathy in a patient with malignant pleural mesothelioma: a paraneoplastic syndrome. *J Thorac Oncol* 2008;3(11):1359-60.

Bentzen N, Durning M, Rasmussen BB, Mouridsen H, Kroman N. Prognostic effect of estrogen receptor status across age in primary breast cancer. *Int J Cancer* 2008;122(5):1089-94.

Bertelsen L, Bernstein L, Olsen JH, Mellekjaer L, Haile RW, Lynch CF, et al. Effect of systemic adjuvant treatment on risk for contralateral breast cancer in the Women's Environment, Cancer and Radiation Epidemiology Study. *J Natl Cancer Inst* 2008;100(1):32-40.

Bilde A, von Buchwald C, Therkildsen MH, Mortensen J, Kirkegaard J, Charabi B, et al. Need for intensive histopathologic analysis to determine lymph node metastases when using sentinel node biopsy in oral cancer. *Laryngoscope* 2008;118(3):408-14.

Bjarnason NH, Christiansen M, Specht L. The nimorazole regimen in patients with head and neck cancer can increase the effect of vitamin K antagonists. *Acta Oncol* 2008;47(1):150-1.

- Blichert-Toft M, Christiansen P, Mouridsen HT. Danish Breast Cancer Cooperative Group - DBCG: history, organization, and status of scientific achievements at 30-year anniversary. *Acta Oncol* 2008;47(4):497-505.
- Blichert-Toft M, Nielsen M, Durring M, Moller S, Rank F, Overgaard M, et al. Long-term results of breast conserving surgery vs. mastectomy for early stage invasive breast cancer: 20-year follow-up of the Danish randomized DBCG-82TM protocol. *Acta Oncol* 2008;47(4):672-81.
- Blomberg Jensen M, Leffers H, Petersen JH, Daugaard G, Skakkebaek NE, Rajpert-De Meyts E. Association of the polymorphism of the CAG repeat in the mitochondrial DNA polymerase gamma gene (POLG) with testicular germ-cell cancer. *Ann Oncol* 2008;19(11):1910-4.
- Boysen T, Friberg J, Andersen A, Poulsen GN, Wohlfahrt J, Melbye M. The Inuit cancer pattern - the influence of migration. *Int J Cancer* 2008;122(11):2568-72.
- Carstensen M, Sorensen JB. Outpatient management of febrile neutropenia: time to revise the present treatment strategy. *J Support Oncol* 2008;6(5):199-208.
- Christensen AF, Nielsen BM, Engelholm SA. Three-dimensional endoluminal ultrasound-guided interstitial brachytherapy in patients with anal cancer. *Acta Radiol* 2008;49(2):132-7.
- Christensen IJ, Pappot H, Hoeyer-Hansen G. The plasminogen activation system as a source of prognostic markers in cancer. In: Edwards D, Hoeyer-Hansen G, Blase F, Sloane BF, eds. *The Cancer Degradome: proteases and cancer biology*. New York: Springer; 2008:569-86.
- Crivellari D, Sun Z, Coates AS, Price KN, Thurlimann B, Mouridsen H, et al. Letrozole compared with tamoxifen for elderly patients with endocrine-responsive early breast cancer: the BIG 1-98 trial. *J Clin Oncol* 2008;26(12):1972-9.
- Denholt CL, Hansen PR, Pedersen N, Poulsen HS, Gillings N, Kjaer A. Identification of novel peptide ligands for the cancer-specific receptor mutation EGFRvIII using a mixture-based synthetic combinatorial library. *Biopolymers* 2008;91(3):201-6.
- Ejlertsen B, Jensen MB, Mouridsen HT, Andersen J, Cold S, Jakobsen E, et al. DBCG trial 89B comparing adjuvant CMF and ovarian ablation: similar outcome for eligible but non-enrolled and randomized breast cancer patients. *Acta Oncol* 2008;47(4):709-17.
- Ejlertsen B, Mouridsen HT, Jensen MB. Adjuvant cyclophosphamide, methotrexate, and fluorouracil in premenopausal patients with node-positive breast cancer: indirect comparison of dose and schedule in DBCG trials 77, 82, and 89. *Acta Oncol* 2008;47(4):662-71.
- Evens AM, Hutchings M, Diehl V. Treatment of Hodgkin lymphoma: the past, present, and future. *Nat Clin Pract Oncol* 2008;5(9):543-56.
- Ewertz M, Kempel MM, Durring M, Jensen MB, Andersson M, Christiansen P, et al. Breast conserving treatment in Denmark, 1989-1998. A nationwide population-based study of the Danish Breast Cancer Co-operative Group. *Acta Oncol* 2008;47(4):682-90.
- Fizazi K, Oldenburg J, Dunant A, Chen I, Salvioni R, Hartmann JT, et al. Assessing prognosis and optimizing treatment in patients with postchemotherapy viable nonseminomatous germ-cell tumors (NSGCT): results of the sCR2 international study. *Ann Oncol* 2008;19(2):259-64.
- Francis P, Crown J, Di Leo A, Buyse M, Balil A, Andersson M, et al. Adjuvant chemotherapy with sequential or concurrent anthracycline and docetaxel: Breast International Group 02-98 randomized trial. *J Natl Cancer Inst* 2008;100(2):121-33.
- Friberg J, Hassler S. Cancer. In: Young K, Bjerregaard P, eds. *Health transitions in arctic populations*. Toronto: The University of Toronto; 2008:308-34.
- Friberg JT, Melbye M. Cancer patterns in Inuit populations. *Lancet Oncol* 2008;9(9):892-900.

- Friberg JT, Yuan JM, Wang R, Koh WP, Lee HP, Yu MC. Incense use and respiratory tract carcinomas: a prospective cohort study. *Cancer* 2008;113(7):1676-84.
- Gallamini A, Hutchings M, Avigdor A, Polliack A. Early interim PET scan in Hodgkin lymphoma: where do we stand? *Leuk Lymphoma* 2008;49(4):659-62.
- Girinsky T, Specht L, Ghalibafian M, Edeline V, Bonniaud G, Van Der Maazen R, et al. The conundrum of Hodgkin lymphoma nodes: to be or not to be included in the involved node radiation fields. The EORTC-GELA lymphoma group guidelines. *Radiother Oncol* 2008;88(2):202-10.
- Groenvold M, Petersen MAa, Idler E, Bjoerner JB, Fayers PM, Mouridsen HT. Psykisk velbefindende og træthed prædikterede risiko for recidiv og død efter brystkræft - sekundærpublikation. *Ugeskr Læger* 2008;170(10):844-7.
- Gundgaard MG, Soerensen JB, Ehrnrooth E. Third-line therapy for metastatic colorectal cancer. *Cancer Chemother Pharmacol* 2008;61(1):1-13.
- Hansen CL, Hansen PR, Pedersen N, Poulsen HS, Gillings N, Kjaer A. Identification of amino acid residues in PEPHC1 important for binding to the tumor-specific receptor EGFRvIII. *Chem Biol Drug Des* 2008;72(4):273-8.
- Hansen HH. Summary of treatment. In: Hansen HH, ed. *Textbook of lung cancer*. 2nd ed. London: Informa Healthcare; 2008:207-9.
- Hansen HH, Sorensen M. Treatment of SCLC: chemotherapy. In: Hansen HH, ed. *Textbook of lung cancer*. 2nd ed. London: Informa Healthcare; 2008:184-9.
- Hansen TVO, Bisgaard ML, Jonson L, Albrechtsen A, Filtenborg-Barnkob B, Eiberg H, et al. Novel de novo BRCA2 mutation in a patient with a family history of breast cancer. *BMC Med Genet* 2008;9:58.
- Hillerdal G, Sorensen JB, Sundstrom S, Riska H, Vikstrom A, Hjerpe A. Treatment of malignant pleural mesothelioma with carboplatin, liposomized doxorubicin, and gemcitabine: a phase II study. *J Thorac Oncol* 2008;3(11):1325-31.
- Hillerdal G, Sorensen JB, Sundstrom S, Vikstrom A, Hjerpe A. Treatment of malignant pleural mesothelioma with liposomized doxorubicine: prolonged time to progression and good survival. A Nordic study. *Clin Resp J* 2008;3:80-5.
- Hjalgrim H, Seow A, Rostgaard K, Friberg J. Changing patterns of Hodgkin lymphoma incidence in Singapore. *Int J Cancer* 2008;123(3):716-9.
- Holmich LR, During M, Henriksen TF, Krag C, Tange UB, Kjoller K, et al. Delayed breast reconstruction with implants after invasive breast cancer does not impair prognosis. *Ann Plast Surg* 2008;61(1):11-8.
- Howard R, Gilbert E, Lynch CF, Hall P, Storm H, Holowaty E, et al. Risk of leukemia among survivors of testicular cancer: a population-based study of 42,722 patients. *Ann Epidemiol* 2008;18(5):416-21.
- Hutchings M, Specht L. PET/CT in the management of haematological malignancies. *Eur J Haematol* 2008;80(5):369-80.
- Jensen HK, Nordmark M, Donskov F, Marcussen N, von der Maase H. Immunohistochemical expression of carbonic anhydrase IX assessed over time and during treatment in renal cell carcinoma. *BJU Int* 2008;101 Suppl 4:41-4.
- Jensen LH, Osterlind K, Rytter C. Randomized cross-over study of patient preference for oral or intravenous vinorelbine in combination with carboplatin in the treatment of advanced NSCLC. *Lung Cancer* 2008;62(1):85-91.

Jensen SA, Vainer B, Witton CJ, Jorgensen JT, Sorensen JB. Prognostic significance of numeric aberrations of genes for thymidylate synthase, thymidine phosphorylase and dihydrofolate reductase in colorectal cancer. *Acta Oncol* 2008;47(6):1054-61.

Jensen SB, Mouridsen HT, Bergmann OJ, Reibel J, Brunner N, Nauntofte B. Oral mucosal lesions, microbial changes, and taste disturbances induced by adjuvant chemotherapy in breast cancer patients. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2008;106(2):217-26.

Jensen SB, Mouridsen HT, Reibel J, Brunner N, Nauntofte B. Adjuvant chemotherapy in breast cancer patients induces temporary salivary gland hypofunction. *Oral Oncol* 2008;44(2):162-73.

Johansen H, Kaae S, Jensen MB, Mouridsen HT. Extended radical mastectomy versus simple mastectomy followed by radiotherapy in primary breast cancer. A fifty-year follow-up to the Copenhagen Breast Cancer randomised study. *Acta Oncol* 2008;47(4):633-8.

Johansson KA, Nilsson P, Zackrisson B, Ohlson B, Kjellen E, Mercke C, et al. The quality assurance process for the ARTSCAN head and neck study - a practical interactive approach for QA in 3DCRT and IMRT. *Radiother Oncol* 2008;87(2):290-9.

Juhler-Nottrup T, Korreman SS, Pedersen AN, Persson GF, Aarup LR, Nystrom H, et al. Interfractional changes in tumour volume and position during entire radiotherapy courses for lung cancer with respiratory gating and image guidance. *Acta Oncol* 2008;47(7):1406-13.

Kamstrup MR, Specht L, Skovgaard GL, Gniadecki R. A prospective, open-label study of low-dose total skin electron beam therapy in mycosis fungoides. *Int J Radiat Oncol Biol Phys* 2008;71(4):1204-7.

Kim ES, Hirsh V, Mok T, Socinski MA, Gervais R, Wu YL, et al. Gefitinib versus docetaxel in previously treated non-small-cell lung cancer (INTEREST): a randomised phase III trial. *Lancet* 2008;372(9652):1809-18.

Korreman SS, Juhler-Nottrup T, Boyer AL. Respiratory gated beam delivery cannot facilitate margin reduction, unless combined with respiratory correlated image guidance. *Radiother Oncol* 2008;86(1):61-8.

Korreman SS, Juhler-Nottrup T, Fredberg Persson G, Navrsted Pedersen A, Enmark M, Nystrom H, et al. The role of image guidance in respiratory gated radiotherapy. *Acta Oncol* 2008;47(7):1390-6.

Krege S, Beyer J, Souchon R, Albers P, Albrecht W, Algaba F, et al. European consensus conference on diagnosis and treatment of germ cell cancer: a report of the second meeting of the European Germ Cell Cancer Consensus group (EGCCCG): part I. *Eur Urol* 2008;53(3):478-96.

Krege S, Beyer J, Souchon R, Albers P, Albrecht W, Algaba F, et al. European consensus conference on diagnosis and treatment of germ cell cancer: a report of the second meeting of the European Germ Cell Cancer Consensus Group (EGCCCG): part II. *Eur Urol* 2008;53(3):497-513.

Kristensen B, Ejlersen B, Mouridsen HT, Jensen MB, Andersen J, Bjerregaard B, et al. Bisphosphonate treatment in primary breast cancer: results from a randomised comparison of oral pamidronate versus no pamidronate in patients with primary breast cancer. *Acta Oncol* 2008;47(4):740-6.

Kristensen CA, Specht LK. [Combined chemotherapy and radiotherapy in patients with nasopharyngeal cancer. A survey of a Cochrane review]. *Ugeskr Laeger* 2008;170(6):430-3.

Kristiansen C, Loft A, Berthelsen AK, Graff J, Lindebjerg J, Bisgaard C, et al. PET/CT and histopathologic response to preoperative chemoradiation therapy in locally advanced rectal cancer. *Dis Colon Rectum* 2008;51(1):21-5.

Kroman N, Jensen MB, Wohlfahrt J, Ejlersen B. Pregnancy after treatment of breast cancer - a population-based study on behalf of Danish Breast Cancer Cooperative Group. *Acta Oncol* 2008;47(4):545-9.

Langer SW. Treatment of anthracycline extravasation from centrally inserted venous catheters. *Oncol Rev* 2008;2(2):114-6.

Langkjer ST, Ejlertsen B, Mouridsen H, Andersen J, Nielsen MM, Moller KA, et al. Vinorelbine as first-line or second-line therapy for advanced breast cancer: a Phase I-II trial by the Danish Breast Cancer Co-operative Group. *Acta Oncol* 2008;47(4):735-9.

Linger R, Dudakia D, Huddart R, Tucker K, Friedlander M, Phillips KA, et al. Analysis of the DND1 gene in men with sporadic and familial testicular germ cell tumors. *Genes Chromosomes Cancer* 2008;47(3):247-52.

Londero SC, Godballe C, Krogdahl A, Bastholt L, Specht L, Sorensen CH, et al. Papillary microcarcinoma of the thyroid gland: is the immunohistochemical expression of cyclin D1 or galectin-3 in primary tumour an indicator of metastatic disease? *Acta Oncol* 2008;47(3):451-7.

Matras R, Specht L, Hillerup S. Fokussanering før strålebehandling. *Tandlaegebladet* 2008;112(6):502-10.

Mellemkjaer L, Dahl C, Olsen JH, Bertelsen L, Guldborg P, Christensen J, et al. Risk for contralateral breast cancer among carriers of the CHEK2*1100delC mutation in the WECARE Study. *Br J Cancer* 2008;98(4):728-33.

Moller A, Specht L, Toft PB, Sjo LD. [Extranodal marginal zone lymphoma of the ocular adnexa]. *Ugeskr Laeger* 2008;170(45):3660-3.

Moller AK, Gundgaard MG, Petersen BL, Daugaard G. [Unknown primary tumour - diagnostic strategies and treatment]. *Ugeskr Laeger* 2008;170(48):3946-9.

Moller S, Jensen MB, Ejlertsen B, Bjerre KD, Larsen M, Hansen HB, et al. The clinical database and the treatment guidelines of the Danish Breast Cancer Cooperative Group (DBCG); its 30-years experience and future promise. *Acta Oncol* 2008;47(4):506-24.

Mouridsen HT, Bjerre KD, Christiansen P, Jensen MB, Moller S. Improvement of prognosis in breast cancer in Denmark 1977-2006, based on the nationwide reporting to the DBCG Registry. *Acta Oncol* 2008;47(4):525-36.

Muhic A, Hovgaard D, Mork Petersen M, Daugaard S, Hojlund Bech B, Roed H, et al. Local control and survival in patients with soft tissue sarcomas treated with limb sparing surgery in combination with interstitial brachytherapy and external radiation. *Radiother Oncol* 2008;88(3):382-7.

Naylor AS, Bull C, Nilsson MK, Zhu C, Bjork-Eriksson T, Eriksson PS, et al. Voluntary running rescues adult hippocampal neurogenesis after irradiation of the young mouse brain. *Proc Natl Acad Sci USA* 2008;105(38):14632-7.

Nielsen KV, Ejlertsen B, Moller S, Jorgensen JT, Knoop A, Knudsen H, et al. The value of TOP2A gene copy number variation as a biomarker in breast cancer: Update of DBCG trial 89D. *Acta Oncol* 2008;47(4):725-34.

Oliveri RS, Andersen CY. [Human embryonic stem cells: clinical potential and current challenges]. *Ugeskr Laeger* 2008;170(21):1815-20.

Pentheroudakis G, Stahel R, Hansen H, Pavlidis N. Heterogeneity in cancer guidelines: should we eradicate or tolerate? *Ann Oncol* 2008;19(12):2067-78.

Persson GF, Almasi CE, Pappot H, Juhler-Nottrup T. Rygning og lungekraeft. *Manedsskr Prakt Laegegern* 2008;86(1):49-58.

Persson GF, Nygaard DE, Olsen M, Juhler-Nottrup T, Pedersen AN, Specht L, et al. Can audio coached 4D CT emulate free breathing during the treatment course? *Acta Oncol* 2008;47(7):1397-405.

Pestalozzi BC, Francis P, Quinaux E, Dolci S, Azambuja E, Gelber RD, et al. Is risk of central nervous system (CNS) relapse related to adjuvant taxane treatment in node-positive breast cancer? Results of the CNS substudy in the intergroup Phase III BIG 02-98 Trial. *Ann Oncol* 2008;19(11):1837-41.

Petersen MB, Ejlersen B. [Preoperative chemotherapy in operable breast cancer. A survey of a Cochrane review]. *Ugeskr Laeger* 2008;170(39):3048-50.

Poulsen TT, Pedersen N, Juel H, Poulsen HS. A chimeric fusion of the hASH1 and EZH2 promoters mediates high and specific reporter and suicide gene expression and cytotoxicity in small cell lung cancer cells. *Cancer Gene Ther* 2008;15(9):563-75.

Poulsen TT, Pappot H, Poulsen HS. Molecular biology of lung cancer. In: Hansen HH, ed. *Textbook on lung cancer*. 2nd ed. London, UK: Informa Healthcare; 2008:20-34.

Poulsen TT, Naizhen X, Poulsen HS, Linnoila RI. Acute damage by naphthalene triggers expression of the neuroendocrine marker PGP9.5 in airway epithelial cells. *Toxicol Lett* 2008;181(2):67-74.

Rasmussen BB, Andersson M, Christensen IJ, Moller S. Evaluation of and quality assurance in HER2 analysis in breast carcinomas from patients registered in Danish Breast Cancer Group (DBCG) in the period of 2002-2006. A nationwide study including correlation between HER-2 status and other prognostic variables. *Acta Oncol* 2008;47(4):784-8.

Ravaud A, Hawkins R, Gardner JP, von der Maase H, Zantl N, Harper P, et al. Lapatinib versus hormone therapy in patients with advanced renal cell carcinoma: a randomized phase III clinical trial. *J Clin Oncol* 2008;26(14):2285-91.

Risum S, Hogdall C, Loft A, Berthelsen AK, Hogdall E, Nedergaard L, et al. Prediction of suboptimal primary cytoreduction in primary ovarian cancer with combined positron emission tomography/computed tomography - a prospective study. *Gynecol Oncol* 2008;108(2):265-70.

Skov BG, Fischer BM, Pappot H. Oestrogen receptor beta over expression in males with non-small cell lung cancer is associated with better survival. *Lung Cancer* 2008;59(1):88-94.

Sorensen JB, Ravn J, Loft A, Brenoe J, Berthelsen AK. Preoperative staging of mesothelioma by 18F-fluoro-2-deoxy-D-glucose positron emission tomography/computed tomography fused imaging and mediastinoscopy compared to pathological findings after extrapleural pneumonectomy. *Eur J Cardiothorac Surg* 2008;34(5):1090-6.

Sorensen JB. Current concepts in chemotherapy for malignant pleural mesothelioma. *Clin Resp J* 2008;2:74-9.

Sorensen JB, Frank H, Palshof T. Cisplatin and vinorelbine first-line chemotherapy in non-resectable malignant pleural mesothelioma. *Br J Cancer* 2008;99(1):44-50.

Sorensen JB, Skovsgaard T, Bork E, Damstrup L, Ingeberg S. Double-blind, placebo-controlled, randomized study of chlorhexidine prophylaxis for 5-fluorouracil-based chemotherapy-induced oral mucositis with nonblinded randomized comparison to oral cooling (cryotherapy) in gastrointestinal malignancies. *Cancer* 2008;112(7):1600-6.

Sorensen JB, Kragstrup J, Skovgaard T, Puggaard L. Exercise on prescription: a randomized study on the effect of counseling vs counseling and supervised exercise. *Scand J Med Sci Sports* 2008;18(3):288-97.

Sorensen M, Lassen U, Palshof T, Jensen BB, Johansen J, Jensen PB, et al. Topotecan and cisplatin in combination with concurrent twice-daily chemoradiation in limited disease small cell lung cancer-a Danish Oncological Lung Cancer Group (DOLG) phase II trial. *Lung Cancer* 2008;60(2):252-8.

Sorensen M, Felip E. Small-cell lung cancer: ESMO clinical recommendations for diagnosis, treatment and follow-up. *Ann Oncol* 2008;19 Suppl 2:ii41-ii42.

Sorensen M, Lassen U, Jensen PB, Osterlind K, Jeppesen N, Jensen BB, et al. Phase II study of a 3-day schedule with topotecan and cisplatin in patients with previously untreated small cell lung cancer and extensive disease. *J Thorac Oncol* 2008;3(8):902-6.

Stovall M, Smith SA, Langholz BM, Boice JD Jr, Shore RE, Andersson M, et al. Dose to the contralateral breast from radiotherapy and risk of second primary breast cancer in the WECARE study. *Int J Radiat Oncol Biol Phys* 2008;72(4):1021-30.

Taheri-Kadkhoda Z, Pettersson N, Bjork-Eriksson T, Johansson KA. Superiority of intensity-modulated radiotherapy over three-dimensional conformal radiotherapy combined with brachytherapy in nasopharyngeal carcinoma: a planning study. *Br J Radiol* 2008;81(965):397-405.

Taheri-Kadkhoda Z, Bjork-Eriksson T, Nill S, Wilkens JJ, Oelfke U, Johansson KA, et al. Intensity-modulated radiotherapy of nasopharyngeal carcinoma: a comparative treatment planning study of photons and protons. *Radiat Oncol* 2008;3:4.

Thomsen MS, Berg M, Nielsen HM, Pedersen AN, Overgaard M, Ewertz M, et al. Post-mastectomy radiotherapy in Denmark: from 2D to 3D treatment planning guidelines of The Danish Breast Cancer Cooperative Group. *Acta Oncol* 2008;47(4):654-61.

Vilmar AC, Gjørup I, David K. [Severe Haemophilus influenzae b infection in healthy male adult]. *Ugeskr Laeger* 2008;170(40):3142-3.

Worrillow LJ, Smith AG, Scott K, Andersson M, Ashcroft AJ, Dores GM, et al. Polymorphic MLH1 and risk of cancer after methylating chemotherapy for Hodgkin lymphoma. *J Med Genet* 2008;45(3):142-6.

Wurtz SO, Møller S, Mouridsen H, Hertel PB, Friis E, Brunner N. Plasma and serum levels of tissue inhibitor of metalloproteinases-1 are associated with prognosis in node-negative breast cancer: a prospective study. *Mol Cell Proteomics* 2008;7(2):424-30.

Wurtz SO, Schrohl AS, Mouridsen H, Brunner N. TIMP-1 as a tumor marker in breast cancer - an update. *Acta Oncol* 2008;47(4):580-90.

Young K, Kelly J, Lanier A, Santos M, Healey S, Louchini R, et al. Cancer among the circumpolar inuit 1989-2003. II. Patterns and trends. *Int J Circumpolar Health* 2008;67(5):408-20.

Young K, Kelly J, Lanier A, Santos M, Healey S, Louchini R, et al. Cancer among the circumpolar inuit 1989-2003. I. Background and methods. *Int J Circumpolar Health* 2008;67(5):396-407.

Reumatologisk Klinik

Publikationer

Videnskabelige artikler

Baslund B, Bendtzen K. [Biopharmaceuticals in the treatment of rheumatoid arthritis]. *Ugeskr Laeger* 2008;170(24):2108-10.

Baslund B. [Biological treatment of rare inflammatory rheumatic diseases]. *Ugeskr Laeger* 2008;170(24):2150-2.

Baslund B, Gregers J, Nielsen CH. Reduced folate carrier polymorphism determines methotrexate uptake by B cells and CD4+ T cells. *Rheumatology (Oxford)* 2008;47(4):451-3.

Broholm B, Ullman S, Halberg P, Jacobsen S. Deterioration of lung function is associated with presence of IgM rheumatoid factor and smoking in patients with systemic sclerosis. *Clin Rheumatol* 2008;27(8):1053-6.

Dombernowsky T, Dreyer L, Bartels EM, Danneskiold-Samsøe B. [Muscular strength in patients with fibromyalgia. A literature review]. *Ugeskr Laeger* 2008;170(4):217-24.

Faurschou M, Sørensen IJ, Møllekjær L, Loft AG, Thomsen BS, Tvede N, et al. Malignancies in Wegener's granulomatosis: incidence and relation to cyclophosphamide therapy in a cohort of 293 patients. *J Rheumatol* 2008;35(1):100-5.

Faurschou M, Penkowa M, Andersen CB, Starklint H, Jacobsen S. The renal metallothionein expression profile is altered in human lupus nephritis. *Arthritis Res Ther* 2008;10(4):R76.

Fenton KA, Mjelle JE, Jacobsen S, Olsen R, Rekvig OP. Renal expression of polyomavirus large T antigen is associated with nephritis in human systemic lupus erythematosus. *Mol Immunol* 2008;45(11):3117-24.

Hetland ML, Stengaard-Pedersen K, Junker P, Lottenburger T, Hansen I, Andersen LS, et al. Aggressive combination therapy with intra-articular glucocorticoid injections and conventional disease-modifying anti-rheumatic drugs in early rheumatoid arthritis: second-year clinical and radiographic results from the CIMESTRA study. *Ann Rheum Dis* 2008;67(6):815-22.

Holm B, Jacobsen S, Skjodt H, Klarlund M, Jensen T, Hetland ML, et al. Keitel Functional Test for patients with rheumatoid arthritis: translation, reliability, validity, and responsiveness. *Phys Ther* 2008;88(5):664-78.

Juul-Kristensen B, Lund H, Hansen K, Christensen H, Danneskiold-Samsøe B, Bliddal H. Test-retest reliability of joint position and kinesthetic sense in the elbow of healthy subjects. *Physiother Theory Pract* 2008;24(1):65-72.

Juul-Kristensen B, Lund H, Hansen K, Christensen H, Danneskiold-Samsøe B, Bliddal H. Poorer elbow proprioception in patients with lateral epicondylitis than in healthy controls: a cross-sectional study. *J Shoulder Elbow Surg* 2008;17(1 Suppl):72S-81S.

Møllekjær L, Pfeiffer RM, Engels EA, Gridley G, Wheeler W, Hemminki K, et al. Autoimmune disease in individuals and close family members and susceptibility to non-Hodgkin's lymphoma. *Arthritis Rheum* 2008;58(3):657-66.

Sennels H, Sørensen S, Ostergaard M, Knudsen L, Hansen M, Skjodt H, et al. Circulating levels of osteopontin, osteoprotegerin, total soluble receptor activator of nuclear factor-kappa B ligand, and high-sensitivity C-reactive protein in patients with active rheumatoid arthritis randomized to etanercept alone or in combination with methotrexate. *Scand J Rheumatol* 2008;37(4):241-7.

Strålebiologisk Laboratorium

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Poulsen TT. Gene therapy for small cell lung cancer - targeting the neuroendocrine phenotype (ph.d.-afhandling). København: Det Samfundsvidenskabelige Fakultets ReproCenter; 2008:1-145. Forsvaret den 3/10 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Andersen P, Pedersen MW, Woetmann A, Villingshøj M, Stockhausen MT, Odum N, et al. EGFR induces expression of IRF-1 via STAT1 and STAT3 activation leading to growth arrest of human cancer cells. *Int J Cancer* 2008;122(2):342-9.

Hansen CL, Hansen PR, Pedersen N, Poulsen HS, Gillings N, Kjaer A. Identification of amino acid residues in PEPHC1 important for binding to the tumor-specific receptor EGFRvIII. *Chem Biol Drug Des* 2008;72(4):273-8.

Poulsen TT, Pappot HP, Poulsen HS. Molecular biology in lung cancer. In: Hansen HH, ed. *IASLC Textbook of Lung Cancer*. 2nd ed. London: Informa Healthcare; 2008:20-34.

Poulsen TT, Naizhen X, Poulsen HS, Linnoila RI. Acute damage by naphthalene triggers expression of the neuroendocrine marker PGP9.5 in airway epithelial cells. *Toxicol Lett* 2008;181(2):67-74.

Poulsen TT, Pedersen N, Juel H, Poulsen HS. A chimeric fusion of the hASH1 and EZH2 promoters mediates high and specific reporter and suicide gene expression and cytotoxicity in small cell lung cancer cells. *Cancer Gene Ther* 2008;15(9):563-75.

Hjertemedicinsk Klinik B

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Aplin M. Differential signalling by the angio-tensin 1 receptor - molecular determinants and biological correlates (ph.d.-afhandling). København: Eget Forlag; 2008:1-120. Forsvaret den 19/1 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Lindholm MG. Low cardiac output syndrome with and without cardiogenic shock: prognostic and therapeutic aspects (ph.d.-afhandling). København: Eget Forlag; 2008:1-90. Forsvaret den 18/1 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Nielsen OW. Epidemiology of heart failure and clinical application of natriuretic peptide testing in primary care (disputats). København: Eget Forlag; 2008:1-90. Forsvaret den 21/11 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Abdulla J, Kober L, Abildstrom SZ, Christensen E, James WP, Torp-Pedersen C. Impact of obesity as a mortality predictor in high-risk patients with myocardial infarction or chronic heart failure: a pooled analysis of five registries. *Eur Heart J* 2008;29(5):594-601.

Akkan D, Kjaergaard J, Moller JE, Hassager C, Torp-Pedersen C, Kober L. Prognostic importance of a short deceleration time in symptomatic congestive heart failure. *Eur J Heart Fail* 2008;10(7):689-95.

Anavekar NS, Skali H, Bourgoun M, Ghali JK, Kober L, Maggioni AP, et al. Usefulness of right ventricular fractional area change to predict death, heart failure, and stroke following myocardial infarction (from the VALIANT ECHO Study). *Am J Cardiol* 2008;101(5):607-12.

Anavekar NS, Solomon SD, McMurray JJ, Maggioni A, Rouleau JL, Califf R, et al. Comparison of renal function and cardiovascular risk following acute myocardial infarction in patients with and without diabetes mellitus. *Am J Cardiol* 2008;101(7):925-9.

Baldazzi F, Jorgensen E, Ripa RS, Kastrup J. Release of biomarkers of myocardial damage after direct intramyocardial injection of genes and stem cells via the percutaneous transluminal route. *Eur Heart J* 2008;29(15):1819-26.

Bang LE, Ripa RS, Grande P, Kastrup J, Clemmensen PM, Wagner GS. Comparison of infarct size changes with delayed contrast-enhanced magnetic resonance imaging and electrocardiogram QRS scoring during the 6 months after acutely reperfused myocardial infarction. *J Electrocardiol* 2008;41(6):609-13.

Beghetti M, Hoepfer MM, Kiely DG, Carlsen J, Schwierin B, Segal ES, et al. Safety experience with bosentan in 146 children 2-11 years old with pulmonary arterial hypertension: results from the European Postmarketing Surveillance program. *Pediatr Res* 2008;64(2):200-4.

Bernheim AM, Connolly HM, Rubin J, Moller JE, Scott CG, Nagorney DM, et al. Role of hepatic resection for patients with carcinoid heart disease. *Mayo Clin Proc* 2008;83(2):143-50.

Burton CM, Iversen M, Carlsen J, Andersen CB. Interstitial inflammatory lesions of the pulmonary allograft: a retrospective analysis of 2697 transbronchial biopsies. *Transplantation* 2008;86(6):811-9.

Burton CM, Iversen M, Scheike T, Carlsen J, Andersen CB. Minimal acute cellular rejection remains prevalent up to 2 years after lung transplantation: a retrospective analysis of 2697 transbronchial biopsies. *Transplantation* 2008;85(4):547-53.

Burton CM, Iversen M, Scheike T, Carlsen J, Andersen CB. Is lymphocytic bronchiolitis a marker of acute rejection? An analysis of 2,697 transbronchial biopsies after lung transplantation. *J Heart Lung Transplant* 2008;27(10):1128-34.

Busk M, Kristensen SD, Rasmussen K, Kelbaek H, Thayssen P, Madsen JK, et al. Clinical Reinfarction according to Infarct Location and Reperfusion Modality in Patients with ST Elevation Myocardial Infarction. A DANAMI-2 Long-Term Follow-Up Substudy. *Cardiology* 2008;113(1):72-80.

Busk M, Maeng M, Rasmussen K, Kelbaek H, Thayssen P, Abildgaard U, et al. The Danish multicentre randomized study of fibrinolytic therapy vs. primary angioplasty in acute myocardial infarction (the DANAMI-2 trial): outcome after 3 years follow-up. *Eur Heart J* 2008;29(10):1259-66.

Chattopadhyay N, Espinosa-Jeffrey A, Tfelt-Hansen J, Yano S, Bandyopadhyay S, Brown EM, et al. Calcium receptor expression and function in oligodendrocyte commitment and lineage progression: potential impact on reduced myelin basic protein in CaR-null mice. *J Neurosci Res* 2008;86(10):2159-67.

Chinali M, de Simone G, Wachtell K, Gerdt E, Gardin JM, Boman K, et al. Left atrial systolic force in hypertensive patients with left ventricular hypertrophy: the LIFE study. *J Hypertens* 2008;26(7):1472-6.

Christensen AH, Henningsen K, Svendsen JH. [Ventricular tachyarrhythmias. A retrospective analysis of etiology, demography and treatment]. *Ugeskr Laeger* 2008;170(25):2234-7.

Cicala S, de Simone G, Wachtell K, Gerdt E, Boman K, Nieminen MS, et al. Clinical impact of 'in-treatment' wall motion abnormalities in hypertensive patients with left ventricular hypertrophy: the LIFE study. *J Hypertens* 2008;26(4):806-12.

Clemmensen PM, Pehrson SM. [Basic resuscitation! A depressing business]. *Ugeskr Laeger* 2008;170(47):3841.

Corell P, Gustafsson F, Mehlsen J, Rosenberg J, Hildebrandt P. Paroxysmal atrial fibrillation is uncommon in outpatients with chronic heart failure. *Scand Cardiovasc J* 2008;42(3):202-7.

Cramariuc D, Rieck AE, Staal EM, Wachtell K, Eriksen E, Rossebo AB, et al. Factors influencing left ventricular structure and stress-corrected systolic function in men and women with asymptomatic aortic valve stenosis (a SEAS Substudy). *Am J Cardiol* 2008;101(4):510-5.

Dalsgaard M, Egstrup K, Wachtell K, Gerdt E, Cramariuc D, Kjaergaard J, et al. Left atrial volume in patients with asymptomatic aortic valve stenosis (the Simvastatin and Ezetimibe in Aortic Stenosis study). *Am J Cardiol* 2008;101(7):1030-4.

Damgaard S, Lund JT, Lilleor NB, Perko MJ, Sander K, Dimo B, et al. Comparable three months' outcome of total arterial revascularization versus conventional coronary surgery: Copenhagen Arterial Revascularization Randomized Patency and Outcome trial. *J Thorac Cardiovasc Surg* 2008;135(5):1069-75.

Diederichsen AC, Moller JE, Thayssen P, Junker AB, Videbaek L, Saekmose SG, et al. Effect of repeated intracoronary injection of bone marrow cells in patients with ischaemic heart failure the Danish stem cell study - congestive heart failure trial (DanCell-CHF). *Eur J Heart Fail* 2008;10(7):661-7.

Fosbol EL, Gislason GH, Jacobsen S, Abildstrom SZ, Hansen ML, Schramm TK, et al. The pattern of use of non-steroidal anti-inflammatory drugs (NSAIDs) from 1997 to 2005: a nationwide study on 4.6 million people. *Pharmacoepidemiol Drug Saf* 2008;17(8):822-33.

Fosbol EL, Thune JJ, Kelbaek H, Andersen HR, Saunamaki K, Nielsen TT, et al. Long-term outcome of primary angioplasty compared with fibrinolysis across age groups: a Danish Multicenter Random-

ized Study on Fibrinolytic Therapy Versus Acute Coronary Angioplasty in Acute Myocardial Infarction (DANAMI-2) substudy. *Am Heart J* 2008;156(2):391-6.

Fosbol EL, Seibaek M, Brendorp B, Torp-Pedersen C, Kober L. Prognostic importance of change in QRS duration over time associated with left ventricular dysfunction in patients with congestive heart failure: the DIAMOND study. *J Card Fail* 2008;14(10):850-5.

Freestone B, Gustafsson F, Chong AY, Corell P, Kistorp C, Hildebrandt P, et al. Influence of atrial fibrillation on plasma von willebrand factor, soluble E-selectin, and N-terminal pro B-type natriuretic peptide levels in systolic heart failure. *Chest* 2008;133(5):1203-8.

Frikke-Schmidt R, Nordestgaard BG, Stene MC, Sethi AA, Remaley AT, Schnohr P, et al. Association of loss-of-function mutations in the ABCA1 gene with high-density lipoprotein cholesterol levels and risk of ischemic heart disease. *JAMA* 2008;299(21):2524-32.

Fritz-Hansen T, Hove JD, Kofoed KF, Kelbaek H, Larsson HB. Quantification of MRI measured myocardial perfusion reserve in healthy humans: a comparison with positron emission tomography. *J Magn Reson Imaging* 2008;27(4):818-24.

Galloe AM, Thuesen L, Kelbaek H, Thayssen P, Rasmussen K, Hansen PR, et al. Comparison of paclitaxel- and sirolimus-eluting stents in everyday clinical practice: the SORT OUT II randomized trial. *JAMA* 2008;299(4):409-16.

Gerds E, Cramariuc D, de Simone G, Wachtell K, Dahlöf B, Devereux RB. Impact of left ventricular geometry on prognosis in hypertensive patients with left ventricular hypertrophy (the LIFE study). *Eur J Echocardiogr* 2008;9(6):809-15.

Gerds E, Okin PM, de Simone G, Cramariuc D, Wachtell K, Boman K, et al. Gender differences in left ventricular structure and function during antihypertensive treatment: the Losartan Intervention for Endpoint Reduction in Hypertension Study. *Hypertension* 2008;51(4):1109-14.

Gluud C, Als-Nielsen B, Damgaard M, Fischer Hansen J, Hansen S, Helo OH, et al. Clarithromycin for 2 weeks for stable coronary heart disease: 6-year follow-up of the CLARICOR randomized trial and updated meta-analysis of antibiotics for coronary heart disease. *Cardiology* 2008;111(4):280-7.

Greve AM, Wachtell K. Does lowering cholesterol have an impact on the progression of aortic stenosis? *Ther Adv Cardiovasc Dis* 2008;2(4):277-86.

Haack-Sorensen M, Friis T, Bindslev L, Mortensen S, Johnsen HE, Kastrup J. Comparison of different culture conditions for human mesenchymal stromal cells for clinical stem cell therapy. *Scand J Clin Lab Invest* 2008;68(3):192-203.

Hansen JL, Aplin M, Hansen JT, Christensen GL, Bonde MM, Schneider M, et al. The human angiotensin AT(1) receptor supports G protein-independent extracellular signal-regulated kinase 1/2 activation and cellular proliferation. *Eur J Pharmacol* 2008;590(1-3):255-63.

Hansen ML, Gadsboll N, Gislason GH, Abildstrom SZ, Schramm TK, Folke F, et al. Atrial fibrillation pharmacotherapy after hospital discharge between 1995 and 2004: a shift towards beta-blockers. *Europace* 2008;10(4):395-402.

Hansen ML, Gislason GH, Kober L, Schramm TK, Folke F, Buch P, et al. Different angiotensin-converting enzyme inhibitors have similar clinical efficacy after myocardial infarction. *Br J Clin Pharmacol* 2008;65(2):217-23.

Henningsen K, Christensen AH, Svendsen JH. [Ventricular tachyarrhythmias in patients with cardiomyopathy]. *Ugeskr Laeger* 2008;170(25):2238-42.

Henningsen KM, Nilsson B, Bruunsgaard H, Chen X, Pedersen BK, Svendsen JH. Prognostic impact of hs-CRP and IL-6 in patients undergoing radiofrequency catheter ablation for atrial fibrillation. *Scand Cardiovasc J* 2008;1-7.

Hinrichsen R, Hansen AH, Haunso S, Busk PK. Phosphorylation of pRb by cyclin D kinase is necessary for development of cardiac hypertrophy. *Cell Prolif* 2008;41(5):813-29.

Holmvang L, Mickley H. Gender differences following percutaneous coronary intervention. *Ther Adv Cardiovasc Dis* 2008;2(2):109-13.

Hove JD, Rasmussen R, Freiberg J, Holm S, Kelbaek H, Kofoed KE. Clinical evaluation of iterative reconstruction (ordered-subset expectation maximization) in dynamic positron emission tomography: quantitative effects on kinetic modeling with N-13 ammonia in healthy subjects. *J Nucl Cardiol* 2008;15(4):530-4.

Ibsen H, Olsen MH, Wachtell K, Borch-Johnsen K, Lindholm LH, Mogensen CE. Reduction in albuminuria translates to reduction in cardiovascular events in hypertensive patients with left ventricular hypertrophy and diabetes. *J Nephrol* 2008;21(4):566-9.

Iversen K, Nielsen OW, Kirk V, Bay M, Hassager C, Boesgaard S, et al. Heart murmur and N-terminal pro-brain natriuretic peptide as predictors of death in 2977 consecutive hospitalized patients. *Am J Med Sci* 2008;335(6):444-50.

Iversen KK, Teisner AS, Teisner B, Kliem A, Bay M, Kirk V, et al. Pregnancy-associated plasma protein A in non-cardiac conditions. *Clin Biochem* 2008;41(7-8):548-53.

Iversen KK, Kjaergaard J, Akkan D, Kober L, Torp-Pedersen C, Hassager C, et al. Chronic obstructive pulmonary disease in patients admitted with heart failure. *J Intern Med* 2008;264(4):361-9.

Jensen JS, Galloe A, Lassen JF, Erglis A, Kumsars I, Steigen TK, et al. Safety in simple versus complex stenting of coronary artery bifurcation lesions. The nordic bifurcation study 14-month follow-up results. *EuroInterv* 2008;4(2):229-33.

Jensen LO, Maeng M, Thayssen P, Christiansen EH, Hansen KN, Galloe A, et al. Neointimal hyperplasia after sirolimus-eluting and paclitaxel-eluting stent implantation in diabetic patients: the Randomized Diabetes and Drug-Eluting Stent (DiabeDES) Intravascular Ultrasound Trial. *Eur Heart J* 2008;29(22):2733-41.

Jensen LO, Maeng M, Christiansen EH, Hansen KN, Galloe A, Kelbaek H, et al. Intravascular ultrasound assessment of expansion of the sirolimus-eluting (cypher select) and Paclitaxel-eluting (targus express-2) stent in patients with diabetes mellitus. *Am J Cardiol* 2008;102:19-26.

Joergensen R, Holliday ND, Hansen JL, Vrecl M, Heding A, Schwartz TW, et al. Characterization of G-protein coupled receptor kinase interaction with the NK-1 receptor using BRET. *Mol Pharm* 2008;73(2):349-58.

Jorgensen E, Helqvist S, Klovgaard L, Kastrup J, Clemmensen P, Holmvang L, et al. Restenosis in coronary bare metal stents. Importance of time to follow-up: a comparison of coronary angiograms 6 months and 4 years after implantation. *Scand Cardiovasc J* 2008;1-7.

Kelbaek H, Thuesen L, Helqvist S, Clemmensen P, Klovgaard L, Kaltoft A, et al. Drug-eluting versus bare metal stents in patients with st-segment-elevation myocardial infarction: eight-month follow-up in the Drug Elution and Distal Protection in Acute Myocardial Infarction (DEDICATION) trial. *Circulation* 2008;118(11):1155-62.

Kelbaek H, Klovgaard L, Helqvist S, Lassen JF, Krusell LR, Engstrom T, et al. Long-term outcome in patients treated with sirolimus-eluting stents in complex coronary artery lesions: 3-year results of the SCANDSTENT (Stenting Coronary Arteries in Non-Stress/Benestent Disease) trial. *J Am Coll Cardiol* 2008;51(21):2011-6.

Kelbaek H, Terkelsen CJ, Helqvist S, Lassen JF, Clemmensen P, Klovgaard L, et al. Randomized comparison of distal protection versus conventional treatment in primary percutaneous coronary intervention: the drug elution and distal protection in ST-elevation myocardial infarction (DEDICATION) trial. *J Am Coll Cardiol* 2008;51(9):899-905.

- Khattab AA, Richard G, Verin V, Kelbæk H, Macaya C, Berland J, et al. Differential analysis of an everolimus-eluting stent and a paclitaxel-eluting stent among higher risk subgroups for restenosis: results from the SPIRIT II trial. *EuroInterv* 2008;3:566-73.
- Kistorp C, Chong AY, Gustafsson F, Galatius S, Raymond I, Faber J, et al. Biomarkers of endothelial dysfunction are elevated and related to prognosis in chronic heart failure patients with diabetes but not in those without diabetes. *Eur J Heart Fail* 2008;10(4):380-7.
- Kjaergaard J, Schaadt BK, Lund JO, Hassager C. Quantification of right ventricular function in acute pulmonary embolism: relation to extent of pulmonary perfusion defects. *Eur J Echocardiogr* 2008;9(5):641-5.
- Klčovansky J, Sondergaard L, Helvind M, Andersen HO. Cardiac surgery in grown-up congenital heart patients. Will the surgical workload increase? *Interact Cardiovasc Thorac Surg* 2008;7(1):84-9.
- Kober L, Torp-Pedersen C, McMurray JJ, Gotzsche O, Levy S, Crijns H, et al. Increased mortality after dronedarone therapy for severe heart failure. *N Engl J Med* 2008;358(25):2678-87.
- Kristensen T, Kofoed KF, Helqvist S, Helvind M, Sondergaard L. Anomalous origin of the left coronary artery from the pulmonary artery (ALCAPA) presenting with ventricular fibrillation in an adult: a case report. *J Cardiothorac Surg* 2008;3:33.
- Kristensen TS, Kofoed KF, von der Recke P, Nielsen MB. [The new CT scanners. The Danish Society of Radiology]. *Ugeskr Laeger* 2008;170(12):1052.
- Kristensen TS, Kofoed KF, Engstrom T. Acute stent thrombosis after bifurcation stenting with the crush technique visualized with 64-slice computed tomography. *J Invasive Cardiol* 2008;20(7):364-6.
- Kumler T, Gislason GH, Kirk V, Bay M, Nielsen OW, Kober L, et al. Accuracy of a heart failure diagnosis in administrative registers. *Eur J Heart Fail* 2008;10(7):658-60.
- Lancellotti P, Donal E, Cosyns B, Van Camp G, Monin JL, Brochet E, et al. Effects of surgery on ischaemic mitral regurgitation: a prospective multicentre registry (SIMRAM registry). *Eur J Echocardiogr* 2008;9(1):26-30.
- Lewis EF, Velazquez EJ, Solomon SD, Hellkamp AS, McMurray JJ, Mathias J, et al. Predictors of the first heart failure hospitalization in patients who are stable survivors of myocardial infarction complicated by pulmonary congestion and/or left ventricular dysfunction: a VALIANT study. *Eur Heart J* 2008;29(6):748-56.
- Li Z, Dahlof B, Okin PM, Kjeldsen SE, Wachtell K, Ibsen H, et al. Left bundle branch block and cardiovascular morbidity and mortality in hypertensive patients with left ventricular hypertrophy: the Losartan Intervention For Endpoint Reduction in Hypertension study. *J Hypertens* 2008;26(6):1244-9.
- Lindholm MG, Boesgaard S, Thune JJ, Kelbaek H, Andersen HR, Kober L. Percutaneous coronary intervention for acute MI does not prevent in-hospital development of cardiogenic shock compared to fibrinolysis. *Eur J Heart Fail* 2008;10(7):668-74.
- Lundby A, Ravn LS, Svendsen JH, Hauns S, Olesen SP, Schmitt N. KCNE3 mutation V17M identified in a patient with lone atrial fibrillation. *Cell Physiol Biochem* 2008;21(1-3):47-54.
- Major-Pedersen A, Ihlemann N, Hermann TS, Christiansen B, Dominguez H, Kveiborg B, et al. Effects of oral glucose load on endothelial function and on insulin and glucose fluctuations in healthy individuals. *Exp Diabetes Res* 2008;2008:672021.
- Milman N, Hoffmann AL. Childhood sarcoidosis: long-term follow-up. *Eur Respir J* 2008;31(3):592-8.
- Milman N, Burton CM, Iversen M, Videbaek R, Jensen CV, Carlsen J. Pulmonary hypertension in end-stage pulmonary sarcoidosis: therapeutic effect of sildenafil? *J Heart Lung Transplant* 2008;27(3):329-34.

- Milman N, Andersen CB, Mortensen SA, Sander K. Cardiac sarcoidosis and heart transplantation: a report of four consecutive patients. *Sarcoidosis Vasc Diffuse Lung Dis* 2008;25(1):51-9.
- Moller CH, Gustafsson F, Gluud C, Steinbruchel DA. Interleukin-2 receptor antagonists as induction therapy after heart transplantation: systematic review with meta-analysis of randomized trials. *J Heart Lung Transplant* 2008;27(8):835-42.
- Moller JE. Independence of restrictive filling pattern and LV ejection fraction with mortality in heart failure: an individual patient meta-analysis. Meta-analysis research group in echocardiography (MeERGE) Heart Failure Collaborators. *Eur Heart J* 2008;10(8):786-92.
- Moller JE, Bergeron S, Jaffe A, Pellikka PA. Influence of left ventricular filling pattern on exercise-induced changes of natriuretic peptides in patients with suspected coronary artery disease. *Int J Cardiol* 2008;124(2):204-10.
- Moller JE, Torp-Pedersen C, Kober LV. Is heart failure the critical warning sign for death following myocardial infarction? *Eur Heart J* 2008;29(7):833-4.
- Nielsen OW, Kober L, Torp-Pedersen C. Heart failure with preserved ejection fraction: dangerous, elusive, and difficult. *Eur Heart J* 2008;29(3):285-7.
- Norgaard BL, Terkelsen CJ, Riiskjaer M, Holmvang L, Grip L, Heickendorff L, et al. Risk prediction in acute coronary syndrome from serial in-hospital measurements of N-terminal pro-B-type natriuretic peptide. *Acute Card Care* 2008;10(3):159-66.
- Okin PM, Wachtell K, Devereux RB, Nieminen MS, Oikarinen L, Viitasalo M, et al. Combination of the electrocardiographic strain pattern and albuminuria for the prediction of new-onset heart failure in hypertensive patients: the LIFE study. *Am J Hypertens* 2008;21(3):273-9.
- Olsen MH, Hansen TW, Christensen MK, Gustafsson F, Rasmussen S, Wachtell K, et al. Cardiovascular risk prediction by N-terminal pro brain natriuretic peptide and high sensitivity C-reactive protein is affected by age and sex. *J Hypertens* 2008;26(1):26-34.
- Olsen MH, Hansen TW, Christensen MK, Gustafsson F, Rasmussen S, Wachtell K, et al. Impact of the metabolic syndrome on the predictive values of new risk markers in the general population. *J Hum Hypertens* 2008;22(9):634-40.
- Pallesen L, Kofod T, Kirkegaard P, Mortensen SA. Odontogen fokussanering forud for organtransplantation. *Tandlaegebladet* 2008;112(6):518-27.
- Palmieri V, Bella JN, Gerds E, Wachtell K, Papademetriou V, Nieminen MS, et al. Change in pulse pressure/stroke index in response to sustained blood pressure reduction and its impact on left ventricular mass and geometry changes: the life study. *Am J Hypertens* 2008;21(6):701-7.
- Pedersen S, Galatius S, Bech J, Jorgensen E, Saunamaki K, Helqist S, et al. 7,528 patients treated with PCI - a Scandinavian real-life scenario. *Cardiology* 2008;110(2):96-105.
- Petersen AMW, Mittendorfer B, Magkos F, Iversen M, Pedersen BK. Physical activity counteracts increased whole-body protein breakdown in chronic obstructive pulmonary disease patients. *Scand J Med Sci Sports* 2008;18:557-64.
- Rai A, Riemann M, Gustafsson F, Holstein-Rathlou NH, Torp-Pedersen C. Streptozotocin-induced diabetes decreases conducted vasoconstrictor response in mouse cremaster arterioles. *Horm Metab Res* 2008;40(9):651-4.
- Rasmussen S, Abildstrom SZ, Rasmussen JN, Gislason GH, Schramm TK, Folke F, et al. Hospital variation in use of secondary preventive medicine after discharge for first acute myocardial infarction during 1995-2004. *Med Care* 2008;46(1):70-7.

Ravn LS, Benn M, Nordestgaard BG, Sethi AA, Agerholm-Larsen B, Jensen GB, et al. Angiotensinogen and ACE gene polymorphisms and risk of atrial fibrillation in the general population. *Pharmacogenet Genomics* 2008;18(6):525-33.

Ravn LS, Aizawa Y, Pollevick GD, Hofman-Bang J, Cordeiro JM, Dixen U, et al. Gain of function in IKs secondary to a mutation in KCNE5 associated with atrial fibrillation. *Heart Rhythm* 2008;5(3):427-35.

Ripa RS, Kastrup J. G-CSF therapy with mobilization of bone marrow stem cells for myocardial recovery after acute myocardial infarction - a relevant treatment? *Exp Hematol* 2008;36(6):681-6.

Rosenberg J, Gustafsson F. Bisoprolol for congestive heart failure. *Expert Opin Pharmacother* 2008;9(2):293-300.

Rosenberg J, Gustafsson F, Remme WJ, Riegger GA, Hildebrandt PR. Effect of beta-blockade and ACE inhibition on B-type natriuretic peptides in stable patients with systolic heart failure. *Cardiovasc Drugs Ther* 2008;22(4):305-11.

Rossebo AB, Pedersen TR, Boman K, Brudi P, Chambers JB, Egstrup K, et al. Intensive lipid lowering with simvastatin and ezetimibe in aortic stenosis. *N Engl J Med* 2008;359(13):1343-56.

Ruck A, Sylven C, Kastrup J. Refractory angina pectoris carries a favourable prognosis: a three-year follow-up of 150 patients. Euroinject one study group. *Scand Cardiovasc J* 2008;42(5):291-4.

Schneider M, Hansen JL, Sheikh SP. S100A4: a common mediator of epithelial-mesenchymal transition, fibrosis and regeneration in diseases? *J Mol Med* 2008;86(5):507-22.

Schoos M, Iversen K, Teisner A, Teisner B, Thaning P, Kliem A, et al. Release patterns of pregnancy-associated plasma protein A in patients with acute coronary syndromes assessed by an optimized monoclonal antibody assay. *Scand J Clin Lab Invest* 2008;1-7.

Schou M, Gustafsson F, Videbaek L, Markenvard J, Ulriksen H, Ryde H, et al. Design and methodology of the NorthStar Study: NT-proBNP stratified follow-up in outpatient heart failure clinics - a randomized Danish multicenter study. *Am Heart J* 2008;156(4):649-55.

Schou M, Torp-Pedersen C, Gustafsson F, Abdulla J, Kober L. Wall motion index, estimated glomerular filtration rate and mortality risk in patients with heart failure or myocardial infarction: a pooled analysis of 18,010 patients. *Eur J Heart Fail* 2008;10(7):682-8.

Schramm TK, Gislason GH, Kober L, Rasmussen S, Rasmussen JN, Abildstrom SZ, et al. Diabetes patients requiring glucose-lowering therapy and nondiabetics with a prior myocardial infarction carry the same cardiovascular risk: a population study of 3.3 million people. *Circulation* 2008;117(15):1945-54.

Sejersten M, Sillesen M, Hansen PR, Nielsen SL, Nielsen H, Trautner S, et al. Effect on treatment delay of prehospital teletransmission of 12-lead electrocardiogram to a cardiologist for immediate triage and direct referral of patients with ST-segment elevation acute myocardial infarction to primary percutaneous coronary intervention. *Am J Cardiol* 2008;101(7):941-6.

Sheykhzade M, Smajilovic S, Issa A, Haunso S, Christensen SB, Tfelt-Hansen J. S-petasin and butyrate lactones dilate vessels through blockage of voltage gated calcium channels and block DNA synthesis. *Eur J Pharmacol* 2008;593(1-3):79-86.

Sillesen M, Sejersten M, Strange S, Nielsen SL, Lippert F, Clemmensen P. Referral of patients with ST-segment elevation acute myocardial infarction directly to the catheterization suite based on prehospital teletransmission of 12-lead electrocardiogram. *J Electrocardiol* 2008;41(1):49-53.

Simonneau G, Rubin LJ, Galie N, Barst RJ, Fleming TR, Frost AE, et al. Addition of sildenafil to long-term intravenous epoprostenol therapy in patients with pulmonary arterial hypertension: a randomized trial. *Ann Intern Med* 2008;149(8):521-30.

Smajilovic S, Tfelt-Hansen J. Novel role of the calcium-sensing receptor in blood pressure modulation. *Hypertension* 2008;52(6):994-1000.

Sonne DP, Engstrom T, Treiman M. Protective effects of GLP-1 analogues exendin-4 and GLP-1(9-36) amide against ischemia-reperfusion injury in rat heart. *Regul Pept* 2008;146(1-3):243-9.

Sorensen R, Gislason GH, Fosbol EL, Rasmussen S, Kober L, Madsen JK, et al. Initiation and persistence with clopidogrel treatment after acute myocardial infarction: a nationwide study. *Br J Clin Pharmacol* 2008;66(6):875-84.

Sorensen R, Abildstrom SZ, Torp-Pedersen C, Gislason GH. Use of selective cyclooxygenase-2 inhibitors and nonselective nonsteroidal antiinflammatory drugs in high doses increases mortality and risk of reinfarction in patients with prior myocardial infarction. *J Cardiovasc Nurs* 2008;23(1):14-9.

Stene MC, Frikke-Schmidt R, Nordestgaard BG, Grande P, Schnohr P, Tybjaerg-Hansen A. Functional promoter variant in zinc finger protein 202 predicts severe atherosclerosis and ischemic heart disease. *J Am Coll Cardiol* 2008;52(5):369-77.

Sveen ML, Thune JJ, Kober L, Vissing J. Cardiac involvement in patients with limb-girdle muscular dystrophy type 2 and Becker muscular dystrophy. *Arch Neurol* 2008;65(9):1196-201.

Tfelt-Hansen J. The role of calcium-sensing receptor and signalling pathways in the pathophysiology in two in vitro models of malignant hypercalcemia: the rat rice H-500 Leydig testis cancer and prostate cancer (PC-3) cells. Expression and regulation of pituitary tumor transforming gene in Leydig testis cancer and astrocyte and astrocytoma cells. *Dan Med Bull* 2008;55(1):17-46.

Theliade JE, Skovby AM, Kirk V, Parvaiz I, Holmvang L. [Choriocarcinoma causing a pulmonary embolus.]. *Ugeskr Laeger* 2008;170(5):353.

Therkelsen SK, Groenning BA, Kjaer A, Svendsen JH, Boje Jensen G. ANP and BNP in atrial fibrillation before and after cardioversion - and their relationship to cardiac volume and function. *Int J Cardiol* 2008;127(3):396-9.

Thomas KL, Al-Khatib SM, Likhnygina Y, Solomon SD, Kober L, McMurray JJ, et al. Amiodarone use after acute myocardial infarction complicated by heart failure and/or left ventricular dysfunction may be associated with excess mortality. *Am Heart J* 2008;155(1):87-93.

Thune JJ, Signorovitch J, Kober L, Velazquez EJ, McMurray JJ, Califf RM, et al. Effect of antecedent hypertension and follow-up blood pressure on outcomes after high-risk myocardial infarction. *Hypertension* 2008;51(1):48-54.

Torp-Pedersen C, Kober L, Carlsen JE, Akkan D, Bruun NE, Dacoronias D, et al. A randomised trial of a pre-synaptic stimulator of DA2-dopaminergic and alpha2-adrenergic receptors on morbidity and mortality in patients with heart failure. *Eur J Heart Fail* 2008;10(1):89-95.

Valeur N, Clemmensen P, Grande P, Wachtell K, Saunamaki K. Pre-discharge exercise test for evaluation of patients with complete or incomplete revascularization following primary percutaneous coronary intervention: a DANAMI-2 sub-study. *Cardiology* 2008;109(3):163-71.

Wachtell K, Olsen MH. Is it time to change the definition of normal urinary albumin excretion? *Nat Clin Pract Nephrol* 2008;4(12):650-1.

Wachtell K, Devereux RB, Lyle PA, Okin PM, Gerds E. The left atrium, atrial fibrillation, and the risk of stroke in hypertensive patients with left ventricular hypertrophy. *Ther Adv Cardiovasc Dis* 2008;2(6):507-13.

Wachtell K. Left ventricular systolic performance in asymptomatic aortic stenosis. *Eur Heart J* 2008;10(Suppl. E):E16-E22.

Wang Y, Ripa RS, Johansen JS, Gabrielsen A, Steinbruchel DA, Friis T, et al. YKL-40 a new biomarker in patients with acute coronary syndrome or stable coronary artery disease. *Scand Cardiovasc J* 2008;42(5):295-302.

William M, Hamilton EJ, Garcia A, Bundgaard H, Chia KK, Figtree GA, et al. Natriuretic peptides stimulate the cardiac sodium pump via NPR-C-coupled NOS activation. *Am J Physiol Cell Physiol* 2008;294(4):C1067-C1073.

Yap YG, Duong T, Bland M, Malik M, Torp-Pedersen C, Kober L, et al. Potential demographic and baseline variables for risk stratification of high-risk post-myocardial infarction patients in the era of implantable cardioverter-defibrillator - a prognostic indicator. *Int J Cardiol* 2008;126(1):101-7.

Zacho J, Tybjaerg-Hansen A, Jensen JS, Grande P, Sillesen H, Nordestgaard BG. Genetically elevated C-reactive protein and ischemic vascular disease. *N Engl J Med* 2008;359(18):1897-908.

Zohnhofer D, Dibra A, Koppa T, de Waha A, Ripa RS, Kastrup J, et al. Stem cell mobilization by granulocyte colony-stimulating factor for myocardial recovery after acute myocardial infarction: a meta-analysis. *J Am Coll Cardiol* 2008;51(15):1429-37.

Zwisler AD, Soja AM, Rasmussen S, Frederiksen M, Abedini S, Appel J, et al. Hospital-based comprehensive cardiac rehabilitation versus usual care among patients with congestive heart failure, ischemic heart disease, or high risk of ischemic heart disease: 12-month results of a randomized clinical trial. *Am Heart J* 2008;155(6):1106-13.

Thoraxkirurgisk Klinik

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Damgaard S. Coronary artery bypass grafting using total arterial revascularization. Graft patency, clinical outcome and health-related quality of life, insights from a randomized controlled trial (ph.d.-afhandling). København: Eget Forlag; 2008:1-90. Forsvaret den 19/9 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Damgaard S, Lund JT, Lilleor NB, Perko MJ, Sander K, Dimo B, et al. Comparable three months' outcome of total arterial revascularization versus conventional coronary surgery: Copenhagen Arterial Revascularization Randomized Patency and Outcome trial. *J Thorac Cardiovasc Surg* 2008;135(5):1069-75.

Jensen BO, Rasmussen LS, Steinbruchel DA. Cognitive outcomes in elderly high-risk patients 1 year after off-pump versus on-pump coronary artery bypass grafting. A randomized trial. *Eur J Cardiothorac Surg* 2008;34(5):1016-21.

Klcovansky J, Sondergaard L, Helvind M, Andersen HO. Cardiac surgery in grown-up congenital heart patients. Will the surgical workload increase? *Interact Cardiovasc Thorac Surg* 2008;7(1):84-9.

Kortbeek JB, Al Turki SA, Ali J, Ravn J, et al. Advanced trauma life support, 8th edition, the evidence for change. *J Trauma* 2008;64:1638-50.

Kristensen T, Kofoed KF, Helqvist S, Helvind M, Sondergaard L. Anomalous origin of the left coronary artery from the pulmonary artery (ALCAPA) presenting with ventricular fibrillation in an adult: a case report. *J Cardiothorac Surg* 2008;3:33.

Moller CH, Norgaard MA, Gotze JP, Andersen CB, Olsen NV, Steinbruchel DA. Selective retrograde venous revascularization of the myocardium when PCI or CABG is impossible: investigation in a porcine model. *Heart Surg Forum* 2008;11(2):E99-104.

Moller CH, Penninga L, Wetterslev J, Steinbruchel DA, Gluud C. Clinical outcomes in randomized trials of off- vs. on-pump coronary artery bypass surgery: systematic review with meta-analyses and trial sequential analyses. *Eur Heart J* 2008;29(21):2601-16.

Moller CH, Gustafsson F, Gluud C, Steinbruchel DA. Interleukin-2 receptor antagonists as induction therapy after heart transplantation: systematic review with meta-analysis of randomized trials. *J Heart Lung Transplant* 2008;27(8):835-42.

Penninga L, Damgaard S. [Coronary subclavian steal syndrome: two cases after coronary artery bypass grafting]. *Ugeskr Laeger* 2008;170(14):1158.

Ravn J. Thoracic trauma. In: Fildes J, ed. *ATLS Student Course Manual*. 8th ed. Chicago: Heart Side Publishing Services; 2008:85-100.

Steinbruchel DA. [New indications for an old surgical technique]. *Ugeskr Laeger* 2008;170(36):2767.

Strüber M, Sander K, Laphor Jeal. HeartMate II left ventricular assist device: early European experience. *Eur J Cardiothorac Surg* 2008;34:289-94.

Sørensen JB, Ravn JB, Loft Ael. Preoperative staging of mesothelioma. *Eur J Cardiothorac Surg* 2008;34:1090-6.

Wang Y, Ripa RS, Johansen JS, Gabrielsen A, Steinbruchel DA, Friis T, et al. YKL-40 a new biomarker in patients with acute coronary syndrome or stable coronary artery disease. *Scand Cardiovasc J* 2008;42(5):295-302.

Anæstesi- og Operationsklinikken

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Claudius C. Monitoring of neuromuscular block by acceleromyography. A comparison with mechanomyography (ph.d-afhandling). København: Eget Forlag; 2008:1-61. Forsvaret den 26/9 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Isbye DL. Cardiac arrest - strategies to improve resuscitation training (ph.d-afhandling). København: Eget Forlag; 2008:1-37. Forsvaret den 25/4 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Berlac P, Hyldmo PK, Kongstad P, Kurola J, Nakstad AR, Sandberg M. Pre-hospital airway management: guidelines from a task force from the Scandinavian Society for Anaesthesiology and Intensive Care Medicine. *Acta Anaesthesiol Scand* 2008;52(7):897-907.

Claudius C, Viby-Mogensen J. Acceleromyography for use in scientific and clinical practice: a systematic review of the evidence. *Anesthesiology* 2008;108(6):1117-40.

Fischer CE, Barnung S, Nielsen SL, Rasmussen LS. Prehospital identification of stroke--room for improvement. *Eur J Neurol* 2008;15(8):792-6.

Gaarder C, Naess PA, Frischknecht CE, Hakala P, Handolin L, Heier HE, et al. Scandinavian Guidelines--"The massively bleeding patient". *Scand J Surg* 2008;97(1):15-36.

Hesselbjerg L, Holm-Knudsen RJ. Luftvejshåndtering. In: Henneberg SW, Hansen TG, eds. *Børneanæstesi*. København: FADL's Forlag; 2008:83-99.

Holm-Knudsen RJ. Præoperativ vurdering og forberedelse af barn og forældre. In: Henneberg SW, Hansen TG, eds. *Børneanæstesi*. København: FADL's Forlag; 2008:67-74.

Isbye DL, Hoiby P, Rasmussen MB, Sommer J, Lippert FK, Ringsted C, et al. Voice advisory manikin versus instructor facilitated training in cardiopulmonary resuscitation. *Resuscitation* 2008;79(1):73-81.

Jensen BO, Rasmussen LS, Steinbruchel DA. Cognitive outcomes in elderly high-risk patients 1 year after off-pump versus on-pump coronary artery bypass grafting. A randomized trial. *Eur J Cardiothorac Surg* 2008;34(5):1016-21.

Jorgensen TB, Sorensen AM, Jansen EC. Iatrogenic systemic air embolism treated with hyperbaric oxygen therapy. *Acta Anaesthesiol Scand* 2008;52(4):566-8.

Knudsen J, Nauntofte B, Engelholm SA, Hyldegaard O. Effect on hyperbaric oxygen on salivary gland function following radiation therapy. *Undersea Hyperb Med* 2008;35:289.

Koscielniak-Nielsen ZJ, Rasmussen H, Hesselbjerg L. Long-axis ultrasound imaging of the nerves and advancement of perineural catheters under direct vision: a preliminary report of four cases. *Reg Anesth Pain Med* 2008;33(5):477-82.

Koscielniak-Nielsen ZJ. Ultrasound-guided peripheral nerve blocks: what are the benefits? *Acta Anaesthesiol Scand* 2008;52(6):727-37.

Koscielniak-Nielsen ZJ, Rasmussen H, Hesselbjerg L. Pneumothorax after an ultrasound-guided lateral sagittal infraclavicular block. *Acta Anaesthesiol Scand* 2008;52(8):1176-7.

Lawson-Smith P, Jansen EC, Hilsted L, Johnsen AH, Hyldegaard O. Treatment of cyanide poisoning with HBO. *Undersea Hyperb Med* 2008;35:303.

Mathiesen OP, Nielsen SL, Rasmussen LS. [How is out-of-hospital cardiac arrest dispatched?]. *Ugeskr Laeger* 2008;170(14):1145-7.

Meyhoff CS, Wetterslev J, Jorgensen LN, Henneberg SW, Simonsen I, Pulawska T, et al. Perioperative oxygen fraction - effect on surgical site infection and pulmonary complications after abdominal surgery: a randomized clinical trial. Rationale and design of the PROXI-Trial. *Trials* 2008;9(1):58.

Nielsen AM, Isbye DL, Lippert FK. [Have the 2005 guidelines for resuscitation been implemented?]. *Ugeskr Laeger* 2008;170(47):3843-7.

Olesen MD, Barnung SK, Berlac PA. [Percussion pacing of symptomatic bradycardia]. *Ugeskr Laeger* 2008;170(22):1941.

Pedersen UG, Lindekaer AL, Nielsen SL. [Prehospital management of febrile convulsions by the Mobile Emergency Care Unit in the Capital Region of Denmark]. *Ugeskr Laeger* 2008;170(48):3962-6.

Puhringer FK, Rex C, Sielenkamper AW, Claudius C, Larsen PB, Prins ME, et al. Reversal of profound, high-dose rocuronium-induced neuromuscular blockade by sugammadex at two different time points: an international, multicenter, randomized, dose-finding, safety assessor-blinded, phase II trial. *Anesthesiology* 2008;109(2):188-97.

Randsoe T, Kvist TM, Hyldegaard O. Effect of oxygen and heliox breathing on air bubbles in adipose tissue during 25-kPa altitude exposures. *J Appl Physiol* 2008;105(5):1492-7.

Rasmussen LS, Gisvold SE. New author guidelines. *Acta Anaesthesiol Scand* 2008;52(5):594-5.

Rudolph JL, Marcantonio ER, Culley DJ, Silverstein JH, Rasmussen LS, Crosby GJ, et al. Delirium is associated with early postoperative cognitive dysfunction. *Anaesthesia* 2008;63(9):941-7.

Sejersten M, Sillesen M, Hansen PR, Nielsen SL, Nielsen H, Trautner S, et al. Effect on treatment delay of prehospital teletransmission of 12-lead electrocardiogram to a cardiologist for immediate triage and direct referral of patients with ST-segment elevation acute myocardial infarction to primary percutaneous coronary intervention. *Am J Cardiol* 2008;101(7):941-6.

Sillesen M, Sejersten M, Strange S, Nielsen SL, Lippert F, Clemmensen P. Referral of patients with ST-segment elevation acute myocardial infarction directly to the catheterization suite based on prehospital teletransmission of 12-lead electrocardiogram. *J Electrocardiol* 2008;41(1):49-53.

Steinmetz J, Barnung S, Nielsen SL, Risom M, Rasmussen LS. Improved survival after an out-of-hospital cardiac arrest using new guidelines. *Acta Anaesthesiol Scand* 2008;52(7):908-13.

Steinmetz J, Rasmussen LS. [Cognitive deterioration after surgery]. *Ugeskr Laeger* 2008;170(49):4032-4.

Steinmetz J, Rasmussen LS. Choice reaction time in patients with post-operative cognitive dysfunction. *Acta Anaesthesiol Scand* 2008;52(1):95-8.

Publikationer

Videnskabelige artikler

Andersen PA, Chakera AH, Klausen TL, Binderup T, Grossjohann HS, Friis E, et al. Radiation exposure to surgical staff during F-18-FDG-guided cancer surgery. *Eur J Nucl Med Mol Imaging* 2008;35(3):624-9.

Bentzen N, Durrain C, Rasmussen BB, Mouridsen H, Kroman N. Prognostic effect of estrogen receptor status across age in primary breast cancer. *Int J Cancer* 2008;122(5):1089-94.

Bergenfels A, Jansson S, Kristoffersson A, Martensson H, Reihner E, Wallin G, et al. Complications to thyroid surgery: results as reported in a database from a multicenter audit comprising 3,660 patients. *Langenbecks Arch Surg* 2008;393(5):667-73.

Celis JE, Gromov P, Cabezon T, Moreira JM, Friis E, Jirstrom K, et al. 15-prostaglandin dehydrogenase expression alone or in combination with ACSM1 defines a subgroup of the apocrine molecular subtype of breast carcinoma. *Mol Cell Proteomics* 2008;7(10):1795-809.

Christiansen P, Friis E, Balslev E, Jensen D, Moller S. Sentinel node biopsy in breast cancer: five years experience from Denmark. *Acta Oncol* 2008;47(4):561-8.

Engel LE, Mynster T. [Rapid growing liposarcoma in retroperitoneum]. *Ugeskr Laeger* 2008;170(40):3149-50.

Ewertz M, Kempel MM, Durrain C, Jensen MB, Andersson M, Christiansen P, et al. Breast conserving treatment in Denmark, 1989-1998. A nationwide population-based study of the Danish Breast Cancer Co-operative Group. *Acta Oncol* 2008;47(4):682-90.

Friis E, Galatius H, Garne JP. Organized nation-wide implementation of sentinel lymph node biopsy in Denmark. *Acta Oncol* 2008;47(4):556-60.

Gartner R, Kroman N, Callesen T, Kehlet H. [Multimodal treatment of pain and nausea in breast cancer surgery]. *Ugeskr Laeger* 2008;170(23):2035-8.

Gartner R, Callesen T, Kroman N, Kehlet H. [Postoperative inconveniences after breast cancer surgery]. *Ugeskr Laeger* 2008;170(23):2032-4.

Husted MA, Haugaard K, Soerensen J, Bokmand S, Friis E, Holtveg H, et al. Arm morbidity following sentinel lymph node biopsy or axillary lymph node dissection: a study from the Danish Breast Cancer Cooperative Group. *Breast* 2008;17(2):138-47.

Kroman N. Timing of breast cancer surgery in relation to the menstrual cycle--the rise and fall of a hypothesis. *Acta Oncol* 2008;47(4):576-9.

Kroman N, Jensen MB, Wohlfahrt J, Ejlersen B. Pregnancy after treatment of breast cancer--a population-based study on behalf of Danish Breast Cancer Cooperative Group. *Acta Oncol* 2008;47(4):545-9.

Laenkholm AV, Jensen MB, Kroman N, Rank F. Breast cancer in situ. From pre-malignant lesion of uncertain significance to well-defined non-invasive malignant lesion. The Danish Breast Cancer Cooperative Group Register 1977-2007 revisited. *Acta Oncol* 2008;47(4):765-71.

Paaschburg B, Pedersen A, Tuxen MK, Nielsen MM, Kroman N. [Treatment of elderly patients with breast cancer]. *Ugeskr Laeger* 2008;170(14):1133-8.

Stralman K, Mollerup CL, Kristoffersen US, Elberg JJ. Long-term outcome after mastectomy with immediate breast reconstruction. *Acta Oncol* 2008;47(4):704-8.

Teilum D, Kroman N, Friis E. [Sentinel node technique in local relapse after breast-conserving surgery]. *Ugeskr Laeger* 2008;170(40):3136-7.

Wurtz SO, Moller S, Mouridsen H, Hertel PB, Friis E, Brunner N. Plasma and serum levels of tissue inhibitor of metalloproteinases-1 are associated with prognosis in node-negative breast cancer: a prospective study. *Mol Cell Proteomics* 2008;7(2):424-30.

Yousaf U, Christensen LH, Rasmussen AK, Jensen F, Mollerup CL, Kirkegaard J, et al. Immunohistochemical staining for thyroid peroxidase (TPO) of needle core biopsies in the diagnosis of scintigraphically cold thyroid nodules. *Clin Endocrinol (Oxf)* 2008;68(6):996-1001.

Klinik for Plastikkirurgi og Brandsårsbehandling

Publikationer

Videnskabelige artikler

Alsbjörn B. Burn treatment. In: Kuokkanen H, Holmström H, Åbyholm FE, Drzewiecki KT, eds. *Scandinavian plastic surgery*. 1st ed. København: Narayana Press; 2008:275-304.

Andersen PA, Chakera AH, Klausen TL, Binderup T, Grossjohann HS, Friis E, et al. Radiation exposure to surgical staff during F-18-FDG-guided cancer surgery. *Eur J Nucl Med Mol Imaging* 2008;35(3):624-9.

Berg JO, Vindelov L, Schmidt G, Drzewiecki KT. Allogeneic split-skin grafting in stem cell transplanted patients. *J Plast Reconstr Aesthet Surg* 2008;61(12):1512-5.

Bonde C, Holstein-Rathlou NH, Elberg J. Evaluation of tissue oxygen measurements for flap monitoring in an animal model. *J Reconstr Microsurg* 2008;24(6):391-6.

Chakera AH, Hansen LB, Lock-Andersen J, Drzewiecki KT, Hesse B. In-transit sentinel nodes must be found: implication from a 10-year follow-up study in melanoma. *Melanoma Res* 2008;18(5):359-64.

de Medeiros F, Hansen L, Mawlad E, Eiberg H, Asklund C, Tommerup N, et al. A novel mutation in IRF6 resulting in VWS-PPS spectrum disorder with renal aplasia. *Am J Med Genet A* 2008;146A(12):1605-8.

Drzewiecki KT. Benign tumors of the skin and subcutis. In: Kuokkanen H, Holmström H, Åbyholm FE, Drzewiecki KT, eds. *Scandinavian plastic surgery*. 1st ed. København: Narayana Press; 2008:91-6.

Drzewiecki KT, Dahlstrøm K. Malignant melanoma. In: Kuokkanen H, Holmström H, Åbyholm FE, Drzewiecki KT, eds. *Scandinavian plastic surgery*. 1st ed. København: Narayana Press; 2008:123-32.

Holmgaard R, Jakobsen LP. Cervical spondylodiscitis--a rare complication of palatopharyngeal flap surgery. *Cleft Palate Craniofac J* 2008;45(6):674-6.

Kalialis LV, Drzewiecki KT, Mohammadi M, Mehlsen AB, Klyver H. Spontaneous regression of metastases from malignant melanoma: a case report. *Melanoma Res* 2008;18(4):279-83.

Stralman K, Mollerup CL, Kristoffersen US, Elberg JJ. Long-term outcome after mastectomy with immediate breast reconstruction. *Acta Oncol* 2008;47(4):704-8.

Ortopædkirurgisk Klinik

Publikationer

Videnskabelige artikler

Broholm C, Mortensen OH, Nielsen S, Akerstrom T, Zankari A, Dahl B, et al. Exercise induces expression of leukaemia inhibitory factor in human skeletal muscle. *J Physiol* 2008;586(8):2195-201.

Frevert S, Dahl B, Lonn L. Update on the roles of angiography and embolisation in pelvic fracture. *Injury* 2008;39(11):1290-4.

Muhic A, Hovgaard D, Mork PM, Daugaard S, Hojlund BB, Roed H, et al. Local control and survival in patients with soft tissue sarcomas treated with limb sparing surgery in combination with interstitial brachytherapy and external radiation. *Radiother Oncol* 2008;88(3):382-7.

Wong C, Gehrchen PM, Kiaer T. Can experimental data in humans verify the finite element-based bone remodeling algorithm? *Spine* 2008;33(26):2875-80.

Tand-mund-kæbekirurgisk Klinik

HovedOrtoCentret - Rigshospitalet (RH), Tandlægeskolen - Københavns Universitet (TS), og Informatik og Matematisk Modellering - Danmarks Tekniske Universitet (IMM)

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Ólafsdóttir H. Quantification of Craniofacial Growth in Mice with Craniofacial Dysmorphology Caused by the Crouzon Mutation *Fgfr2C342Y*. (ph.d.-afhandling). Lyngby: DTU Informatics, Technical University of Denmark; 2008:1-159. Forsvaret den 7/4 2008 ved DTU Informatics, Technical University of Denmark.

Videnskabelige artikler

Anderson RJ, Darvann TA, Ólafsdóttir H, Hansen DW, Larsen R, Hermann N, Larsen P et al. Automated landmarking of 3D infant face surfaces using 2D active appearance models. In: Takada K, Kreiborg S, eds. *In Silico Dentistry - The Evolution of Computational Oral Health Science*. Osaka: Medigit; 2008:163-5.

Andreasen JO, Storgard JS, Kofod T, Schwartz O, Hillerup S. Open or closed repositioning of mandibular fractures: is there a difference in healing outcome? A systematic review. *Dent Traumatol* 2008;24(1):17-21.

Arntsen T, Kjaer I, Sonnesen L. Skull thickness in patients with skeletal Class II and Class III malocclusions. *Orthod Craniofac Res* 2008;11(4):229-34.

Becktor JP, Sollenius O, Isaksson S, Vedtofte P. Transverse displacement of the proximal segment after bilateral sagittal osteotomy using miniplates and monocortical screw technique. *J Oral Maxillofac Surg* 2008;66(1):104-11.

Becktor JP, Hallstrom H, Isaksson S, Sennerby L. The use of particulate bone grafts from the mandible for maxillary sinus floor augmentation before placement of surface-modified implants: results from bone grafting to delivery of the final fixed prosthesis. *J Oral Maxillofac Surg* 2008;66(4):780-6.

Cvek M, Tsilingaridis G, Andreasen JO. Survival of 534 incisors after intra-alveolar root fracture in patients aged 7-17 years. *Dent Traumatol* 2008;24(4):379-87.

Darvann TA, Ólafsdóttir H, Hermann N, Larsen P, Lanche S, Larsen R, Ersbøll BK et al. On the measurement of craniofacial asymmetry. In: Takada K, Kreiborg S, eds. In *Silicio Dentistry - The Evolution of Computational Oral Health Science*. Osaka: Medigit; 2008:37-41.

Darvann TA. Landmarker: a VTK-based tool for landmarking of polygonal surfaces. In: Takada K, Kreiborg S, eds. In *Silicio Dentistry - The Evolution of Computational Oral Health Science*. Osaka: Medigit; 2008:160-2.

Fernandes M, Jensen SS, Lauritzen JB, Jørgensen HL. Fokussanering forud for indsættelse af knæ- og hofteproteser. *Tandlaegebladet* 2008;112(6):540-5.

Hallund M, Schiødt M. Fokussanering før bisfosfonatbehandling. *Tandlaegebladet* 2008;112(6):534-9.

Hatibovic-Kofman S, Raimundo L, Zheng L, Chong L, Friedman M, Andreasen JO. Fracture resistance and histological findings of immature teeth treated with mineral trioxide aggregate. *Dent Traumatol* 2008;24(3):272-6.

Helsted L, Vedtofte P, Hassager C. Fokussanering og hjerteklappsubstitution. *Tandlaegebladet* 2008;112(6):512-6.

Hermann N, Darvann TA, Sundberg K, Kreiborg S, Jørgensen C. Usefulness of 3D ultrasound for in vivo studies of the prenatal mandible. In: Takada K, Kreiborg S, eds. In *Silicio Dentistry - The Evolution of Computational Oral Health Science*. Osaka: 2008:33-6.

Hermund NU, Hillerup S, Kofod T, Schwartz O, Andreasen JO. Effect of early or delayed treatment upon healing of mandibular fractures: a systematic literature review. *Dent Traumatol* 2008;24(1):22-6.

Hillerup S, Schou S. Koronectomi. In: Holmstrup P, ed. *Odontologi 2009*. København: Munksgaard Danmark; 2008:123-39.

Hillerup S. Iatrogenic injury to the inferior alveolar nerve: etiology, signs and symptoms, and observations on recovery. *Int J Oral Maxillofac Surg* 2008;37(8):704-9.

Hove HD, Hermann NV, Jørgensen C, Kreiborg S, Sundberg K. An echo-poor spine at 13 weeks: an early sign of cleidocranial dysplasia. *Fetal Diagn Ther* 2008;24(2):103-5.

Jacobsen PE, Kjaer I, Sonnesen L. Skull thickness in patients with skeletal deep bite. *Orthod Craniofac Res* 2008;11(2):119-23.

Jensen SS, Yazdi PM, von Arx T, Kvist T. Kirurgisk endodonti. In: Holmstrup P, ed. *Odontologi 2009*. København: Munksgaard Danmark; 2008:161-73.

Knudsen TB, Schiødt M. Fokussanering før kemoterapi. *Tandlaegebladet* 2008;112(6):528-33.

Kreiborg S, Hermann N, Darvann TA. Facial growth and development in cleft children. In: Losee JE, Kirshner RE, eds. *Comprehensive Cleft care*. New York: McGrawHill; 2008:749-61.

Kreiborg S, Larsen P, Darvann TA, Ólafsdóttir H, Hermann N, Hove HD. 3D craniofacial growth analysis. In: Takada K, Kreiborg S, eds. In *Silicio Dentistry - The Evolution of Computational Oral Health Science*. Osaka: Medigit; 2008:29-32.

Lanche S, Darvann TA, Ólafsdóttir H, Hermann N, Van Pelt AE, Govier D, Tenenbaum MJ et al. Validation of a statistical model of head asymmetry in infants with deformational plagiocephaly. In: Takada K, Kreiborg S, eds. In *Silicio Dentistry - The Evolution of Computational Oral Health Science*. Osaka: Medigit; 2008:42-6.

Larsen P, Darvann TA, Hermann N, Krarup S, Kreiborg S. Reproducibility of normal facial expression in 3dMD surface scans. In: Takada K, Kreiborg S, eds. In *Silicio Dentistry - The Evolution of Computational Oral Health Science*. Osaka: Medigit; 2008:71-3.

Matras R, Specht L, Hillerup S. Fokussanering før strålebehandling. Tandlaegebladet 2008;112(6):502-10.

Ólafsdóttir H, Darvann TA, Hermann N, Larsen P, Govier D, Kane AA, Hove HD et al. Non-rigid registration in craniofacial image analysis: Application to the study of unicoronal synostosis. In: Takada K, Kreiborg S, eds. In *Silicio Dentistry - The Evolution of Computational Oral Health Science*. Osaka: Medigit; 2008:98-101.

Pallesen L, Kofod T, Kirkegaard P, Mortensen SA. Odontogen fokussanering forud for organtransplantation. Tandlaegebladet 2008;112(6):518-27.

Sonnesen L, Nolting D, Kjaer KW, Kjaer I. Association between the development of the body axis and the craniofacial skeleton studied by immunohistochemical analyses using collagen II, Pax9, Pax1, and Noggin antibodies. *Spine* 2008;33(15):1622-6.

Sonnesen L, Pallisgaard C, Kjaer I. Cervical column morphology and craniofacial profiles in monozygotic twins. *Twin Res Hum Genet* 2008;11(1):84-92.

Sonnesen L, Petri N, Kjaer I, Svanholt P. Cervical column morphology in adult patients with obstructive sleep apnoea. *Eur J Orthod* 2008;30(5):521-6.

Sonnesen L, Svensson P. Temporomandibular disorders and psychological status in adult patients with a deep bite. *Eur J Orthod* 2008;30(6):621-9.

Tabatabaie F, Sonnesen L, Kjaer I. The neurocranial and craniofacial morphology in children with solitary median maxillary central incisor (SMMCI). *Orthod Craniofac Res* 2008;11(2):96-104.

Øjenklinikken

Publikationer

Videnskabelige artikler

Andersen MV, Rosenberg T, la Cour M, Kiilgaard JF, Prause JU, Alsbirk PH, et al. Prevalence of age-related maculopathy and age-related macular degeneration among the Inuit in Greenland. The Greenland Inuit Eye Study. *Ophthalmology* 2008;115(4):700-7.

Haargaard B, Ritz C, Oudin A, Wohlfahrt J, Thygesen J, Olsen T, et al. Risk of glaucoma after pediatric cataract surgery. *Invest Ophthalmol Vis Sci* 2008;49(5):1791-6.

Hommer A, Thygesen J, Ferreras A, Wickstrom J, Friis MM, Buchholz P, et al. A European perspective on costs and cost effectiveness of ophthalmic combinations in the treatment of open-angle glaucoma. *Eur J Ophthalmol* 2008;18(5):778-86.

Hommer A, Wickstrom J, Friis MM, Steeds C, Thygesen J, Ferreras A, et al. A cost-effectiveness analysis of fixed-combination therapies in patients with open-angle glaucoma: a European perspective. *Curr Med Res Opin* 2008;24(4):1057-63.

Hove HD, Bisgaard AM, Nissen KR, Kirchhoff M. Facial asymmetry associated with small and large intestinal atresia, and ipsilateral malformations of eye, skin, and extremities. *Clin Dysmorphol* 2008;17(2):121-2.

Kessing SV, Nissen OI, Thygesen J, Flesner P, Otland N, Riise P. The filtering, clear-cornea diathermal keratostomy: a minor Danish multicenter study. *J Glaucoma* 2008;17(4):293-302.

Klassen H, Warfvinge K, Schwartz PH, Kiilgaard JF, Shamie N, Jiang C, et al. Isolation of progenitor cells from GFP-transgenic pigs and transplantation to the retina of allorecipients. *Cloning Stem Cells* 2008;10(3):391-402.

Kyhn MV, Kiilgaard JF, Scherfig E, Prause JU, la Cour M. The spatial resolution of the porcine multifocal electroretinogram for detection of laser-induced retinal lesions. *Acta Ophthalmol* 2008;86(7):786-93.

Kyhn MV, Kiilgaard JF, Lopez AG, Scherfig E, Prause JU, la Cour M. Functional implications of short-term retinal detachment in porcine eyes: study by multifocal electroretinography. *Acta Ophthalmol* 2008;86(1):18-25.

Lassota N, Kiilgaard JF, la Cour M, Scherfig E, Prause JU. Natural history of choroidal neovascularization after surgical induction in an animal model. *Acta Ophthalmol* 2008;86(5):495-503.

Noergaard MH, Bach-Holm D, Scherfig E, Bang K, Jensen PK, Kiilgaard JF, et al. Dorzolamide increases retinal oxygen tension after branch retinal vein occlusion. *Invest Ophthalmol Vis Sci* 2008;49(3):1136-41.

Noergaard MH, Pedersen DB, Bang K, Jensen PK, Kiilgaard JF, Stefansson E, et al. Indomethacin decreases optic nerve oxygen tension by a mechanism other than cyclo-oxygenase inhibition. *Br J Ophthalmol* 2008;92(1):126-30.

Slidsborg C, Olesen HB, Jensen PK, Jensen H, Nissen KR, Greisen G, et al. Treatment for retinopathy of prematurity in Denmark in a ten-year period (1996-2005): is the incidence increasing? *Pediatrics* 2008;121(1):97-105.

Thygesen J. In search of improved prostaglandin treatment for glaucoma. *Acta Ophthalmol Suppl (Oxf)* 2008;242:5-6.

Thygesen J, Aagren M, Arnavielle S, Bron A, Frohlich SJ, Baggesen K, et al. Late-stage, primary open-angle glaucoma in Europe: social and health care maintenance costs and quality of life of patients from 4 countries. *Curr Med Res Opin* 2008;24(6):1763-70.

Thygesen J. Classification and Terminology. In: Traverso CE, Hejl A, eds. *Terminology and Guidelines for Glaucoma*. 3rd ed. Savona: European Glaucoma Society; 2008:93-108.

Thygesen J. Treatment principles and options. In: Traverso CE, Hejl A, eds. *Terminology and Guidelines for Glaucoma*. 3rd ed. Savona: European Glaucoma Society; 2008:117-43.

Øre-næse-halskirurgisk Klinik

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Bilde A. Treatment of oral squamous cell carcinoma. Implementation of Sentinel Node Biopsy. (ph.d.-afhandling). København: Eget Forlag; 2008:1-91. Forsvaret den 11/1 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Friis M. An abnormal portal blood flow in the inner ear - a potential pathogenesis to Meniere's disease. (ph.d.-afhandling). København: Dan Med Bul; 2008:89-102. Forsvaret den 29/1 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Bilde A, von Buchwald C, Therkildsen MH, Mortensen J, Kirkegaard J, Charabi B, et al. Need for intensive histopathologic analysis to determine lymph node metastases when using sentinel node biopsy in oral cancer. *Laryngoscope* 2008;118(3):408-14.

Bilde A, von Buchwald C. [Targeted treatment of mouth cancer. The Danish Society for Head and Neck Surgery]. *Ugeskr Laeger* 2008;170(12):1028.

Eriksen V, Nielsen LH, Klokke M, Greisen G. Follow-up of 5- to 11-year-old children treated for persistent pulmonary hypertension of the newborn. *Acta Paediatr* 2009;98(2):304-9.

Flossmann O, Bacon P, de Groot K, Jayne D, Rasmussen N, Seo P, et al. Development of comprehensive disease assessment in systemic vasculitis. *Postgrad Med J* 2008;84(989):143-52.

Friis M, Sorensen MS, Qvortrup K. The vein of the vestibular aqueduct with potential pathologic perspectives. *Otol Neurotol* 2008;29(1):73-8.

Friis M, Qvortrup K. Functional blood flow patterns of the endolymphatic sac in the rat. *Acta Otolaryngol* 2008;1-5.

Frisch T, Bretlau P, Sorensen MS. Intravital microlesions in the human otic capsule. Detection, classification and pathogenetic significance revisited. *ORL J Otorhinolaryngol Relat Spec* 2008;70(3):195-201.

Homøe P, Siim C, Bretlau P. Outcome of mobile ear surgery for chronic otitis media in remote areas. *Otolaryngol Head Neck Surg* 2008;139(1):55-61.

Homøe P, Nikoghosyan G, Siim C, Bretlau P. Hearing outcome after mobile ear surgery for chronic otitis media in Greenland. *Int J Circumpolar Health* 2008;67(4):452-60.

Johansen J, Buus S, Loft A, Keiding S, Overgaard M, Hansen HS, et al. Prospective study of 18FDG-PET in the detection and management of patients with lymph node metastases to the neck from an unknown primary tumor. Results from the DAHANCA-13 study. *Head Neck* 2008;30(4):471-8.

Koch A, Bruce M, Homøe P. Infectious Diseases. In: Young TJ, Bjerregaard P, eds. *Health Transitions in Arctic Populations*. Toronto: University of Toronto Press Incorporated; 2009:265-90.

Kragelund C, Hansen C, Torpet LA, Nauntofte B, Brosen K, Pedersen AM, et al. Expression of two drug-metabolizing cytochrome P450-enzymes in human salivary glands. *Oral Dis* 2008;14(6):533-40.

Madsen AR, Gundgaard MG, Hoff CM, Maare C, Holmboe P, Knap M, et al. Cancer of the external auditory canal and middle ear in Denmark from 1992 to 2001. *Head Neck* 2008;30(10):1332-8.

Marchal F, Chossegros C, Faure F, Delas B, Bizeau A, Mortensen B, et al. Salivary stones and stenosis. A comprehensive classification. *Rev Stomatol Chir Maxillofac* 2008;109(4):233-6.

Mey K, Rasmussen N. [Laryngeal fractures due to blunt trauma]. *Ugeskr Laeger* 2008;170(41):3243-8.

Nygaard B, Frisch T, Kiss K. [Thyroid papillary cancer using TPO staining]. *Ugeskr Laeger* 2008;170(18):1571.

Rosenkvist L, Klokke M, Katholm M. Upper respiratory infections and barotraumas in commercial pilots: a retrospective survey. *Aviat Space Environ Med* 2008;79(10):960-3.

Stralman K, Mollerup CL, Kristoffersen US, Elberg JJ. Long-term outcome after mastectomy with immediate breast reconstruction. *Acta Oncol* 2008;47(4):704-8.

Trier P, Noe KO, Sorensen MS, Mosegaard J. The visible ear surgery simulator. *Stud Health Technol Inform* 2008;132:523-5.

Yousaf U, Christensen LH, Rasmussen AK, Jensen F, Mollerup CL, Kirkegaard J, et al. Immunohistochemical staining for thyroid peroxidase (TPO) of needle core biopsies in the diagnosis of scintigraphically cold thyroid nodules. *Clin Endocrinol (Oxf)* 2008;68(6):996-1001.

Aanaes K, Hasselby JP, Bilde A, Therkildsen MH, von Buchwald C. Heterotopic neuroglial tissue: two cases involving the tongue and the buccal region. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2008;105(6):e22-e29.

Juliane Marie Centret

Anæstesi- og Operationsklinikken

Publikationer

Videnskabelige artikler

Aagaard G. Postoperativ smertebehandling af børn. In: Henneberg SW, Hansen TG, eds. Børneanæstesi. 1st ed. København: FADL's Forlag; 2008:207-16.

Afshari A, Wetterslev J, Brok J, Moller AM. Antithrombin III for critically ill patients. Cochrane Database Syst Rev 2008;(3):CD005370.

Henneberg SW, Hansen TG. Børneanæstesi. In: Henneberg SW, Hansen TG, eds. Børneanæstesi. København: FADL's Forlag; 2008:1-3.

Henneberg SW. Temperaturregulering. In: Henneberg SW, Hansen TG, eds. Børneanæstesi. 1st ed. København: FADL's Forlag; 2008:29-33.

Henneberg SW. Væskebehandling. In: Henneberg SW, Hansen TG, eds. Børneanæstesi. 1st ed. København: FADL's Forlag; 2008:49-55.

Henneberg SW. Anæstesi til nyfødte. In: Henneberg SW, Hansen TG, eds. Børneanæstesi. 1st ed. København: FADL's Forlag; 2008:183-91.

Henneberg SW. Syndromer. In: Henneberg SW, Hansen TG, eds. Børneanæstesi. 1st ed. København: FADL's Forlag; 2008:277-8.

Lauritsen T, Jørgensen L. Genoplivning. In: Henneberg SW, Hansen TG, eds. Børneanæstesi. 1st ed. København: FADL's Forlag; 2008:249-55.

Lauritsen T. Traumatologi. In: Henneberg SW, Hansen TG, eds. Børneanæstesi. 1st ed. København: FADL's Forlag; 2008:257-62.

Meyhoff CS, Wetterslev J, Jørgensen LN, Henneberg SW, Simonsen I, Pulawska T, et al. Perioperative oxygen fraction - effect on surgical site infection and pulmonary complications after abdominal surgery: a randomized clinical trial. Rationale and design of the PROXI-Trial. *Trials* 2008;9(1):58.

Rosenborg D. Intravaskulær adgang. In: Henneberg SW, Hansen TG, eds. Børneanæstesi. 1st ed. København: FADL's Forlag; 2008:241-8.

Walther-Larsen S. Anæstesi til almen kirurgi. In: Henneberg SW, Hansen TG, eds. Børneanæstesi. 1st ed. København: FADL's Forlag; 2008:101-8.

Walther-Larsen S. Anæstesi til akutte indgreb. In: Henneberg SW, Hansen TG, eds. Børneanæstesi. 1st ed. København: FADL's Forlag; 2008:193-8.

Publikationer

Videnskabelige artikler

Andersen LO, Husted H, Otte KS, Kristensen BB, Kehlet H. A compression bandage improves local infiltration analgesia in total knee arthroplasty. *Acta Orthop* 2008;79(6):806-11.

Andersen LO, Kristensen BB, Husted H, Otte KS, Kehlet H. Local anesthetics after total knee arthroplasty: intraarticular or extraarticular administration? A randomized, double-blind, placebo-controlled study. *Acta Orthop* 2008;79(6):800-5.

Andersen LO, Husted H, Otte KS, Kristensen BB, Kehlet H. High-volume infiltration analgesia in total knee arthroplasty: a randomized, double-blind, placebo-controlled trial. *Acta Anaesthesiol Scand* 2008;52(10):1331-5.

Bay-Nielsen M, Kehlet H. Anaesthesia and post-operative morbidity after elective groin hernia repair: a nation-wide study. *Acta Anaesthesiol Scand* 2008;52(2):169-74.

Bisgaard T, Bay-Nielsen M, Kehlet H. Re-recurrence after operation for recurrent inguinal hernia. A nationwide 8-year follow-up study on the role of type of repair. *Ann Surg* 2008;247(4):707-11.

Borre M, Iversen P, Bendixen A, Iversen MG, Kehlet H. [Organisation and early outcome after radical prostatectomy in Denmark 2004-2007]. *Ugeskr Laeger* 2008;170(34):2545-9.

Brandsborg B, Nikolajsen L, Kehlet H, Jensen TS. Chronic pain after hysterectomy. *Acta Anaesthesiol Scand* 2008;52(3):327-31.

Dworkin RH, Turk DC, Wyrwich KW, Beaton D, Cleeland CS, Farrar JT, et al. Interpreting the clinical importance of treatment outcomes in chronic pain clinical trials: IMMPACT recommendations. *J Pain* 2008;9(2):105-21.

Fischer HB, Simanski CJ, Sharp C, Bonnet F, Camu F, Neugebauer EA, et al. A procedure-specific systematic review and consensus recommendations for postoperative analgesia following total knee arthroplasty. *Anaesthesia* 2008;63(10):1105-23.

Foss NB, Kristensen MT, Kehlet H. Anaemia impedes functional mobility after hip fracture surgery. *Age Ageing* 2008;37(2):173-8.

Funch-Jensen P, Iversen MG, Kehlet H. [Bariatric surgery in Denmark]. *Ugeskr Laeger* 2008;170(50):4128-30.

Funch-Jensen P, Bendixen A, Iversen MG, Kehlet H. Complications and frequency of redo antireflux surgery in Denmark: a nationwide study, 1997-2005. *Surg Endosc* 2008;22(3):627-30.

Gartner R, Kroman N, Callesen T, Kehlet H. [Multimodal treatment of pain and nausea in breast cancer surgery]. *Ugeskr Laeger* 2008;170(23):2035-8.

Gartner R, Callesen T, Kroman N, Kehlet H. [Postoperative inconveniences after breast cancer surgery]. *Ugeskr Laeger* 2008;170(23):2032-4.

Hansen CT, Kehlet H, Moller C, Morch L, Utzon J, Ottesen B. Timing of heparin prophylaxis and bleeding complications in hysterectomy a nationwide prospective cohort study of 9,949 Danish women. *Acta Obstet Gynecol Scand* 2008;87(10):1039-47.

Hansen CT, Moller C, Daugbjerg S, Utzon J, Kehlet H, Ottesen B. Establishment of a national Danish hysterectomy database: preliminary report on the first 13,425 hysterectomies. *Acta Obstet Gynecol Scand* 2008;87(5):546-57.

Holte K, Kehlet H. [Perioperative fluid therapy - what new?]. *Ugeskr Laeger* 2008;170(15):1237-9.

Jakobsen DH, Haas LS. Bedre operationsforløb efter operation for aortaaneurisme. *Sygeplejersken* 2008;9:63-9.

Jans O, Tollund C, Bundgaard-Nielsen M, Selmer C, Warberg J, Secher NH. Goal-directed fluid therapy: stroke volume optimisation and cardiac dimensions in supine healthy humans. *Acta Anaesthesiol Scand* 2008;52(4):536-40.

Jepsen JV, Kromann-Andersen B, Bendixen A, Norling J, Kehlet H. [Adrenalectomy in Denmark 2002-2006]. *Ugeskr Laeger* 2008;170(50):4113-6.

Johansen LS, Christensen TH, Bendixen A, Nordling J, Jensen KM, Kehlet H. [Cystectomy in Denmark 2000-2005]. *Ugeskr Laeger* 2008;170(4):215-7.

Joshi GP, Bonnet F, Shah R, Wilkinson RC, Camu F, Fischer B, et al. A systematic review of randomized trials evaluating regional techniques for postthoracotomy analgesia. *Anesth Analg* 2008;107(3):1026-40.

Kehlet H, Dahl JB. Epidural analgesia and post-operative outcomes: a need for a different approach. *Acta Anaesthesiol Scand* 2008;52(10):1311-2.

Kehlet H. Postoperative ileus - an update on preventive techniques. *Nat Clin Pract Gastroenterol Hepatol* 2008;5(10):552-8.

Kehlet H, Wilmore DW. Evidence-based surgical care and the evolution of fast-track surgery. *Ann Surg* 2008;248(2):189-98.

Kehlet H, Bay-Nielsen M. Local anaesthesia as a risk factor for recurrence after groin hernia repair. *Hernia* 2008;12(5):507-9.

Kehlet H. Fast-track colorectal surgery. *Lancet* 2008;371(9615):791-3.

Kehlet H. Chronic pain after groin hernia repair. *Br J Surg* 2008;95(2):135-6.

Kehlet H, Bay-Nielsen M. Nationwide quality improvement of groin hernia repair from the Danish Hernia Database of 87,840 patients from 1998 to 2005. *Hernia* 2008;12(1):1-7.

Kehlet H. Kirurgisk kvalitet - hvad, hvordan og hvorfor? *Bibliotek For Laeger* 2008;200:118-28.

Kehlet H. The role of the anesthesiologist in fast-track surgery. *Anesth Analg* 2008;106 Suppl 1:53-6.

Kehlet H. Fast-track surgery - what is it and why should we do it? *Rev Portug Cirurg* 2008;52:1311-3.

Kehlet H. Persistent postsurgical pain: surgical risk factors and strategies for prevention. In: Castro-Lopes JM, Raja S, Schmelz M, eds. *Pain 2008 - an updated review: Refresher course syllabus*. Seattle: IASP Press; 2008:153-9.

Kristensen MT, Bandholm T, Foss NB, Ekdahl C, Kehlet H. High inter-tester reliability of the new mobility score in patients with hip fracture. *J Rehabil Med* 2008;40(7):589-91.

Ljungmann K, Bendixen A, Laurberg S, Kehlet H. [Organisation and early outcome of restorative proctocolectomy and ileal pouch-anal anastomosis]. *Ugeskr Laeger* 2008;170(20):1726-8.

McCloy R, Randall D, Schug SA, Kehlet H, Simanski C, Bonnet F, et al. Is smaller necessarily better? A systematic review comparing the effects of minilaparoscopic and conventional laparoscopic cholecystectomy on patient outcomes. *Surg Endosc* 2008;22(12):2541-53.

Naert AL, Kehlet H, Kupers R. Characterization of a novel model of tonic heat pain stimulation in healthy volunteers. *Pain* 2008;138(1):163-71.

Otte KS, Husted H, Andersen LO, Kristensen BB, Kehlet H. Local infiltration analgesia in total hip and knee arthroplasty. *Acute Pain* 2008;10:111-6.

Ptito M, Fumal A, de Noordhout AM, Schoenen J, Gjedde A, Kupers R. TMS of the occipital cortex induces tactile sensations in the fingers of blind Braille readers. *Exp Brain Res* 2008;184(2):193-200.

Rasmussen S, Krum-Moller DS, Lauridsen LR, Jensen SE, Mandoe H, Gerlif C, et al. Epidural steroid following discectomy for herniated lumbar disc reduces neurological impairment and enhances recovery: a randomized study with two-year follow-up. *Spine* 2008;33(19):2028-33.

Rud K, Jakobsen DH, Kehlet H. Kliniske vejledninger ved knæalloplastik. *Sygeplejersken* 2008;15-16:42-3.

Rud K, Jakobsen DH, Egerod I, Kehlet H. [Surgical care guidelines]. *Ugeskr Laeger* 2008;170(18):1559-63.

Schulze S, Iversen MG, Bendixen A, Larsen TS, Kehlet H. Laparoscopic colonic surgery in Denmark 2004-2007. *Colorectal Dis* 2008;10(9):869-72.

Aasvang EK, Hansen JB, Kehlet H. Can preoperative electrical nociceptive stimulation predict acute pain after groin herniotomy? *J Pain* 2008;9(10):940-4.

Aasvang EK, Hansen JB, Malmstrom J, Asmussen T, Gennevois D, Struys MM, et al. The effect of wound instillation of a novel purified capsaicin formulation on postherniotomy pain: a double-blind, randomized, placebo-controlled study. *Anesth Analg* 2008;107(1):282-91.

Aasvang EK, Kehlet H. Postherniotomy dysejaculation: successful treatment with mesh removal and nerve transection. *Hernia* 2008;12(6):645-7.

Aasvang EK, Brandsborg B, Christensen B, Jensen TS, Kehlet H. Neurophysiological characterization of postherniotomy pain. *Pain* 2008;137(1):173-81.

Fertilitetsklinikken

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Løssl K. Combined downregulation with aromatase inhibitor and GnRH analogues in assisted reproduction (ph.d.-afhandling). København: Eget Forlag; 2008:1-41. Forsvaret den 20/6 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Agerholm IE, Hnida C, Cruger DG, Berg C, Bruun-Petersen G, Kolvraa S, et al. Nuclei size in relation to nuclear status and aneuploidy rate for 13 chromosomes in donated four cells embryos. *J Assist Reprod Genet* 2008;25(2-3):95-102.

Agerholm IE, Kolvraa S, Cruger DG, Berg C, Bruun-Petersen G, Ziebe S. Resumption of mitosis in frozen-thawed embryos is not related to the chromosomal constitution. *Fertil Steril* 2008;90(5):1649-55.

- Andersen AN, Goossens V, Ferraretti AP, Bhattacharya S, Felberbaum R, de Mouzon J, et al. Assisted reproductive technology in Europe, 2004: results generated from European registers by ESHRE. *Hum Reprod* 2008;23(4):756-71.
- Andersen AN, Pinborg A, Loft A. Neonatal outcome in singletons conceived after ART. *Lancet* 2008;372(9640):694-5.
- Andersen CY, Rosendahl M, Byskov AG, Loft A, Ottosen C, Dueholm M, et al. Two successful pregnancies following autotransplantation of frozen/thawed ovarian tissue. *Hum Reprod* 2008;23(10):2266-72.
- Christiansen OB, Steffensen R, Nielsen HS, Varming K. Multifactorial etiology of recurrent miscarriage and its scientific and clinical implications. *Gynecol Obstet Invest* 2008;66(4):257-67.
- Corifollitropin Alfa Dose-finding Study Group. A randomized dose-response trial of a single injection of corifollitropin alfa to sustain multifollicular growth during controlled ovarian stimulation. *Hum Reprod* 2008;23(11):2484-92.
- Freiesleben NL, Lossl K, Bogstad J, Bredkjaer HE, Toft B, Loft A, et al. Predictors of ovarian response in intrauterine insemination patients and development of a dosage nomogram. *Reprod Biomed Online* 2008;17(5):632-41.
- Gjerris AC, Loft A, Pinborg A, Christiansen M, Tabor A. Prenatal testing among women pregnant after assisted reproductive techniques in Denmark 1995-2000: a national cohort study. *Hum Reprod* 2008;23(7):1545-52.
- Gjerris AC, Loft A, Pinborg A, Tabor A, Christiansen M. First-trimester screening in pregnancies conceived by assisted reproductive technology: significance of gestational dating by oocyte retrieval or sonographic measurement of crown-rump length. *Ultrasound Obstet Gynecol* 2008;32(5):612-7.
- Hageman I, Pinborg A, Andersen HS. Complaints of stress in young soldiers strongly predispose to psychiatric morbidity and mortality: Danish national cohort study with 10-year follow-up. *Acta Psychiatr Scand* 2008;117(2):148-55.
- Lemmen JG, Agerholm I, Ziebe S. Kinetic markers of human embryo quality using time-lapse recordings of IVF/ICSI-fertilized oocytes. *Reprod Biomed Online* 2008;17(3):385-91.
- Lossl K, Andersen CY, Loft A, Freiesleben NL, Bangsboll S, Andersen AN. Short-term androgen priming by use of aromatase inhibitor and hCG before controlled ovarian stimulation for IVF. A randomized controlled trial. *Hum Reprod* 2008;23(8):1820-9.
- Mau Kai C, Juul A, McElreavey K, Ottesen AM, Garn ID, Main KM, et al. Sons conceived by assisted reproduction techniques inherit deletions in the azoospermia factor (AZF) region of the Y chromosome and the DAZ gene copy number. *Hum Reprod* 2008;23(7):1669-78.
- Nielsen HS, Mortensen L, Nygaard U, Schnor O, Christiansen OB, Andersen AM. Brothers and reduction of the birth weight of later-born siblings. *Am J Epidemiol* 2008;167(4):480-4.
- Nielsen HS, Andersen AM, Kolte AM, Christiansen OB. A firstborn boy is suggestive of a strong prognostic factor in secondary recurrent miscarriage: a confirmatory study. *Fertil Steril* 2008;89(4):907-11.
- Nyboe Andersen A, Balen A, Platteau P, Devroey P, Helmggaard L, Arce JC. Predicting the FSH threshold dose in women with WHO Group II anovulatory infertility failing to ovulate or conceive on clomiphene citrate. *Hum Reprod* 2008;23(6):1424-30.
- Nyboe Andersen A, Carlsen E, Loft A. Trends in the use of intracytoplasmic sperm injection marked variability between countries. *Hum Reprod Update* 2008;14(6):593-604.

Nyboe Andersen A, Humaidan P, Fried G, Hausken J, Antila L, Bangsboll S, et al. Recombinant LH supplementation to recombinant FSH during the final days of controlled ovarian stimulation for in vitro fertilization. A multicentre, prospective, randomized, controlled trial. *Hum Reprod* 2008;23(2):427-34.

Pinborg A, Loft A, Andersen AN. Acupuncture with in vitro fertilisation. *BMJ* 2008;336(7643):517-8.

Pinborg A. [Fewer twin pregnancies after fertilization in vitro. The Danish Society of Gynecology and Obstetrics]. *Ugeskr Laeger* 2008;170(12):1047.

Platteau P, Nyboe Andersen A, Loft A, Smits J, Danglas P, Devroey P. Highly purified HMG versus recombinant FSH for ovarian stimulation in IVF cycles. *Reprod Biomed Online* 2008;17(2):190-8.

Rosendahl M, Andersen CY, Ernst E, Westergaard LG, Rasmussen PE, Loft A, et al. Ovarian function after removal of an entire ovary for cryopreservation of pieces of cortex prior to gonadotoxic treatment: a follow-up study. *Hum Reprod* 2008;23(11):2475-83.

Yding Andersen C, Rosendahl M, Byskov AG. Concentration of anti-Mullerian hormone and inhibin-B in relation to steroids and age in follicular fluid from small antral human follicles. *J Clin Endocrinol Metab* 2008;93(6):2344-9.

Ziebe S, Devroey P. Assisted reproductive technologies are an integrated part of national strategies addressing demographic and reproductive challenges. *Hum Reprod Update* 2008;14(6):583-92.

Gynækologisk Klinik

Publikationer

Videnskabelige artikler

Begum FD, Hogdall CK, Kjaer SK, Blaakaer J, Christensen L, Ryan A, et al. Distribution of microsatellite instability in Danish ovarian tumor patients and the prognostic value in ovarian cancer patients. *Oncol Res* 2008;17(1):43-9.

Bendtsen P, Gronbaek M, Kjaer SK, Munk C, Linneberg A, Tolstrup JS. Alcohol consumption and the risk of self-reported perennial and seasonal allergic rhinitis in young adult women in a population-based cohort study. *Clin Exp Allergy* 2008;38(7):1179-85.

Dillner L, Pagliusi S, Bray F, Lorincz A, Kjaer SK, Anttila A, et al. Strengthening prevention programs to eliminate cervical cancer in the Nordic countries. *Acta Obstet Gynecol Scand* 2008;87(5):489-98.

Ghoussaini M, Song H, Koessler T, Al Olama AA, Kote-Jarai Z, Driver KE, et al. Multiple loci with different cancer specificities within the 8q24 gene desert. *J Natl Cancer Inst* 2008;100(13):962-6.

Hannibal CG, Jensen A, Sharif H, Kjaer SK. Malignant melanoma risk after exposure to fertility drugs: results from a large Danish cohort study. *Cancer Causes Control* 2008;19(7):759-65.

Hannibal CG, Jensen A, Sharif H, Kjaer SK. Risk of thyroid cancer after exposure to fertility drugs: results from a large Danish cohort study. *Hum Reprod* 2008;23(2):451-6.

Hansen CT, Moller C, Daugbjerg S, Utzon J, Kehlet H, Ottesen B. Establishment of a national Danish hysterectomy database: preliminary report on the first 13,425 hysterectomies. *Acta Obstet Gynecol Scand* 2008;87(5):546-57.

Hansen CT, Kehlet H, Moller C, Morch L, Utzon J, Ottesen B. Timing of heparin prophylaxis and bleeding complications in hysterectomy a nationwide prospective cohort study of 9,949 Danish women. *Acta Obstet Gynecol Scand* 2008;87(10):1039-47.

Hegaard HK, Hedegaard M, Damm P, Ottesen B, Petersson K, Henriksen TB. Leisure time physical activity is associated with a reduced risk of preterm delivery. *Am J Obstet Gynecol* 2008;198(2):180-5.

Hogdall EV, Christensen L, Kjaer SK, Blaakaer J, Jarle Christensen I, Gayther S, et al. Protein expression levels of carcinoembryonic antigen (CEA) in Danish ovarian cancer patients: from the Danish 'MALOVA' ovarian cancer study. *Pathology* 2008;40(5):487-92.

Hogdall EV, Christensen L, Hogdall CK, Frederiksen K, Gayther S, Blaakaer J, et al. Distribution of p53 expression in tissue from 774 Danish ovarian tumour patients and its prognostic significance in ovarian carcinomas. *APMIS* 2008;116(5):400-9.

Jensen A, Sharif H, Olsen JH, Kjaer SK. Risk of breast cancer and gynecologic cancers in a large population of nearly 50,000 infertile Danish women. *Am J Epidemiol* 2008;168(1):49-57.

Jensen TK, Sobotka T, Hansen MA, Pedersen AT, Lutz W, Skakkebaek NE. Declining trends in conception rates in recent birth cohorts of native Danish women: a possible role of deteriorating male reproductive health. *Int J Androl* 2008;31(2):81-92.

Kjaer SK, Breugelmans G, Munk C, Junge J, Watson M, Iftner T. Population-based prevalence, type- and age-specific distribution of HPV in women before introduction of an HPV-vaccination program in Denmark. *Int J Cancer* 2008;123(8):1864-70.

Kjaergaard H, Olsen J, Ottesen B, Nyberg P, Dykes AK. Obstetric risk indicators for labour dystocia in nulliparous women: a multi-centre cohort study. *BMC Pregnancy Childbirth* 2008;8:45.

Larsen CR, Grantcharov T, Schouenborg L, Ottosen C, Soerensen JL, Ottesen B. Objective assessment of surgical competence in gynaecological laparoscopy: development and validation of a procedure-specific rating scale. *BJOG* 2008;115(7):908-16.

Lidegaard O, Lidegaard M. [The global climate: a sick patient]. *Ugeskr Laeger* 2008;170(35):2663-6.

Lidegaard O. Oral contraceptives: 40 years after release. *Acta Obstet Gynecol Scand* 2008;87(1):4-5.

Lidegaard O, Svendsen AL. Sexual habits before multiple sclerosis: a national case-control study. *Mult Scler* 2008;14(1):67-72.

Lokkegaard E, Andreasen AH, Jacobsen RK, Nielsen LH, Agger C, Lidegaard O. Hormone therapy and risk of myocardial infarction: a national register study. *Eur Heart J* 2008;29(21):2660-8.

Mann A, Hogdall E, Ramus SJ, Dicioccio RA, Hogdall C, Quaye L, et al. Mismatch repair gene polymorphisms and survival in invasive ovarian cancer patients. *Eur J Cancer* 2008;44(15):2259-65.

Morgen CS, Bove KB, Larsen KS, Kjaer SK, Gronbaek M. Association between smoking and the risk of heavy drinking among young women: a prospective study. *Alcohol Alcohol* 2008;43(3):371-5.

Nielsen A, Kjaer SK, Munk C, Iftner T. Type-specific HPV infection and multiple HPV types: prevalence and risk factor profile in nearly 12,000 younger and older Danish women. *Sex Transm Dis* 2008;35(3):276-82.

Palmieri RT, Wilson MA, Iversen ES, Clyde MA, Calingaert B, Moorman PG, et al. Polymorphism in the IL18 gene and epithelial ovarian cancer in non-Hispanic white women. *Cancer Epidemiol Biomarkers Prev* 2008;17(12):3567-72.

Pearce CL, Wu AH, Gayther SA, Bale AE, Beck PA, Beesley J, et al. Progesterone receptor variation and risk of ovarian cancer is limited to the invasive endometrioid subtype: results from the Ovarian Cancer Association Consortium pooled analysis. *Br J Cancer* 2008;98(2):282-8.

Pedersen SH, Nielsen LB, Mortensen A, Nilas L, Ottesen B. Progestins oppose the effects of estradiol on the endothelin-1 receptor type B in coronary arteries from ovariectomized hyperlipidemic rabbits. *Menopause* 2008;15(3):503-10.

Quaye L, Gayther SA, Ramus SJ, Di Cioccio RA, McGuire V, Hogdall E, et al. The effects of common genetic variants in oncogenes on ovarian cancer survival. *Clin Cancer Res* 2008;14(18):5833-9.

Ramus SJ, Vierkant RA, Johnatty SE, Pike MC, Van Den Berg DJ, Wu AH, et al. Consortium analysis of 7 candidate SNPs for ovarian cancer. *Int J Cancer* 2008;123(2):380-8.

Risum S, Hogdall C, Loft A, Berthelsen AK, Hogdall E, Nedergaard L, et al. Prediction of suboptimal primary cytoreduction in primary ovarian cancer with combined positron emission tomography/computed tomography - a prospective study. *Gynecol Oncol* 2008;108(2):265-70.

Soegaard M, Jensen A, Frederiksen K, Hogdall E, Hogdall C, Blaakaer J, et al. Accuracy of self-reported family history of cancer in a large case-control study of ovarian cancer. *Cancer Causes Control* 2008;19(5):469-79.

Soegaard M, Kjaer SK, Cox M, Wozniak E, Hogdall E, Hogdall C, et al. BRCA1 and BRCA2 mutation prevalence and clinical characteristics of a population-based series of ovarian cancer cases from Denmark. *Clin Cancer Res* 2008;14(12):3761-7.

Song H, Hogdall E, Ramus SJ, Dicioccio RA, Hogdall C, Quaye L, et al. Effects of common germ-line genetic variation in cell cycle genes on ovarian cancer survival. *Clin Cancer Res* 2008;14(4):1090-5.

Klinik for Føtal Medicin og Ultralydskanning

Publikationer

Videnskabelige artikler

Barken SS, Skibsted L, Jensen LN, Sperling L, Zingenberg H, Brondum-Nielsen K. Diagnosis and prediction of parental origin of triploidies by fetal nuchal translucency and maternal serum free beta-hCG and PAPP-A at 11-14 weeks of gestation. *Acta Obstet Gynecol Scand* 2008;87(9):975-8.

Bay K, Cohen AS, Jorgensen FS, Jorgensen C, Lind AM, Skakkebaek NE, et al. Insulin-like factor 3 levels in second-trimester amniotic fluid. *J Clin Endocrinol Metab* 2008;93(10):4048-51.

Ekelund CK, Jorgensen FS, Petersen OB, Sundberg K, Tabor A. Impact of a new national screening policy for Down's syndrome in Denmark: population based cohort study. *BMJ* 2008;337:a2547.

Ekelund CK, Vogel I, Skogstrand K, Thorsen P, Hougaard DM, Langhoff-Roos J, et al. Interleukin-18 and interleukin-12 in maternal serum and spontaneous preterm delivery. *J Reprod Immunol* 2008;77(2):179-85.

Ekelund CK, Skibsted L, Sogaard K, Main KM, Dziegiel MH, Schwartz M, et al. Dizygotic monozygotic twin pregnancy conceived following intracytoplasmic sperm injection treatment and complicated by twin-twin transfusion syndrome and blood chimerism. *Ultrasound Obstet Gynecol* 2008;32(6):832-4.

Gjerris AC, Loft A, Pinborg A, Tabor A, Christiansen M. First-trimester screening in pregnancies conceived by assisted reproductive technology: significance of gestational dating by oocyte retrieval or sonographic measurement of crown-rump length. *Ultrasound Obstet Gynecol* 2008;32(5):612-7.

Gjerris AC, Loft A, Pinborg A, Christiansen M, Tabor A. Prenatal testing among women pregnant after assisted reproductive techniques in Denmark 1995-2000: a national cohort study. *Hum Reprod* 2008;23(7):1545-52.

Hollegaard MV, Grove J, Thorsen P, Wang X, Mandrup S, Christiansen M, et al. Polymorphisms in the tumor necrosis factor alpha and interleukin 1-beta promoters with possible gene regulatory functions increase the risk of preterm birth. *Acta Obstet Gynecol Scand* 2008;87(12):1285-90.

Hove HD, Hermann NV, Jorgensen C, Kreiborg S, Sundberg K. An echo-poor spine at 13 weeks: an early sign of cleidocranial dysplasia. *Fetal Diagn Ther* 2008;24(2):103-5.

Pedersen NG, Figueras F, Wojdemann KR, Tabor A, Gardosi J. Early fetal size and growth as predictors of adverse outcome. *Obstet Gynecol* 2008;112(4):765-71.

Pedersen NG, Wojdemann KR, Scheike T, Tabor A. Fetal growth between the first and second trimesters and the risk of adverse pregnancy outcome. *Ultrasound Obstet Gynecol* 2008;32(2):147-54.

Skogstrand K, Ekelund CK, Thorsen P, Vogel I, Jacobsson B, Norgaard-Pedersen B, et al. Effects of blood sample handling procedures on measurable inflammatory markers in plasma, serum and dried blood spot samples. *J Immunol Methods* 2008;336(1):78-84.

Klinik for Psykologi, Pædagogik og Socialrådgivning

Publikationer

Videnskabelige artikler

Madsen SAa. Psychische belastungsstörungen bei Männern die Väter werden psychodynamik häufigkeiten auf die Praxis. In: Abou-Dakn M, Schäfer E, Wöckel A, eds. Vater Werten ist nicht schwer? zur neuen Rolle des Vaters rund die Geburt. Giessen: Edition Psychosozial. Psychosozial Verlag; 2008:141-50.

Madsen SAa. Spædbarnet i faderens verden. *Psyke og Logos* 2008;7:669-87.

Malchow-møller T, Arnvig M, Teilmann G, Madsen SAa. Praktiserende lægers møde med familier med seksuelt misbrugte børn. *Manedsskr Prakt Lægegern* 2008;4:479-88.

Pedersen B. Samtaler om seksualiseret overgreb. *Manedsskr Prakt Lægegern* 2008;5:625-33.

Rust A. Teenagevoldtægt karakteristika konsekvenser og behandling. 1st ed. København: BookPartnerMedia København; 2008.

Klinik for Vækst og Reproduktion

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Asklund C. Hypospadias, semen quality and fertility studies of male reproductive health and intergenerational effects in different populations (ph.d.-afhandling). København: Eget Forlag; 2008:1-104. Forsvaret den 4/9 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Hoei-Hansen CE. Application of stem cell markers in search for neoplastic germ cells in dysgenetic gonads, extragonadal tumors, and in semen of infertile men (disputats). København: Eget Forlag; 2008:1-143. Forsvaret den 29/2 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Sonne SB. Origin of carcinoma in situ of the testis: insight from comparative gene expression profiling of microdissected embryonic cell populations and studies of selected putative CIS markers (ph.d.-afhandling). København: Eget Forlag; 2008:1-155. Forsvaret den 24/10 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Agate L, Mariotti S, Elisei R, Mossa P, Pacini F, Molinaro E, et al. Thyroid autoantibodies and thyroid function in subjects exposed to Chernobyl fallout during childhood: evidence for a transient radiation-induced elevation of serum thyroid antibodies without an increase in thyroid autoimmune disease. *J Clin Endocrinol Metab* 2008;93(7):2729-36.

Aksglaede L, Olsen LW, Sorensen TI, Juul A. Forty years trends in timing of pubertal growth spurt in 157,000 Danish school children. *PLoS ONE* 2008;3(7):e2728.

Aksglaede L, Molgaard C, Skakkebaek NE, Juul A. Normal bone mineral content but unfavourable muscle/fat ratio in Klinefelter syndrome. *Arch Dis Child* 2008;93(1):30-4.

Aksglaede L, Jensen RB, Carlsen E, Kok P, Keenan DM, Veldhuis J, et al. Increased basal and pulsatile secretion of FSH and LH in young men with 47,XXY or 46,XX karyotypes. *Eur J Endocrinol* 2008;158(6):803-10.

Aksglaede L, Skakkebaek NE, Juul A. Abnormal sex chromosome constitution and longitudinal growth: serum levels of insulin-like growth factor (IGF)-I, IGF binding protein-3, luteinizing hormone, and testosterone in 109 males with 47,XXY, 47,XYY, or sex-determining region of the Y chromosome (SRY)-positive 46,XX karyotypes. *J Clin Endocrinol Metab* 2008;93(1):169-76.

Andersen HR, Schmidt IM, Grandjean P, Jensen TK, Budtz-Jorgensen E, Kjaerstad MB, et al. Impaired reproductive development in sons of women occupationally exposed to pesticides during pregnancy. *Environ Health Perspect* 2008;116(4):566-72.

Andersson AM, Jorgensen N, Main KM, Toppari J, Rajpert-De Meyts E, Leffers H, et al. Adverse trends in male reproductive health: we may have reached a crucial 'tipping point'. *Int J Androl* 2008;31(2):74-80.

Bay K, Cohen AS, Jorgensen FS, Jorgensen C, Lind AM, Skakkebaek NE, et al. Insulin-like factor 3 levels in second-trimester amniotic fluid. *J Clin Endocrinol Metab* 2008;93(10):4048-51.

Blomberg Jensen M, Leffers H, Petersen JH, Daugaard G, Skakkebaek NE, Rajpert-De Meyts E. Association of the polymorphism of the CAG repeat in the mitochondrial DNA polymerase gamma gene (POLG) with testicular germ-cell cancer. *Ann Oncol* 2008;19(11):1910-4.

Buck Louis GM, Gray Jr LE, Marcus M, Ojeda SR, Pescovitz OH, Witchel SF, et al. Environmental factors and puberty timing: expert panel research needs. *Pediatrics* 2008;121 Suppl 3:S192-S207.

Cok I, Donmez MK, Satioglu MH, Aydinuraz B, Henkelmann B, Shen H, et al. Concentrations of polychlorinated dibenzo-p-dioxins (PCDDs), polychlorinated dibenzofurans (PCDFs), and dioxin-like PCBs in adipose tissue of infertile men. *Arch Environ Contam Toxicol* 2008;55(1):143-52.

Crain DA, Janssen SJ, Edwards TM, Heindel J, Ho SM, Hunt P, et al. Female reproductive disorders: the roles of endocrine-disrupting compounds and developmental timing. *Fertil Steril* 2008;90(4):911-40.

Damgaard IN, Jensen TK, Petersen JH, Skakkebaek NE, Toppari J, Main KM. Risk factors for congenital cryptorchidism in a prospective birth cohort study. *PLoS ONE* 2008;3(8):e3051.

de Medeiros F, Hansen L, Mawlad E, Eiberg H, Ask Lund C, Tommerup N, et al. A novel mutation in IRF6 resulting in VWS-PPS spectrum disorder with renal aplasia. *Am J Med Genet A* 2008;146A(12):1605-8.

Dias V, Meachem S, Rajpert-De Meyts E, McLachlan R, Manuelpillai U, Loveland KL. Activin receptor subunits in normal and dysfunctional adult human testis. *Hum Reprod* 2008;23(2):412-20.

Euling SY, Selevan SG, Pescovitz OH, Skakkebaek NE. Role of environmental factors in the timing of puberty. *Pediatrics* 2008;121 Suppl 3:S167-S171.

Euling SY, Herman-Giddens ME, Lee PA, Selevan SG, Juul A, Sorensen TI, et al. Examination of US puberty-timing data from 1940 to 1994 for secular trends: panel findings. *Pediatrics* 2008;121 Suppl 3:S172-S191.

Frederiksen H, Taxvig C, Hass U, Vinggaard AM, Nellemann C. Higher levels of ethyl paraben and butyl paraben in rat amniotic fluid than in maternal plasma after subcutaneous administration. *Toxicol Sci* 2008;106(2):376-83.

Golub MS, Collman GW, Foster PM, Kimmel CA, Rajpert-De Meyts E, Reiter EO, et al. Public health implications of altered puberty timing. *Pediatrics* 2008;121 Suppl 3:S218-S230.

Grandjean P, Bellinger D, Bergman A, Cordier S, Vey-Smith G, Eskenazi B, et al. The faroes statement: human health effects of developmental exposure to chemicals in our environment. *Basic Clin Pharmacol Toxicol* 2008;102(2):73-5.

Gunnarsson R, Staaf J, Jansson M, Ottesen AM, Goransson H, Liljedahl U, et al. Screening for copy-number alterations and loss of heterozygosity in chronic lymphocytic leukemia - a comparative study of four differently designed, high resolution microarray platforms. *Genes Chromosomes Cancer* 2008;47(8):697-711.

Hansen MA, Nielsen JE, Retelska D, Larsen N, Leffers H. A shared promoter region suggests a common ancestor for the human VCX/Y, SPANX, and CSAG gene families and the murine CYPT family. *Mol Reprod Dev* 2008;75(2):219-29.

Hoei-Hansen CE. Application of stem cell markers in search for neoplastic germ cells in dysgenetic gonads, extragonadal tumours, and in semen of infertile men. *Cancer Treat Rev* 2008;34(4):348-67.

Janjua NR, Frederiksen H, Skakkebaek NE, Wulf HC, Andersson AM. Urinary excretion of phthalates and paraben after repeated whole-body topical application in humans. *Int J Androl* 2008;31(2):118-30.

Janjua NR, Kongshoj B, Andersson AM, Wulf HC. Sunscreens in human plasma and urine after repeated whole-body topical application. *J Eur Acad Dermatol Venereol* 2008;22(4):456-61.

Jensen AA, Leffers H. Emerging endocrine disruptors: perfluoroalkylated substances. *Int J Androl* 2008;31(2):161-9.

Jensen TK, Sobotka T, Hansen MA, Pedersen AT, Lutz W, Skakkebaek NE. Declining trends in conception rates in recent birth cohorts of native Danish women: a possible role of deteriorating male reproductive health. *Int J Androl* 2008;31(2):81-92.

Joensen UN, Jorgensen N, Rajpert-De Meyts E, Skakkebaek NE. Testicular dysgenesis syndrome and Leydig cell function. *Basic Clin Pharmacol Toxicol* 2008;102(2):155-61.

Krege S, Beyer J, Souchon R, Albers P, Albrecht W, Algaba F, et al. European consensus conference on diagnosis and treatment of germ cell cancer: a report of the second meeting of the European Germ Cell Cancer Consensus Group (EGCCCG): part II. *Eur Urol* 2008;53(3):497-513.

Krege S, Beyer J, Souchon R, Albers P, Albrecht W, Algaba F, et al. European consensus conference on diagnosis and treatment of germ cell cancer: a report of the second meeting of the European Germ Cell Cancer Consensus group (EGCCCG): part I. *Eur Urol* 2008;53(3):478-96.

Kristensen DM, Nielsen JE, Skakkebaek NE, Graem N, Jacobsen GK, Rajpert-De Meyts E, et al. Presumed pluripotency markers UTF-1 and REX-1 are expressed in human adult testes and germ cell neoplasms. *Hum Reprod* 2008;23(4):775-82.

Kristensen DM, Sonne SB, Ottesen AM, Perrett RM, Nielsen JE, Almstrup K, et al. Origin of pluripotent germ cell tumours: the role of microenvironment during embryonic development. *Mol Cell Endocrinol* 2008;288(1-2):111-8.

Mau Kai C, Juul A, McElreavey K, Ottesen AM, Garn ID, Main KM, et al. Sons conceived by assisted reproduction techniques inherit deletions in the azoospermia factor (AZF) region of the Y chromosome and the DAZ gene copy number. *Hum Reprod* 2008;23(7):1669-78.

Paasch U, Salzbrunn A, Glander HJ, Plambeck K, Salzbrunn H, Grunewald S, et al. Semen quality in sub-fertile range for a significant proportion of young men from the general German population: a coordinated, controlled study of 791 men from Hamburg and Leipzig. *Int J Androl* 2008;31(2):93-102.

Perrett RM, Turnpenny L, Eckert JJ, O'Shea M, Sonne SB, Cameron IT, et al. The early human germ cell lineage does not express SOX2 during in vivo development or upon in vitro culture. *Biol Reprod* 2008;78(5):852-8.

Rasmussen MH, Wildschiodtz G, Juul A, Hilsted J. Polysomnographic sleep, growth hormone insulin-like growth factor-I axis, leptin, and weight loss. *Obesity (Silver Spring)* 2008;16(7):1516-21.

Rehfeld JF, Zhu X, Norrbom C, Bundgaard JR, Johnsen AH, Nielsen JE, et al. Prohormone convertase 1/3 and 2 together orchestrate the site-specific cleavages of progastrin to release gastrin-34 and gastrin-17. *Biochem J* 2008;415(1):35-43.

Ringholm Nielsen L, Juul A, Pedersen-Bjergaard U, Thorsteinsson B, Damm P, Mathiesen ER. Lower levels of circulating IGF-I in Type 1 diabetic women with frequent severe hypoglycaemia during pregnancy. *Diabet Med* 2008;25(7):826-33.

Sharpe RM, Skakkebaek NE. Testicular dysgenesis syndrome: mechanistic insights and potential new downstream effects. *Fertil Steril* 2008;89(2 Suppl):e33-e38.

Shen H, Main KM, Andersson AM, Damgaard IN, Virtanen HE, Skakkebaek NE, et al. Concentrations of persistent organochlorine compounds in human milk and placenta are higher in Denmark than in Finland. *Hum Reprod* 2008;23(1):201-10.

Skakkebaek NE. Mere testikelkræft og dårlig sædkvalitet. *Tidsskrift Norsk Lægeforening* 2008;128:554.

Sobotka T, Hansen MA, Jensen TK, Pedersen AT, Skakkebaek NE. The contribution of assisted reproduction to completed fertility: an analysis of Danish data. *Pop Dev Rev* 2008;34:79.

Sonne SB, Kristensen DM, Novotny GW, Olesen IA, Nielsen JE, Skakkebaek NE, et al. Testicular dysgenesis syndrome and the origin of carcinoma in situ testis. *Int J Androl* 2008;31(2):275-87.

Taxvig C, Vinggaard AM, Hass U, Axelstad M, Boberg J, Hansen PR, et al. Do parabens have the ability to interfere with steroidogenesis? *Toxicol Sci* 2008;106(1):206-13.

Vatten LJ, Nilsen TI, Juul A, Jeansson S, Jenum PA, Eskild A. Changes in circulating level of IGF-I and IGF-binding protein-1 from the first to second trimester as predictors of preeclampsia. *Eur J Endocrinol* 2008;158(1):101-5.

Vielwerth SE, Jensen RB, Larsen T, Holst KK, Molgaard C, Greisen G, et al. The effect of birthweight upon insulin resistance and associated cardiovascular risk factors in adolescence is not explained by fetal growth velocity in the third trimester as measured by repeated ultrasound fetometry. *Diabetologia* 2008;51(8):1483-92.

Publikationer

Videnskabelige artikler

Andersen MT, Andersen MK, Christiansen DH, Pedersen-Bjergaard J. NPM1 mutations in therapy-related acute myeloid leukemia with uncharacteristic features. *Leukemia* 2008;22(5):951-5.

Anderson RJ, Darvann TA, Olafsdottir H, Hansen DW, Larsen R, Hermann NV, Larsen P et al. Automated landmarking of 3D infant face surfaces using 2D active appearance models: a progress report. In: Takada K, Kreiborg S, eds. *The Mouth and Face Forum 2008. In Silico Dentistry: The Evolution of Computational Oral Health Science*. Osaka: Medigit; 2008:163-5.

Bay K, Cohen AS, Jorgensen FS, Jorgensen C, Lind AM, Skakkebaek NE, et al. Insulin-like factor 3 levels in second-trimester amniotic fluid. *J Clin Endocrinol Metab* 2008;93(10):4048-51.

Benn M, Schwartz M, Nordestgaard BG, Tybjaerg-Hansen A. Mitochondrial haplogroups: ischemic cardiovascular disease, other diseases, mortality, and longevity in the general population. *Circulation* 2008;117(19):2492-501.

Boonen SE, Porksen S, Mackay DJ, Oestergaard E, Olsen B, Brondum-Nielsen K, et al. Clinical characterisation of the multiple maternal hypomethylation syndrome in siblings. *Eur J Hum Genet* 2008;16(4):453-61.

Bygum A, Brandrup F, Gade EF, Lund AM, Christensen E. [Two cases of Richner-Hanhart syndrome (oculocutaneous tyrosinemia)]. *Ugeskr Laeger* 2008;170(8):655.

Darvann TA, Olafsdottir H, Hermann NV, Larsen P, Lanche S, Larsen R, Ersboell BK et al. On the measurement of craniofacial asymmetry. In: Takada K, Kreiborg S, eds. *The Mouth and Face Forum. In Silico Dentistry: The Evolution of Computational Oral Health Science*. Osaka: Medigit; 2008:37-41.

Duno M, Sveen ML, Schwartz M, Vissing J. cDNA analyses of CAPN3 enhance mutation detection and reveal a low prevalence of LGMD2A patients in Denmark. *Eur J Hum Genet* 2008;16(8):935-40.

Ekelund CK, Skibsted L, Sogaard K, Main KM, Dziegiel MH, Schwartz M, et al. Dizygotic monozygotic twin pregnancy conceived following intracytoplasmic sperm injection treatment and complicated by twin-twin transfusion syndrome and blood chimerism. *Ultrasound Obstet Gynecol* 2008;32(6):832-4.

Forestier E, Heyman M, Andersen MK, Autio K, Blennow E, Borgstrom G, et al. Outcome of ETV6/RUNX1-positive childhood acute lymphoblastic leukaemia in the NOPHO-ALL-1992 protocol: frequent late relapses but good overall survival. *Br J Haematol* 2008;140(6):665-72.

Gerdes T, Kirchhoff M, Lind AM, Vestergaard Larsen G, Kjaergaard S. Multiplex ligation-dependent probe amplification (MLPA) in prenatal diagnosis-experience of a large series of rapid testing for aneuploidy of chromosomes 13, 18, 21, X, and Y. *Prenat Diagn* 2008;28(12):1119-25.

Gilling M, Lauritsen MB, Moller M, Henriksen KF, Vicente A, Oliveira G, et al. A 3.2 Mb deletion on 18q12 in a patient with childhood autism and high-grade myopia. *Eur J Hum Genet* 2008;16(3):312-9.

Gordillo M, Vega H, Trainer AH, Hou F, Sakai N, Luque R, et al. The molecular mechanism underlying Roberts syndrome involves loss of ESCO2 acetyltransferase activity. *Hum Mol Genet* 2008;17(14):2172-80.

Hermann NV, Darvann TA, Sundberg K, Kreiborg S, Jorgensen C. Usefulness of 3D ultrasound for in vivo studies of the prenatal mandible. In: Takada K, Kreiborg S, eds. *The Mouth and Face Forum. In Silico Dentistry: The Evolution of Computational Oral Health Science*. Osaka: Medigit; 2008:33-6.

- Hove HD, Bisgaard AM, Nissen KR, Kirchhoff M. Facial asymmetry associated with small and large intestinal atresia, and ipsilateral malformations of eye, skin, and extremities. *Clin Dysmorphol* 2008;17(2):121-2.
- Hove HD, Hermann NV, Jorgensen C, Kreiborg S, Sundberg K. An echo-poor spine at 13 weeks: an early sign of cleidocranial dysplasia. *Fetal Diagn Ther* 2008;24(2):103-5.
- Jeppesen TD, Schwartz M, Colding-Jorgensen E, Krag T, Hauerslev S, Vissing J. Phenotype and clinical course in a family with a new de novo Twinkle gene mutation. *Neuromuscul Disord* 2008;18(4):306-9.
- Keyser B, Muhlhausen C, Dickmanns A, Christensen E, Muschol N, Ullrich K, et al. Disease-causing missense mutations affect enzymatic activity, stability and oligomerization of glutaryl-CoA dehydrogenase (GCDH). *Hum Mol Genet* 2008;17(24):3854-63.
- Kiholm Lund AB, Hove HD, Kirchhoff M. A 15q24 microduplication, reciprocal to the recently described 15q24 microdeletion, in a boy sharing clinical features with 15q24 microdeletion syndrome patients. *Eur J Med Genet* 2008;51(6):520-6.
- Kreiborg S, Larsen P, Darvann TA, Olafsdottir H, Hermann NV, Hove HD. 3D craniofacial growth analysis. In: Takada K, Kreiborg S, eds. *The Mouth and Face Forum 2008. In Silico Dentistry: The Evolution of Computational Oral Health Science*. Osaka: Medigit; 2008:29-32.
- Kroos M, Pomponio RJ, van Vliet L, Palmer RE, Phipps M, Van der Helm R, et al. Update of the Pompe disease mutation database with 107 sequence variants and a format for severity rating. *Hum Mutat* 2008;29(6):E13-E26.
- Lanche S, Darvann TA, Olafsdottir H, Hermann NV, van Pelt AE, Govier D, Tenenbaum MT et al. Validation of a statistical model of head asymmetry in infants with deformational plagiocephaly. In: Takada K, Kreiborg S, eds. *The Mouth and Face Forum 2008. In Silico Dentistry: The Evolution of Computational Oral Health Science*. Osaka: Medigit; 2008:42-6.
- Lautrup CK, Kjaergaard S, Brondum-Nielsen K, Fagerberg C, Hertz JM, Petersen OB, et al. Testing for 22q11 microdeletion in 146 fetuses with nuchal translucency above the 99th percentile and a normal karyotype. *Acta Obstet Gynecol Scand* 2008;87(11):1252-5.
- Lindquist SG, Hasholt L, Bahl JM, Heegaard NH, Andersen BB, Norremolle A, et al. A novel presenilin 2 mutation (V393M) in early-onset dementia with profound language impairment. *Eur J Neurol* 2008;15(10):1135-9.
- Lindquist SG, Holm IE, Schwartz M, Law I, Stokholm J, Batbayli M, et al. Alzheimer disease-like clinical phenotype in a family with FTDP-17 caused by a MAPT R406W mutation. *Eur J Neurol* 2008;15(4):377-85.
- Lindquist SG, Nielsen JE, Stokholm J, Schwartz M, Batbayli M, Ballegaard M, et al. Atypical early-onset Alzheimer's disease caused by the Iranian APP mutation. *J Neurol Sci* 2008;268(1-2):124-30.
- Lund A, Joensen F, Christensen E, Duno M, Skovby F, Schwartz M. A novel arginine-to-cysteine substitution in the triple helical region of the alpha1(I) collagen chain in a family with an osteogenesis imperfecta/Ehlers-Danlos phenotype. *Clin Genet* 2008;73(1):97-101.
- Mackay DJ, Callaway JL, Marks SM, White HE, Acerini CL, Boonen SE, et al. Hypomethylation of multiple imprinted loci in individuals with transient neonatal diabetes is associated with mutations in ZFP57. *Nat Genet* 2008;40(8):949-51.
- Malm G, Lund AM, Mansson JE, Heiberg A. Mucopolysaccharidoses in the Scandinavian countries: incidence and prevalence. *Acta Paediatr* 2008;97(11):1577-81.
- Olafsdottir H, Darvann TA, Hermann NV, Larsen P, Govier D, Kane AA, Hove HD et al. Non-rigid registration in craniofacial image analysis: application to the study of unicoronal synostosis. In: Takada K,

Kreiborg S, eds. The Mouth and Face Forum. In *Silico Dentistry: The Evolution of Computational Oral Health Science*. Osaka: Medigit; 2008:98-101.

Pedersen-Bjergaard J, Andersen MK, Andersen MT, Christiansen DH. Genetics of therapy-related myelodysplasia and acute myeloid leukemia. *Leukemia* 2008;22(2):240-8.

Pedersen CB, Kolvraa S, Kolvraa A, Stenbroen V, Kjeldsen M, Ensenauer R, et al. The ACADS gene variation spectrum in 114 patients with short-chain acyl-CoA dehydrogenase (SCAD) deficiency is dominated by missense variations leading to protein misfolding at the cellular level. *Hum Genet* 2008;124(1):43-56.

Rath J, Geisler C, Christiansen CB, Hastrup N, Madsen HO, Andersen MK, et al. Epstein-Barr virus reactivation is a potentially severe complication in chronic lymphocytic leukemia patients with poor prognostic biological markers and fludarabine refractory disease. *Haematologica* 2008;93(9):1424-6.

Smith B, Pryds OA, Christensen E, Lund AM. [Congenital methaemoglobinaemia: an infrequent cause of neonatal cyanosis]. *Ugeskr Laeger* 2008;170(33):2460.

Thomsen LL, Oestergaard E, Bjornsson A, Stefansson H, Fasquel AC, Gulcher J, et al. Screen for CACNA1A and ATP1A2 mutations in sporadic hemiplegic migraine patients. *Cephalalgia* 2008;28(9):914-21.

Winchester B, Bali D, Bodamer OA, Caillaud C, Christensen E, Cooper A, et al. Methods for a prompt and reliable laboratory diagnosis of Pompe disease: report from an international consensus meeting. *Mol Genet Metab* 2008;93(3):275-81.

Wraith JE, Beck M, Giugliani R, Clarke J, Martin R, Muenzer J. Initial report from the Hunter Outcome Survey. *Genet Med* 2008;10(7):508-16.

Neonatalklinikken

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Brok J. Evaluation of and agreement between Cochrane neonatal reviews and clinical practice guidelines for newborns in Denmark (ph.d.-afhandling). København: Eget Forlag; 2008:1-39. Forsvaret den 31/5 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Bjerre JV, Petersen JR, Ebbesen F. Surveillance of extreme hyperbilirubinaemia in Denmark. A method to identify the newborn infants. *Acta Paediatr* 2008;97(8):1030-4.

Brok J, Greisen G, Madsen LP, Tilma K, Faerk J, Borch K, et al. Agreement between Cochrane Neonatal reviews and clinical practice guidelines for newborns in Denmark: a cross-sectional study. *Arch Dis Child Fetal Neonatal Ed* 2008;93(3):F225-F229.

Debes NM, Dahl M, Jonsbo F. [Omphalitis with fatal outcome in new-born baby boy]. *Ugeskr Laeger* 2008;170(3):158.

Eriksen V, Nielsen LH, Klokke M, Greisen G. Follow-up of 5- to 11-year-old children treated for persistent pulmonary hypertension of the newborn. *Acta Paediatr* 2008;98(2):304-9.

Esbjorn BH, Madsen BM, Munck H, Greisen G. [Extremely prematurely born children's and their parents' need for support]. *Ugeskr Laeger* 2008;170(42):3331-4.

Greisen G. De mindste børn i pædiatrien. Bibliotek for læger 2008;4:516-26.

Jensen RB, Vielwerth S, Frystyk J, Veldhuis J, Larsen T, Molgaard C, et al. Fetal growth velocity, size in early life and adolescence, and prediction of bone mass: association to the GH-IGF axis. J Bone Miner Res 2008;23(3):439-46.

Lauritsen TL, Jensen T, Greisen G. [Basic and advanced resuscitation of children]. Ugeskr Læger 2008;170(47):3851-4.

Lippert FK, Lauritsen TL, Torp-Pedersen C. [Advanced resuscitation of adults]. Ugeskr Læger 2008;170(47):3848-51.

Mathiasen R, Hansen BM, Loekke A, Greisen G. Behandling af tidligt fødte børn på Rigshospitalet i perioden 1955-2007. Bibliotek for læger 2008;4:528-46.

Pichler G, Wolf M, Roll C, Weindling MA, Greisen G, Wardle SP, et al. Recommendations to increase the validity and comparability of peripheral measurements by near infrared spectroscopy in neonates. 'Round table', section of haematology, oxygen transport and microcirculation, 48th annual meeting of ESPR, Prague 2007. Neonatology 2008;94(4):320-2.

Slidsborg C, Olesen HB, Jensen PK, Jensen H, Nissen KR, Greisen G, et al. Treatment for retinopathy of prematurity in Denmark in a ten-year period (1996-2005): is the incidence increasing? Pediatrics 2008;121(1):97-105.

Sorensen LC, Leung TS, Greisen G. Comparison of cerebral oxygen saturation in premature infants by near-infrared spatially resolved spectroscopy: observations on probe-dependent bias. J Biomed Opt 2008;13(6):064013.

Sorensen LC, Maroun LL, Borch K, Lou HC, Greisen G. Neonatal cerebral oxygenation is not linked to foetal vasculitis and predicts intraventricular haemorrhage in preterm infants. Acta Paediatr 2008;97(11):1529-34.

Sweet D, Bevilacqua G, Carnielli V, Greisen G, Plavka R, Didrik SO, et al. [European consensus guidelines on the management of neonatal respiratory distress syndrome]. Zhonghua Er Ke Za Zhi 2008;46(1):30-4.

Vielwerth SE, Jensen RB, Larsen T, Holst KK, Molgaard C, Greisen G, et al. The effect of birthweight upon insulin resistance and associated cardiovascular risk factors in adolescence is not explained by fetal growth velocity in the third trimester as measured by repeated ultrasound fetometry. Diabetologia 2008;51(8):1483-92.

Obstetrisk Klinik

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Clausen TD. Diabetes in pregnancy - long-term implications for the offspring (ph.d.-afhandling). København: Eget Forlag; 2008:1-143. Forsvaret den 22/8 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Laursen M. Rising emergency caesarean section rates in nulliparous women with uncomplicated pregnancies (ph.d.-afhandling). København: Eget Forlag; 2008:1-79. Forsvaret den 1/12 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Nielsen LR. Severe hypoglycaemia in pregnant women with type 1 diabetes: incidence, predictors and possible pathophysiological factors (ph.d.-afhandling). København: Eget Forlag; 2008:1-59. Forsvaret den 2/9 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Andersgaard AB, Herbst A, Johansen M, Borgstrom A, Bille AG, Oian P. Follow-up interviews after eclampsia. *Gynecol Obstet Invest* 2008;67(1):49-52.

Beathe Andersgaard A, Langhoff-Roos J, Oian P. Direct maternal deaths in Norway 1976-1995. *Acta Obstet Gynecol Scand* 2008;87(8):856-61.

Clausen TD, Mathiesen ER, Hansen T, Pedersen O, Jensen DM, Lauenborg J, et al. High prevalence of type 2 diabetes and pre-diabetes in adult offspring of women with gestational diabetes mellitus or type 1 diabetes: the role of intrauterine hyperglycemia. *Diabetes Care* 2008;31(2):340-6.

Ekbom P, Damm P, Feldt-Rasmussen B, Feldt-Rasmussen U, Jensen DM, Mathiesen ER. Elevated third-trimester haemoglobin A 1c predicts preterm delivery in type 1 diabetes. *J Diabetes Complicat* 2008;22(5):297-302.

Ekelund CK, Vogel I, Skogstrand K, Thorsen P, Hougaard DM, Langhoff-Roos J, et al. Interleukin-18 and interleukin-12 in maternal serum and spontaneous preterm delivery. *J Reprod Immunol* 2008;77(2):179-85.

Emmersen PB, Kronborg VH, Illeborg L, Mathiesen ER. A case of well-established breastfeeding for a 61-year-old woman after menopause. *J Hum Lact* 2008;24(2):217-8.

Hannibal CG, Jensen A, Sharif H, Kjaer SK. Malignant melanoma risk after exposure to fertility drugs: results from a large Danish cohort study. *Cancer Causes Control* 2008;19(7):759-65.

Hannibal CG, Jensen A, Sharif H, Kjaer SK. Risk of thyroid cancer after exposure to fertility drugs: results from a large Danish cohort study. *Hum Reprod* 2008;23(2):451-6.

Hegaard HK, Hedegaard M, Damm P, Ottesen B, Petersson K, Henriksen TB. Leisure time physical activity is associated with a reduced risk of preterm delivery. *Am J Obstet Gynecol* 2008;198(2):180-5.

Hod M, Damm P, Kaaja R, Visser GH, Dunne F, Demidova I, et al. Fetal and perinatal outcomes in type 1 diabetes pregnancy: a randomized study comparing insulin aspart with human insulin in 322 subjects. *Am J Obstet Gynecol* 2008;198(2):186-7.

Hove LD, Bock J, Christoffersen JK, Hedegaard M. [Hypoxic brain injuries notified to the Danish Patient Insurance Association during 1992-2004. Secondary publication]. *Ugeskr Laeger* 2008;170(36):2775-7.

Hove LD, Bock J, Christoffersen JK, Hedegaard M. Analysis of 127 peripartum hypoxic brain injuries from closed claims registered by the Danish Patient Insurance Association. *Acta Obstet Gynecol Scand* 2008;87(1):72-5.

Jensen A, Sharif H, Olsen JH, Kjaer SK. Risk of breast cancer and gynecologic cancers in a large population of nearly 50,000 infertile Danish women. *Am J Epidemiol* 2008;168(1):49-57.

Jensen DM, Korsholm L, Ovesen P, Beck-Nielsen H, Molsted-Pedersen L, Damm P. Adverse pregnancy outcome in women with mild glucose intolerance: is there a clinically meaningful threshold value for glucose? *Acta Obstet Gynecol Scand* 2008;87(1):59-62.

Larsen CR, Grantcharov T, Schouenborg L, Ottosen C, Soerensen JL, Ottesen B. Objective assessment of surgical competence in gynaecological laparoscopy: development and validation of a procedure-specific rating scale. *BJOG* 2008;115(7):908-16.

- Larsen R, Berkowicz A, Lousen T, Hedegaard M, Clausen FB, Krog GR, et al. Massive fetomaternal hemorrhage: clearance of fetal red blood cells after intravenous anti-D prophylaxis monitored by flow cytometry. *Transfusion* 2008;48(8):1707-12.
- Lauenborg J, Mathiesen ER, Molsted-Pedersen L, Damm P. Diabetes mellitus and the metabolic syndrome after gestational diabetes (GDM). In: Hod M, Jovanovic LG, Di Renzo GC, De Leiva A, Langer O, eds. *Textbook of Diabetes and Pregnancy*. 2nd ed. London: Informa; 2008:379-85.
- Laursen M, Hedegaard M, Johansen C. Fear of childbirth: predictors and temporal changes among nulliparous women in the Danish National Birth Cohort. *BJOG* 2008;115(3):354-60.
- Lindegaard ML, Svarrer EM, Damm P, Mathiesen ER, Nielsen LB. Increased LDL cholesterol and CRP in infants of mothers with type 1 diabetes. *Diabetes Metab Res Rev* 2008;24(6):465-71.
- Lykke JA, Gronlykke T, Langhoff-Roos J. Treatment of deep venous thrombosis in pregnant women. *Acta Obstet Gynecol Scand* 2008;87(11):1248-51.
- Mathiesen ER, Damm P. Diabetic vascular complications in pregnancy: nephropathy. In: Hod M, Jovanovic LG, Di Renzo GC, De Leiva A, Langer O, eds. *Textbook of Diabetes and Pregnancy*. 2nd ed. London: Informa; 2008:330-3.
- Mathiesen ER. Insulin aspart in diabetic pregnancy: state of the art. *Womens Health (Lond Engl)* 2008;4(2):119-24.
- Mathiesen ER, Damm P. Pregnancy - pharmacological problems. In: Mogensen CE, ed. *Pharmacotherapy of Diabetes: New Developments. Improving Life and Prognosis for Diabetic Patients*. New York: Springer; 2008:249-55.
- Mathiesen ER, Rasmussen KL, Laugesen CS, Datta N, Damm P. [Diabetic retinopathy during pregnancy]. *Ugeskr Laeger* 2008;170(50):4117-21.
- McCance DR, Damm P, Mathiesen ER, Hod M, Kaaja R, Dunne F, et al. Evaluation of insulin antibodies and placental transfer of insulin aspart in pregnant women with type 1 diabetes mellitus. *Diabetologia* 2008;51(11):2141-3.
- Morken NH, Vogel I, Kallen K, Skjaerven R, Langhoff-Roos J, Kesmodel US, et al. Reference population for international comparisons and time trend surveillance of preterm delivery proportions in three countries. *BMC Womens Health* 2008;8:16.
- Nielsen LR, Pedersen-Bjergaard U, Thorsteinsson B, Johansen M, Damm P, Mathiesen ER. Hypoglycemia in pregnant women with type 1 diabetes: predictors and role of metabolic control. *Diabetes Care* 2008;31(1):9-14.
- Ringholm Nielsen L, Juul A, Pedersen-Bjergaard U, Thorsteinsson B, Damm P, Mathiesen ER. Lower levels of circulating IGF-I in Type 1 diabetic women with frequent severe hypoglycaemia during pregnancy. *Diabet Med* 2008;25(7):826-33.
- Vestgaard M, Nielsen LR, Rasmussen AK, Damm P, Mathiesen ER. Thyroid peroxidase antibodies in pregnant women with type 1 diabetes: impact on thyroid function, metabolic control and pregnancy outcome. *Acta Obstet Gynecol Scand* 2008;87(12):1336-42.
- Wisborg K, Barklin A, Hedegaard M, Henriksen TB. Psychological stress during pregnancy and stillbirth: prospective study. *BJOG* 2008;115(7):882-5.

Publikationer

Videnskabelige artikler

Achenbach P, Bonifacio E, Williams AJ, Ziegler AG, Gale EA, Bingley PJ. Autoantibodies to IA-2beta improve diabetes risk assessment in high-risk relatives. *Diabetologia* 2008;51(3):488-92.

Aloysius A, Born P, Kinali M, Davis T, Pane M, Mercuri E. Swallowing difficulties in Duchenne muscular dystrophy: indications for feeding assessment and outcome of videofluoroscopic swallow studies. *Eur J Paediatr Neurol* 2008;12(3):239-45.

Andersen HR, Schmidt IM, Grandjean P, Jensen TK, Budtz-Jorgensen E, Kjaerstad MB, et al. Impaired reproductive development in sons of women occupationally exposed to pesticides during pregnancy. *Environ Health Perspect* 2008;116(4):566-72.

Beckung E, Hagberg G, Uldall P, Cans C. Probability of walking in children with cerebral palsy in Europe. *Pediatrics* 2008;121(1):e187-e192.

Berntson L, Damgaard M, Andersson-Gare B, Herlin T, Nielsen S, Nordal E, et al. HLA-B27 predicts a more extended disease with increasing age at onset in boys with juvenile idiopathic arthritis. *J Rheumatol* 2008;35(10):2055-61.

Bingley PJ, Mahon JL, Gale EA. Insulin resistance and progression to type 1 diabetes in the European Nicotinamide Diabetes Intervention Trial (ENDIT). *Diabetes Care* 2008;31(1):146-50.

Christensen LA, Dahlerup JF, Nielsen MJ, Fallingborg JF, Schmiegelow K. Azathioprine treatment during lactation. *Aliment Pharmacol Ther* 2008;28(10):1209-13.

Damgaard IN, Jensen TK, Petersen JH, Skakkebaek NE, Toppari J, Main KM. Risk factors for congenital cryptorchidism in a prospective birth cohort study. *PLoS ONE* 2008;3(8):e3051.

Davidson ML, Dalhoff K, Schmiegelow K. Pharmacogenetics influence treatment efficacy in childhood acute lymphoblastic leukemia. *J Pediatr Hematol Oncol* 2008;30(11):831-49.

de Vries AC, Langerak AW, Verhaaf B, Niemeyer CM, Stary J, Schmiegelow K, et al. T-cell receptor Vbeta CDR3 oligoclonality frequently occurs in childhood refractory cytopenia (MDS-RC) and severe aplastic anemia. *Leukemia* 2008;22(6):1170-4.

Gimenez M, Miranda MJ, Born AP, Nagy Z, Rostrup E, Jernigan TL. Accelerated cerebral white matter development in preterm infants: a voxel-based morphometry study with diffusion tensor MR imaging. *Neuroimage* 2008;41(3):728-34.

Hansen CR, Pressler T, Hoiby N. Early aggressive eradication therapy for intermittent *Pseudomonas aeruginosa* airway colonization in cystic fibrosis patients: 15 years experience. *J Cyst Fibros* 2008;7(6):523-30.

Herlin T, Nielsen S. [Primary childhood vasculitis - new classification criteria]. *Ugeskr Laeger* 2008;170(36):2784-7.

Johansen HK, Moskowitz SM, Ciofu O, Pressler T, Hoiby N. Spread of colistin resistant non-mucoid *Pseudomonas aeruginosa* among chronically infected Danish cystic fibrosis patients. *J Cyst Fibros* 2008;7(5):391-7.

Jorgensen LM, Nysom K, Lavard LD. [Hydrocephalus as initial presentation of a spinal cord tumour in a child]. *Ugeskr Laeger* 2008;170(38):2981.

- Kamper-Jorgensen M, Woodward A, Wohlfahrt J, Benn CS, Simonsen J, Hjalgrim H, et al. Childcare in the first 2 years of life reduces the risk of childhood acute lymphoblastic leukemia. *Leukemia* 2008;22(1):189-93.
- Kjaer BB, Jensen JS, Nielsen KG, Fomsgaard A, Bottiger B, Dohn B, et al. Lung function and bronchial responsiveness after *Mycoplasma pneumoniae* infection in early childhood. *Pediatr Pulmonol* 2008;43(6):567-75.
- Kornblit B, Masmus T, Madsen HO, Ryder LP, Svejgaard A, Jakobsen B, et al. Haematopoietic cell transplantation with non-myeloablative conditioning in Denmark: disease-specific outcome, complications and hospitalization requirements of the first 100 transplants. *Bone Marrow Transplant* 2008;41(10):851-9.
- Lauritsen TL, Jensen T, Greisen G. [Basic and advanced resuscitation of children]. *Ugeskr Laeger* 2008;170(47):3851-4.
- Lausten-Thomsen U, Hjalgrim H, Marquart H, Lutterodt M, Petersen BL, Schmiegelow K. ETV6-RUNX1 transcript is not frequent in early human haematopoiesis. *Eur J Haematol* 2008;81(2):161-2.
- Maniecki MB, Hasle H, Friis-Hansen L, Lausen B, Nielsen OJ, Bendix K, et al. Impaired CD163-mediated hemoglobin-scavenging and severe toxic symptoms in patients treated with gemtuzumab ozogamicin. *Blood* 2008;112(4):1510-4.
- Mwangi R, Chandler C, Nasuwa F, Mbakilwa H, Poulsen A, Bygbjerg IC, et al. Perceptions of mothers and hospital staff of paediatric care in 13 public hospitals in northern Tanzania. *Trans R Soc Trop Med Hyg* 2008;102(8):805-10.
- Nielsen LF, Schendel D, Grove J, Hvidtjorn D, Jacobsson B, Josiassen T, et al. Asphyxia-related risk factors and their timing in spastic cerebral palsy. *BJOG* 2008;115(12):1518-28.
- Nielsen S, Ruperto N, Gerloni V, Simonini G, Cortis E, Lepore L, et al. Preliminary evidence that etanercept may reduce radiographic progression in juvenile idiopathic arthritis. *Clin Exp Rheumatol* 2008;26(4):688-92.
- Olesen KM, Hansen SH, Sidenius U, Schmiegelow K. Determination of leukocyte DNA 6-thioguanine nucleotide levels by high-performance liquid chromatography with fluorescence detection. *J Chromatogr B Analyt Technol Biomed Life Sci* 2008;864(1-2):149-55.
- Ozsahin H, Cavazzana-Calvo M, Notarangelo LD, Schulz A, Thrasher AJ, Mazzolari E, et al. Long-term outcome following hematopoietic stem-cell transplantation in Wiskott-Aldrich syndrome: collaborative study of the European Society for Immunodeficiencies and European Group for Blood and Marrow Transplantation. *Blood* 2008;111(1):439-45.
- Pressler T. Review of recombinant human deoxyribonuclease (rhDNase) in the management of patients with cystic fibrosis. *Biologics: Targets & Therapy* 2008;2(4):1-7.
- Reyburn H, Mwakasungula E, Chonya S, Mtei F, Bygbjerg I, Poulsen A, et al. Clinical assessment and treatment in paediatric wards in the north-east of the United Republic of Tanzania. *Bull World Health Organ* 2008;86(2):132-9.
- Schmiegelow K, Vestergaard T, Nielsen SM, Hjalgrim H. Etiology of common childhood acute lymphoblastic leukemia: the adrenal hypothesis. *Leukemia* 2008;22(12):2137-41.
- van Hasselt PM, de Koning TJ, Kvist N, de Vries E, Lundin CR, Berger R, et al. Prevention of vitamin K deficiency bleeding in breastfed infants: lessons from the Dutch and Danish biliary atresia registries. *Pediatrics* 2008;121(4):e857-e863.
- van Kooten Niekerk PB, Schmiegelow K, Schroeder H. Influence of methylene tetrahydrofolate reductase polymorphisms and coadministration of antimetabolites on toxicity after high dose methotrexate. *Eur J Haematol* 2008;81(5):391-8.

Vogelsang TW, Hanel B, Kristoffersen US, Petersen CL, Mehlsen J, Holmquist N, et al. Effect of eight weeks of endurance exercise training on right and left ventricular volume and mass in untrained obese subjects: a longitudinal MRI study. *Scand J Med Sci Sports* 2008;18(3):354-9.

von Stackelberg A, Hartmann R, Buhner C, Fengler R, Janka-Schaub G, Reiter A, et al. High-dose compared with intermediate-dose methotrexate in children with a first relapse of acute lymphoblastic leukemia. *Blood* 2008;111(5):2573-80.

Westbroek W, Tuchman M, Tinloy B, De Wever O, Vilboux T, Hertz JM, et al. A novel missense mutation (G43S) in the switch I region of Rab27A causing Griscelli syndrome. *Mol Genet Metab* 2008;94(2):248-54.

Yenson PR, Forrest D, Schmiegelow K, Dalal BI. Azathioprine-associated acute myeloid leukemia in a patient with Crohn's disease and thiopurine S-methyltransferase deficiency. *Am J Hematol* 2008;83(1):80-3.

Reproduktionsbiologisk Laboratorium

Publikationer

Videnskabelige artikler

Adjaye JA, Byskov AG, Cibelli JB, De Maria R, Minger S, Sampaolesi M, et al. Pluripotency and differentiation in embryos and stem cells. *Int J Dev Biol* 2008;52(7):801-9.

Andersen CY, Rosendahl M, Byskov AG, Loft A, Ottosen C, Dueholm M, et al. Two successful pregnancies following autotransplantation of frozen/thawed ovarian tissue. *Hum Reprod* 2008;23(10):2266-72.

Cavilla JL, Kennedy CR, Byskov AG, Hartshorne GM. Human immature oocytes grow during culture for IVF. *Hum Reprod* 2008;23(1):37-45.

Gjerstorff MF, Harkness L, Kassem M, Frandsen U, Nielsen O, Lutterodt M, et al. Distinct GAGE and MAGE-A expression during early human development indicate specific roles in lineage differentiation. *Hum Reprod* 2008;23(10):2194-201.

Kiprilov EN, Awan A, Desprat R, Velho M, Clement CA, Byskov AG, et al. Human embryonic stem cells in culture possess primary cilia with hedgehog signaling machinery. *J Cell Biol* 2008;180(5):897-904.

Lausten-Thomsen U, Hjalgrim H, Marquart H, Lutterodt M, Petersen BL, Schmiegelow K. ETV6-RUNX1 transcript is not frequent in early human haematopoiesis. *Eur J Haematol* 2008;81(2):161-2.

Lossl K, Andersen CY, Loft A, Freiesleben NL, Bangsboll S, Andersen AN. Short-term androgen priming by use of aromatase inhibitor and hCG before controlled ovarian stimulation for IVF. A randomized controlled trial. *Hum Reprod* 2008;23(8):1820-9.

Nielsen SK, Mollgard K, Clement CA, Veland IR, Awan A, Yoder BK, et al. Characterization of primary cilia and Hedgehog signaling during development of the human pancreas and in human pancreatic duct cancer cell lines. *Dev Dyn* 2008;237(8):2039-52.

Oliveri RS, Andersen CY. [Human embryonic stem cells: clinical potential and current challenges]. *Ugeskr Laeger* 2008;170(21):1815-20.

Rosendahl M, Andersen CY, Ernst E, Westergaard LG, Rasmussen PE, Loft A, et al. Ovarian function after removal of an entire ovary for cryopreservation of pieces of cortex prior to gonadotoxic treatment: a follow-up study. *Hum Reprod* 2008;23(11):2475-83.

Yding Andersen C, Rosendahl M, Byskov AG. Concentration of anti-Mullerian hormone and inhibin-B in relation to steroids and age in follicular fluid from small antral human follicles. J Clin Endocrinol Metab 2008;93(6):2344-9.

Patent

Oliveri, RS, Andersen, CY. Method for increasing the plasticity level of a cell. Patent no. PA 2007 01153. Submitted 1/8 2008.

Publikationer

Videnskabelige artikler

Anderson K, Aito S, Atkins M, Biering-Sorensen F, Charlifue S, Curt A, et al. Functional recovery measures for spinal cord injury: an evidence-based review for clinical practice and research. *J Spinal Cord Med* 2008;31(2):133-44.

Biering-Sorensen F, Craggs M, Kennelly M, Schick E, Wyndaele JJ. International urodynamic basic spinal cord injury data set. *Spinal Cord* 2008;46(7):513-6.

Biering-Sorensen F, Craggs M, Kennelly M, Schick E, Wyndaele JJ. International lower urinary tract function basic spinal cord injury data set. *Spinal Cord* 2008;46(5):325-30.

Biering-Sorensen F. Considerations on the international data set on lower urinary tract function following spinal cord injury. In: Corcos J, Schick E, eds. *Textbook of the Neurogenic Bladder*. 2nd ed. London: Informa UK Ltd.; 2008:929-35.

Biering-Sorensen F. Mangfoldigheden af kompetencer i rehabilitering. In: Nielsen CV, ed. *Rehabilitering for sundhedspersonelle*. København: Gads Forlag; 2008:175-82.

Ditunno JF, Scivoletto G, Patrick M, Biering-Sorensen F, Abel R, Marino R. Validation of the walking index for spinal cord injury in a US and European clinical population. *Spinal Cord* 2008;46(3):181-8.

Grey MJ, Klinge K, Crone C, Lorentzen J, Biering-Sorensen F, Ravnborg M, et al. Post-activation depression of soleus stretch reflexes in healthy and spastic humans. *Exp Brain Res* 2008;185(2):189-97.

Knudsen MA, Biering-Sorensen F. Development of Marjolin's ulcer following successful surgical treatment of chronic sacral pressure sore. *Spinal Cord* 2008;46(3):239-40.

Kreuter M, Siosteen A, Biering-Sorensen F. Sexuality and sexual life in women with spinal cord injury: a controlled study. *J Rehabil Med* 2008;40(1):61-9.

Lidal IB, Veenstra M, Hjeltnes N, Biering-Sorensen F. Health-related quality of life in persons with long-standing spinal cord injury. *Spinal Cord* 2008;46(11):710-5.

Martinsen B, Harder I, Biering-Sorensen F. The meaning of assisted feeding for people living with spinal cord injury: a phenomenological study. *J Adv Nurs* 2008;62(5):533-40.

Seitzberg A, Lind M, Biering-Sorensen F. Ambulation in adults with myelomeningocele. Is it possible to predict the level of ambulation in early life? *Childs Nerv Syst* 2008;24(2):231-7.

Widerstrom-Noga E, Biering-Sorensen F, Bryce T, Cardenas DD, Finnerup NB, Jensen MP, et al. The international spinal cord injury pain basic data set. *Spinal Cord* 2008;46(12):818-23.

Klinisk Neurofysiologisk Klinik

Publikationer

Videnskabelige artikler

Alvarez S, Moldovan M, Krarup C. Acute energy restriction triggers Wallerian degeneration in mouse. *Exp Neurol* 2008;212(1):166-78.

Crone C, Andersen B, Krarup C, Johnsen B. [New diagnostics of neuromuscular diseases. The Danish Society of Clinical Neurophysiology]. *Ugeskr Laeger* 2008;170(12):1042.

Grey MJ, Klinge K, Crone C, Lorentzen J, Biering-Sorensen F, Ravnborg M, et al. Post-activation depression of soleus stretch reflexes in healthy and spastic humans. *Exp Brain Res* 2008;185(2):189-97.

Gronlykke L, Knudsen ML, Hogenhaven H, Moltke FB, Madsen FF, Kjaer TW. Remifentanyl-induced spike activity as a diagnostic tool in epilepsy surgery. *Acta Neurol Scand* 2008;117(2):90-3.

Lindquist SG, Nielsen JE, Stokholm J, Schwartz M, Batbayli M, Ballegaard M, et al. Atypical early-onset Alzheimer's disease caused by the Iranian APP mutation. *J Neurol Sci* 2008;268(1-2):124-30.

Pedersen-Bjergaard U, Thomsen CE, Hogenhaven H, Smed A, Kjaer TW, Holst JJ, et al. Angiotensin-converting enzyme activity and cognitive impairment during hypoglycaemia in healthy humans. *J Renin Angiotensin Aldosterone Syst* 2008;9(1):37-48.

Krisepsykologisk Enhed

Publikationer

Videnskabelige artikler

Christensen AK. Krise- og katastrofepsykologi. In: Larsen CF, Roed J, Larsen JF, eds. *Traumatologi*. København: Munksgaard Danmark; 2008:461-5.

Neuroanæstesiologisk Klinik

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Gaziel TB. A study of water channels in glioblastoma multiforme and experimentally induced disruption of the blood-brain barrier (ph.d.-afhandling). København: Lægeforeningens Forlag; 2008:1-54. Forsvaret den 7/11 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Due-Andersen R, Hoi-Hansen T, Larroude CE, Olsen NV, Kanters JK, Boomsma F, et al. Cardiac repolarization during hypoglycaemia in type 1 diabetes: impact of basal renin-angiotensin system activity. *Europace* 2008;10(7):860-7.

Due-Andersen R, Hoi-Hansen T, Olsen NV, Larroude CE, Kanters JK, Boomsma F, et al. Cardiac repolarization during hypoglycaemia and hypoxaemia in healthy males: impact of renin-angiotensin system activity. *Europace* 2008;10(2):219-26.

Due-Andersen R, Pedersen-Bjergaard U, Hoi-Hansen T, Olsen NV, Kistorp C, Faber J, et al. NT-pro-BNP during hypoglycemia and hypoxemia in normal subjects: impact of renin-angiotensin system activity. *J Appl Physiol* 2008;104(4):1080-5.

Gronlykke L, Knudsen ML, Hogenhaven H, Moltke FB, Madsen FF, Kjaer TW. Remifentanyl-induced spike activity as a diagnostic tool in epilepsy surgery. *Acta Neurol Scand* 2008;117(2):90-3.

Larsen CF, Roed J, Larsen JF. *Traumatologi*. 1st ed. København: Munksgaard Danmark; 2008.

Moller CH, Norgaard MA, Gotze JP, Andersen CB, Olsen NV, Steinbruchel DA. Selective Retrograde Venous Revascularization of the Myocardium when PCI or CABG Is Impossible: Investigation in a Porcine Model. *Heart Surg Forum* 2008;11(2):E99-104.

Nielsen M, Olsen NV. Genetic polymorphisms in the cytochrome P450 system and efficacy of 5-hydroxytryptamine type 3 receptor antagonists for postoperative nausea and vomiting. *Br J Anaesth* 2008;101(4):441-5.

Pedersen SJ, Borgbjerg FM, Schousboe B, Pedersen BD, Jorgensen HL, Duus BR, et al. A comprehensive hip fracture program reduces complication rates and mortality. *J Am Geriatr Soc* 2008;56(10):1831-8.

Roed J. Neuroanæstesi. In: Henneberg SW, Hansen TG, eds. *Børneanæstesi*. 1st ed. København: FADL's Forlag; 2008:145-56.

Neurokirurgisk Klinik

Neurokirurgisk klinik omfatter følgende forskningsenhed:
CSF-dynamisk laboratorium.

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Gaziel TB. Cerebral aquaporins. A study of water channels in glioblastoma multiforma and experimentally induced disruption of the blood-brain barrier (ph.d.-afhandling). København: Lægeforeningens Forlag;1-54. Forsvaret den 7/11 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Astradsson A, Cooper O, Vinuela A, Isacson O. Recent advances in cell-based therapy for Parkinson disease. *Neurosurg Focus* 2008;24(3-4):E6.

Bellander BM, Sollid S, Kock-Jensen C, Juul N, Eskesen V, Sundstrom T, et al. [Prehospital management of patients with severe head injuries. Scandinavian guidelines according to Brain Trauma Foundation]. *Lakartidningen* 2008;105(24-25):1834-8.

Bethke L, Murray A, Webb E, Schoemaker M, Muir K, McKinney P, et al. Comprehensive analysis of DNA repair gene variants and risk of meningioma. *J Natl Cancer Inst* 2008;100(4):270-6.

Bjerring PN, Hauerberg J, Frederiksen HJ, Jorgensen L, Hansen BA, Tofteng F, et al. Cerebral glutamine concentration and lactate-pyruvate ratio in patients with acute liver failure. *Neurocrit Care* 2008;9(1):3-7.

- Gronlykke L, Knudsen ML, Hogenhaven H, Moltke FB, Madsen FF, Kjaer TW. Remifentanil-induced spike activity as a diagnostic tool in epilepsy surgery. *Acta Neurol Scand* 2008;117(2):90-3.
- Hansen-Schwartz J, Ansar S, Edvinsson L. Cerebral vasoconstriction after subarachnoid hemorrhage -role of changes in vascular receptor phenotype. *Front Biosci* 2008;13:2160-4.
- Hauerberg J, Kosteljanetz M, Boge-Rasmussen T, Dons K, Gideon P, Springborg JB, et al. Anterior cervical discectomy with or without fusion with ray titanium cage: a prospective randomized clinical study. *Spine* 2008;33(5):458-64.
- Hundahl CA, Allen GC, Nyengaard JR, Dewilde S, Carter BD, Kelsen J, et al. Neuroglobin in the rat brain: localization. *Neuroendocrinology* 2008;88(3):173-82.
- Hundahl CA, Kelsen J, Dewilde S, Hay-Schmidt A. Neuroglobin in the rat brain (II): co-localisation with neurotransmitters. *Neuroendocrinology* 2008;88(3):183-98.
- Isaksen JG, Bazilevs Y, Kvamsdal T, Zhang Y, Kaspersen JH, Waterloo K, et al. Determination of wall tension in cerebral artery aneurysms by numerical simulation. *Stroke* 2008;39(12):3172-8.
- Juul N, Sollid S, Sundstrom T, Kock-Jensen C, Eskesen V, Bellander BM, et al. [Scandinavian guidelines on the pre-hospital management of traumatic brain injury]. *Ugeskr Laeger* 2008;170(26-32):2337-41.
- Kelsen J, Hundahl CA, Hay-Schmidt A. Neuroglobin: endogenous neuroprotectant or maintenance of homeostasis? *Stroke* 2008;39(11):e177-e178.
- Kortbeek JB, Al Turki SA, Ali J, Antoine JA, Bouillon B, Brasel K, et al. Advanced trauma life support, 8th edition, the evidence for change. *J Trauma* 2008;64(6):1638-50.
- Kosteljanetz M, Perner A. Hjernedødsdiagnostik og organdonation. *Intensiv medicin*. København: FADL's Forlag; 2008:149-60.
- Mendez I, Vinuela A, Astradsson A, Mukhida K, Hallett P, Robertson H, et al. Dopamine neurons implanted into people with Parkinson's disease survive without pathology for 14 years. *Nat Med* 2008;14(5):507-9.
- Mogensen SS, Siersen P, Gjerris F. Neurologisk undersøgelse; en manual for medicinske studerende. København: FADL's Forlag; 2008.
- Munch TN, Juhler M. [Antibiotic prophylaxis in insertion of intracranial ventricular shunts. A survey of a Cochrane review]. *Ugeskr Laeger* 2008;170(3):131-5.
- Nassehi D, Galbo H, Skovsgaard F. [Primary psoas abscess in a young healthy male]. *Ugeskr Laeger* 2008;170(48):3967.
- Orbo M, Waterloo K, Egge A, Isaksen J, Ingebrigtsen T, Romner B. Predictors for cognitive impairment one year after surgery for aneurysmal subarachnoid hemorrhage. *J Neurol* 2008;225(11):1770-6.
- Romner B, Grande PO. [No scientific support for hypothermia therapy in severe craniocerebral injury. The treatment can even be dangerous]. *Lakartidningen* 2008;105(47):3406-7.
- Sollid S, Sundstrom T, Kock-Jensen C, Juul N, Eskesen V, Bellander BM, et al. [Scandinavian guidelines for prehospital management of severe traumatic brain injury]. *Tidsskr Nor Laegeforen* 2008;128(13):1524-7.
- Springborg JB, Thomsen J. Management of non-acoustic CPA tumours. In: Gleeson MJ, Jones NS, Burton MJ, Clarke R, Browning G, Luxon L, et al, eds. *Scott-Brown's Otorhinolaryngology: Head and Neck Surgery*. 7th ed. London: Hodder Arnold; 2008:4007-18.

Springborg JB, Poulsgaard L, Thomsen J. Nonvestibular schwannoma tumors in the cerebellopontine angle: a structured approach and management guidelines. *Skull Base* 2008;18(4):217-27.

Uden J, Ingebrigtsen T, Romner B. [Management of minor head injuries with the help of a blood test. S100B analysis can reduce the number of CT examinations and patient admissions]. *Lakartidningen* 2008;105(24-25):1846-8.

Zemack G, Romner B. Adjustable valves in normal-pressure hydrocephalus: a retrospective study of 218 patients. *Neurosurgery* 2008;62 Suppl 2:677-87.

Neurologisk Klinik

Neurologisk klinik omfatter følgende forskningsenheder:
Dansk Multipel Sclerose Center
Epilepsiklinikken
Hukommelsesklinikken og Nationalt Videncenter for Demens
Neurobiologisk Forskningsenhed
Neuromuskulær klinik
Vaskulær og almen neurologi

Dansk Multipel Sclerose Center

(Inklusive Neuroimmunologisk Laboratorium)

Publikationer

Videnskabelige artikler

Bramow S, Faber-Rod JC, Jacobsen C, Kutzelnigg A, Patrikios P, Sorensen PS, et al. Fatal neurogenic pulmonary edema in a patient with progressive multiple sclerosis. *Mult Scler* 2008;14(5):711-5.

Elovaara I, Apostolski S, van Doorn P, Gilhus NE, Hietaharju A, Honkaniemi J, et al. EFNS guidelines for the use of intravenous immunoglobulin in treatment of neurological diseases: EFNS task force on the use of intravenous immunoglobulin in treatment of neurological diseases. *Eur J Neurol* 2008;15(9):893-908.

Fazekas F, Lublin FD, Li D, Freedman MS, Hartung HP, Rieckmann P, et al. Intravenous immunoglobulin in relapsing-remitting multiple sclerosis: a dose-finding trial. *Neurology* 2008;71(4):265-71.

Hedegaard CJ, Krakauer M, Bendtzen K, Sorensen PS, Sellebjerg F, Nielsen CH. The effect of beta-interferon therapy on myelin basic protein-elicited CD4+ T cell proliferation and cytokine production in multiple sclerosis. *Clin Immunol* 2008;129(1):80-9.

Hedegaard CJ, Krakauer M, Bendtzen K, Lund H, Sellebjerg F, Nielsen CH. T helper cell type 1 (Th1), Th2 and Th17 responses to myelin basic protein and disease activity in multiple sclerosis. *Immunology* 2008;125(2):161-9.

International Multiple Sclerosis Genetic Consortium (IMSGC), Booth D. Refining genetic associations in multiple sclerosis. *Lancet Neurol* 2008;7(7):567-9.

Krakauer M, Sorensen P, Khademi M, Olsson T, Sellebjerg F. Increased IL-10 mRNA and IL-23 mRNA expression in multiple sclerosis: interferon-beta treatment increases IL-10 mRNA expression while reducing IL-23 mRNA expression. *Mult Scler* 2008;14(5):622-30.

Lorentzen AR, Smestad C, Lie BA, Oturai AB, Akesson E, Saarela J, et al. The SH2D2A gene and susceptibility to multiple sclerosis. *J Neuroimmunol* 2008;197(2):152-8.

Mathiesen HK, Ravnborg M, Sorensen PS. [Magnetic resonance imaging in the diagnosis and follow-up of multiple sclerosis]. *Ugeskr Laeger* 2008;170(34):2579-81.

Sellebjerg F, Oturai A, Sorensen PS. [Multiple sclerosis--the significance of genes. The Danish Society of Neurology]. *Ugeskr Laeger* 2008;170(12):1046.

Sellebjerg F, Datta P, Larsen J, Rieneck K, Alsing I, Oturai A, et al. Gene expression analysis of interferon-beta treatment in multiple sclerosis. *Mult Scler* 2008;14(5):615-21.

Soelberg SP. Intravenous polyclonal human immunoglobulins in multiple sclerosis. *Neurodegener Dis* 2008;5(1):8-15.

Sorensen PS, Koch-Henriksen N, Flachs EM, Bendtzen K. Is the treatment effect of IFN-beta restored after the disappearance of neutralizing antibodies? *Mult Scler* 2008;14(6):837-42.

Sorensen PS, Sellebjerg F. [Biological treatment of multiple sclerosis]. *Ugeskr Laeger* 2008;170(24):2156-9.

Sorensen PS, Sellebjerg F. Oral fumarate for relapsing-remitting multiple sclerosis. *Lancet* 2008;372(9648):1447-8.

Sorensen PS. REGARD: what can we learn from randomised, open-label, head-to-head studies? *Lancet Neurol* 2008;7(10):864-6.

Sorensen PS. Can we spot the IFNbeta nonresponders? *Neurology* 2008;71(24):1936-7.

Epilepsiklinikken

Publikationer

Videnskabelige artikler

Edfors R, Erdal J, Rogvi-Hansen B. Tilt table testing in patients with suspected epilepsy. *Acta Neurol Scand* 2008;117(5):354-8.

Erdal J. Epilepsi. *Manedsskr Prakt Laegegern* 2008;9:1035-41.

Hjermind LE, Vissing J, Asmus F, Krag T, Lochmuller H, Walter MC, et al. No muscle involvement in myoclonus-dystonia caused by epsilon-sarcoglycan gene mutations. *Eur J Neurol* 2008;15(5):525-9.

Lindquist SG, Nielsen JE, Stokholm J, Schwartz M, Batbayli M, Ballegaard M, et al. Atypical early-onset Alzheimer's disease caused by the Iranian APP mutation. *J Neurol Sci* 2008;268(1-2):124-30.

Nielsen KA, Dahl M, Tommerup E, Hansen BR, Erdal J, Wolf P. Diurnal lamotrigine plasma level fluctuations: clinical significance and indication of shorter half-life with chronic administration. *Epilepsy Behav* 2008;13(3):470-3.

Rogvi-Hansen B. Moderne behandling af voksne med epilepsi. *Manedsskr Prakt Laegegern* 2008;11:1250-8.

Wolf P. Should newly diagnosed epilepsy be treated with generics? *Nat Clin Pract Neurol* 2008;4(4):176-7.

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Dyrby TB. Modelling brain tissue using magnetic resonance imaging (ph.d.-afhandling). København: Eget Forlag; 2008:1-70. Forsvaret den 22/10 2008 ved Danmarks Tekniske Universitet.

Lindquist SG. Autosomal dominant inherited dementia - clinical and molecular genetic aspects (ph.d.-afhandling). København: Eget Forlag; 2008:1-40. Forsvaret den 3/4 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Phung TKT. A nationwide register-based study on epidemiological aspects of dementia (ph.d.-afhandling). København: Eget Forlag; 2008:1-52. Forsvaret den 16/12 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Baezner H, Blahak C, Poggesi A, Pantoni L, Inzitari D, Chabriat H, et al. Association of gait and balance disorders with age-related white matter changes: the LADIS study. *Neurology* 2008;70(12):935-42.

Brandt C, Bahl JC, Heegaard NH, Waldemar G, Johannsen P. Usability of cerebrospinal fluid biomarkers in a tertiary memory clinic. *Dement Geriatr Cogn Disord* 2008;25(6):553-8.

Buss DV, Waldemar G. Practice of competence assessment in dementia: Denmark. In: Stoppe G, ed. *Competence assessment in dementia*. Vienna: Springer-Verlag/Wien; 2008:107-8.

Danielsen ER, Elberling TV, Rasmussen AK, Dock J, Hording M, Perrild H, et al. Reduced parietooccipital white matter glutamine measured by proton magnetic resonance spectroscopy in treated graves' disease patients. *J Clin Endocrinol Metab* 2008;93(8):3192-8.

Dyrby TB, Rostrup E, Baare WF, van Straaten EC, Barkhof F, Vrenken H, et al. Segmentation of age-related white matter changes in a clinical multi-center study. *Neuroimage* 2008;41(2):335-45.

Ellefsen B, Holm-Pedersen P, Morse DE, Schroll M, Andersen BB, Waldemar G. Caries prevalence in older persons with and without dementia. *J Am Geriatr Soc* 2008;56(1):59-67.

Frisoni GB, Henneman WJ, Weiner MW, Scheltens P, Vellas B, Reynish E, et al. The pilot European Alzheimer's Disease Neuroimaging Initiative of the European Alzheimer's Disease Consortium. *Alzheimers Dement* 2008;4(4):255-64.

Frokjaer VG, Mortensen EL, Nielsen FA, Haugbol S, Pinborg LH, Adams KH, et al. Frontolimbic serotonin 2A receptor binding in healthy subjects is associated with personality risk factors for affective disorder. *Biol Psychiatry* 2008;63(6):569-76.

Gouw AA, van der Flier WM, van Straaten EC, Pantoni L, Bastos-Leite AJ, Inzitari D, et al. Reliability and sensitivity of visual scales versus volumetry for evaluating white matter hyperintensity progression. *Cerebrovasc Dis* 2008;25(3):247-53.

Gouw AA, van der Flier WM, Fazekas F, van Straaten EC, Pantoni L, Poggesi A, et al. Progression of white matter hyperintensities and incidence of new lacunes over a 3-year period: the Leukoaraiosis and Disability study. *Stroke* 2008;39(5):1414-20.

Gouw AA, van der Flier WM, Pantoni L, Inzitari D, Erkinjuntti T, Wahlund LO, et al. On the etiology of incident brain lacunes: longitudinal observations from the LADIS study. *Stroke* 2008;39(11):3083-5.

Hasselbalch SG, Madsen K, Svarer C, Pinborg LH, Holm S, Paulson OB, et al. Reduced 5-HT_{2A} receptor binding in patients with mild cognitive impairment. *Neurobiol Aging* 2008;29(12):1830-8.

Hjermind LE, Vissing J, Asmus F, Krag T, Lochmuller H, Walter MC, et al. No muscle involvement in myoclonus-dystonia caused by epsilon-sarcoglycan gene mutations. *Eur J Neurol* 2008;15(5):525-9.

Hjermind LE, Nielsen JE. [Hereditary Parkinson disease. The Danish Society of Movement Disorders]. *Ugeskr Laeger* 2008;170(12):1016.

Lindquist SG, Braedgaard H, Svenstrup K, Isaacs AM, Nielsen JE. Frontotemporal dementia linked to chromosome 3 (FTD-3)--current concepts and the detection of a previously unknown branch of the Danish FTD-3 family. *Eur J Neurol* 2008;15(7):667-70.

Lindquist SG, Hasholt L, Bahl JM, Heegaard NH, Andersen BB, Norremolle A, et al. A novel presenilin 2 mutation (V393M) in early-onset dementia with profound language impairment. *Eur J Neurol* 2008;15(10):1135-9.

Lindquist SG, Holm IE, Schwartz M, Law I, Stokholm J, Batbayli M, et al. Alzheimer disease-like clinical phenotype in a family with FTDP-17 caused by a MAPT R406W mutation. *Eur J Neurol* 2008;15(4):377-85.

Lindquist SG, Nielsen JE, Stokholm J, Schwartz M, Batbayli M, Ballegaard M, et al. Atypical early-onset Alzheimer's disease caused by the Iranian APP mutation. *J Neurol Sci* 2008;268(1-2):124-30.

Miranda B, Madureira S, Verdelho A, Ferro J, Pantoni L, Salvadori E, et al. Self-perceived memory impairment and cognitive performance in an elderly independent population with age-related white matter changes. *J Neurol Neurosurg Psychiatry* 2008;79(8):869-73.

Olde Rikkert MG, van der V, Burns A, Dekkers W, Robert P, Sartorius N, et al. Consensus statement on genetic research in dementia. *Am J Alzheimers Dis Other Demen* 2008;23(3):262-6.

Ryberg C, Rostrup E, Sjostrand K, Paulson OB, Barkhof F, Scheltens P, et al. White matter changes contribute to corpus callosum atrophy in the elderly: the LADIS study. *AJNR Am J Neuroradiol* 2008;29(8):1498-504.

Simonsen AH, McGuire J, Podust VN, Davies H, Minthon L, Skoog I, et al. Identification of a novel panel of cerebrospinal fluid biomarkers for Alzheimer's disease. *Neurobiol Aging* 2008;29(7):961-8.

Sorensen LV, Waldorff FB, Waldemar G. Early counselling and support for patients with mild Alzheimer's disease and their caregivers: a qualitative study on outcome. *Aging Ment Health* 2008;12(4):444-50.

Sorensen LV, Waldorff FB, Waldemar G. Coping with mild Alzheimer's disease. *Dementia* 2008;7(3):287-99.

Sorensen LV, Waldorff FB, Waldemar G. Social participation in home-living patients with mild Alzheimer's disease. *Arch Gerontol Geriatr* 2008;47(3):291-301.

Vogel A. [Subjective memory complaints in older people. Is it a symptom of dementia?]. *Ugeskr Laeger* 2008;170(20):1728-33.

Waldemar G, Hyvarinen M, Josiassen MK, Korner A, Lehto H, Wetterberg P. Tolerability of switching from donepezil to memantine treatment in patients with moderate to severe Alzheimer's disease. *Int J Geriatr Psychiatry* 2008;23(9):979-81.

Waldorff FB, Rishoj S, Waldemar G. If you don't ask (about memory), they probably won't tell. *J Fam Pract* 2008;57(1):41-4.

Winblad B, Frisoni GB, Frolich L, Johannsen P, Johansson G, Kehoe P, et al. Editorial: EADC (European Alzheimer Disease Consortium) Recommendations for Future Alzheimer Disease Research in Europe. *J Nutr Health Aging* 2008;12(10):683-4.

Neurobiologisk Forskningsenhed

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Dethloff TJ. Identification of factors responsible for impairment of cerebral blood flow autoregulation in acute liver failure (ph.d.-afhandling). København: Eget Forlag; 2008:1-138. Forsvaret den 12/9 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Frokjaer VG. Relating cerebral serotonin 2A receptor and serotonin transporter binding to personality and familial risk for mood disorder (ph.d.-afhandling). København: Eget Forlag; 2008:1-57. Forsvaret den 11/6 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Gerlach C. Visual object recognition and category-specificity (disputats). København: Eget Forlag; 2008:1-83. Forsvaret den 7/11 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Bundzikova J, Pirnik Z, Zelena D, Mikkelsen JD, Kiss A. Response of substances co-expressed in hypothalamic magnocellular neurons to osmotic challenges in normal and Brattleboro rats. *Cell Mol Neurobiol* 2008;28(8):1033-47.

Christensen R, Marcussen AB, Wortwein G, Knudsen GM, Aznar S. Aβ(1-42) injection causes memory impairment, lowered cortical and serum BDNF levels, and decreased hippocampal 5-HT(2A) levels. *Exp Neurol* 2008;210(1):164-71.

Dethloff TJ, Knudsen GM, Larsen FS. Cerebral blood flow autoregulation in experimental liver failure. *J Cereb Blood Flow Metab* 2008;28(5):916-26.

Dyrby TB, Rostrup E, Baare WF, van Straaten EC, Barkhof F, Vrenken H, et al. Segmentation of age-related white matter changes in a clinical multi-center study. *Neuroimage* 2008;41(2):335-45.

Erritzoe D, Rasmussen H, Kristiansen KT, Frokjaer VG, Haugbol S, Pinborg L, et al. Cortical and sub-cortical 5-HT_{2A} receptor binding in neuroleptic-naive first-episode schizophrenic patients. *Neuropsychopharmacology* 2008;33(10):2435-41.

Frokjaer VG, Pinborg LH, Madsen J, de Nijs R, Svarer C, Wagner A, et al. Evaluation of the Serotonin Transporter Ligand 123I-ADAM for SPECT Studies on Humans. *J Nucl Med* 2008;49(2):247-54.

Frokjaer VG, Mortensen EL, Nielsen FA, Haugbol S, Pinborg LH, Adams KH, et al. Frontolimbic serotonin 2A receptor binding in healthy subjects is associated with personality risk factors for affective disorder. *Biol Psychiatry* 2008;63(6):569-76.

Hale MW, Hay-Schmidt A, Mikkelsen JD, Poulsen B, Shekhar A, Lowry CA. Exposure to an open-field arena increases c-Fos expression in a distributed anxiety-related system projecting to the basolateral amygdaloid complex. *Neuroscience* 2008;155(3):659-72.

Hale MW, Hay-Schmidt A, Mikkelsen JD, Poulsen B, Bouwknecht JA, Evans AK, et al. Exposure to an open-field arena increases c-Fos expression in a subpopulation of neurons in the dorsal raphe nucleus, including neurons projecting to the basolateral amygdaloid complex. *Neuroscience* 2008;157(4):733-48.

- Hansen HH, Waroux O, Seutin V, Jentsch TJ, Aznar S, Mikkelsen JD. Kv7 channels: interaction with dopaminergic and serotonergic neurotransmission in the CNS. *J Physiol* 2008;586(7):1823-32.
- Hasselbalch SG, Madsen K, Svarer C, Pinborg LH, Holm S, Paulson OB, et al. Reduced 5-HT_{2A} receptor binding in patients with mild cognitive impairment. *Neurobiol Aging* 2008;29(12):1830-8.
- Herth MM, Debus F, Piel M, Palner M, Knudsen GM, Luddens H, et al. Total synthesis and evaluation of [¹⁸F]MHMZ. *Bioorg Med Chem Lett* 2008;18(4):1515-9.
- Jacobsen JP, Weikop P, Hansen HH, Mikkelsen JD, Redrobe JP, Holst D, et al. SK3 K⁺ channel-deficient mice have enhanced dopamine and serotonin release and altered emotional behaviors. *Genes Brain Behav* 2008;7(8):836-48.
- Kalowska E, Rostrup E, Rosenbaum S, Petersen P, Paulson OB. Acute MRI changes in progressive ischemic stroke. *Eur Neurol* 2008;59(5):229-36.
- Mikkelsen JD, Bundzikova J, Larsen MH, Hansen HH, Kiss A. GABA regulates the rat hypothalamic-pituitary-adrenocortical axis via different GABA-A receptor alpha-subtypes. *Ann N Y Acad Sci* 2008;1148:384-92.
- Pedersen M, Brandt CT, Knudsen GM, Ostergaard C, Skinhoj P, Skovsted IC, et al. The effect of *S. pneumoniae* bacteremia on cerebral blood flow autoregulation in rats. *J Cereb Blood Flow Metab* 2008;28(1):126-34.
- Pinborg LH, Arfan H, Haugbol S, Kyvik KO, Hjelmberg JV, Svarer C, et al. The 5-HT_{2A} receptor binding pattern in the human brain is strongly genetically determined. *Neuroimage* 2008;40(3):1175-80.
- Ptito M, Schneider FC, Paulson OB, Kupers R. Alterations of the visual pathways in congenital blindness. *Exp Brain Res* 2008;187(1):41-9.
- Ryberg C, Rostrup E, Sjostrand K, Paulson OB, Barkhof F, Scheltens P, et al. White matter changes contribute to corpus callosum atrophy in the elderly: the LADIS study. *AJNR Am J Neuroradiol* 2008;29(8):1498-504.
- Sidaros A, Engberg AW, Sidaros K, Liptrot MG, Hering M, Petersen P, et al. Diffusion tensor imaging during recovery from severe traumatic brain injury and relation to clinical outcome: a longitudinal study. *Brain* 2008;131(Pt 2):559-72.
- Soderman A, Thomsen MS, Hansen HH, Nielsen EO, Jensen MS, West MJ, et al. The nicotinic alpha7 acetylcholine receptor agonist SSR180711 is unable to activate limbic neurons in mice overexpressing human amyloid-beta₁₋₄₂. *Brain Res* 2008;1227:240-7.
- Thomsen G, de Nijs R, Høgh-Rasmussen E, Frøkjær V, Svarer C, Knudsen GM. Required time delay from (99m)Tc-HMPAO injection to SPECT data acquisition: healthy subjects and patients with rCBF pattern. *Eur J Nucl Med Mol Imaging* 2008;35(12):2212-9.
- Trajkowska V, Vinberg M, Aznar S, Knudsen GM, Kessing LV. Whole blood BDNF levels in healthy twins discordant for affective disorder: association to life events and neuroticism. *J Affect Disord* 2008;108(1-2):165-9.

Neuromuskulær Klinik

Publikationer

Videnskabelige artikler

Andersen ST, Haller RG, Vissing J. Effect of oral sucrose shortly before exercise on work capacity in McArdle disease. *Arch Neurol* 2008;65(6):786-9.

Andersen ST, Vissing J. Carbohydrate- and protein-rich diets in McArdle disease: Effects on exercise capacity. *J Neurol Neurosurg Psychiatry* 2008;79(12):1359-63.

Duno M, Sveen ML, Schwartz M, Vissing J. cDNA analyses of CAPN3 enhance mutation detection and reveal a low prevalence of LGMD2A patients in Denmark. *Eur J Hum Genet* 2008;16(8):935-40.

Gonzalez-Alonso J, Mortensen SP, Jeppesen TD, Ali L, Barker H, Damsgaard R, et al. Haemodynamic responses to exercise, ATP infusion and thigh compression in humans: insight into the role of muscle mechanisms on cardiovascular function. *J Physiol* 2008;586(9):2405-17.

Hengstman GJ, De Bleecker JL, Feist E, Vissing J, Denton CP, Manoussakis MN, et al. Open-label trial of anti-TNF-alpha in dermato- and polymyositis treated concomitantly with methotrexate. *Eur Neurol* 2008;59(3-4):159-63.

Hjermind LE, Vissing J, Asmus F, Krag T, Lochmuller H, Walter MC, et al. No muscle involvement in myoclonus-dystonia caused by epsilon-sarcoglycan gene mutations. *Eur J Neurol* 2008;15(5):525-9.

Jeppesen TD, Schwartz M, Colding-Jorgensen E, Krag T, Hauerslev S, Vissing J. Phenotype and clinical course in a family with a new de novo Twinkle gene mutation. *Neuromuscul Disord* 2008;18(4):306-9.

Orngreen MC, Schelhaas HJ, Jeppesen TD, Akman HO, Wevers RA, Andersen ST, et al. Is muscle glycogenolysis impaired in X-linked phosphorylase b kinase deficiency? *Neurology* 2008;70(20):1876-82.

Sveen ML, Thune JJ, Kober L, Vissing J. Cardiac involvement in patients with limb-girdle muscular dystrophy type 2 and Becker muscular dystrophy. *Arch Neurol* 2008;65(9):1196-201.

Sveen ML, Jeppesen TD, Hauerslev S, Kober L, Krag TO, Vissing J. Endurance training improves fitness and strength in patients with Becker muscular dystrophy. *Brain* 2008;131(Pt 11):2824-31.

Tværfagligt Smertecenter

Publikationer

Videnskabelige artikler

Ausker N, la Cour P, Busch C, Nabe-Nielsen H, Pedersen LM. [Existential thoughts and religious life of Danish patients]. *Ugeskr Laeger* 2008;170(21):1828-33.

Kurita GP, Pimenta CA, de Oliveira Junior JO, Caponeiro R. [Alteration in attention and cancer pain treatment]. *Rev Esc Enferm USP* 2008;42(1):143-51.

Kurita GP, de Mattos Pimenta CA. Cognitive impairment in cancer pain patients receiving opioids: a pilot study. *Cancer Nurs* 2008;31(1):49-57.

la Cour P. Jagten efter punkt nul, hvorfra verden kan beskrives. Om fod og dårlig psykologisk viden- skab med eksempler fra regionspsykologien. Psyke og logos 2008;(1):191-213.

la Cour P. Rheumatic disease and complementary-alternative treatments: a qualitative study of pa- tient's experiences. J Clin Rheumatol 2008;14(6):332-7.

Lundorff L, Peuckmann V, Sjogren P. Pain management of opioid-treated cancer patients in hospital settings in Denmark. Acta Anaesthesiol Scand 2008;52(1):137-42.

Moehl B, la Cour P. Nogle kritiske vinkler på EMB - logikken. Psykologiteoretisk arbejde. Psyke og lo- gos 2008;1:126-51.

Nielsen JB, Sjogren P. [Clonidine in the treatment of cancer pain]. Ugeskr Laeger 2008;170(45):3650-3.

Nielsen PR, Andreasen J, Asmussen M, Tonnesen H. Costs and quality of life for prehabilitation and early rehabilitation after surgery of the lumbar spine. BMC Health Serv Res 2008;8:209.

Rudin A, Wolner-Hanssen P, Hellbom M, Werner MU. Prediction of post-operative pain after a laparo- scopic tubal ligation procedure. Acta Anaesthesiol Scand 2008;52(7):938-45.

Vaskulær og almen neurologi

Publikationer

Videnskabelige artikler

Christiansen I, Iversen HK, Olesen J, Tfelt-Hansen P. Nitric oxide-induced headache may arise from extracerebral arteries as judged from tolerance to isosorbide-5-mononitrate. J Headache Pain 2008;9(4):215-20.

Ingeman A, Pedersen L, Hundborg HH, Petersen P, Zielke S, Mainz J, et al. Quality of care and mor- tality among patients with stroke: a nationwide follow-up study. Med Care 2008;46(1):63-9.

Kalowska E, Rostrup E, Rosenbaum S, Petersen P, Paulson OB. Acute MRI changes in progressive ischemic stroke. Eur Neurol 2008;59(5):229-36.

Palnum KD, Petersen P, Sorensen HT, Ingeman A, Mainz J, Bartels P, et al. Older patients with acute stroke in Denmark: quality of care and short-term mortality. A nationwide follow-up study. Age Ageing 2008;37(1):90-5.

Sidaros A, Engberg AW, Sidaros K, Liptrot MG, Herning M, Petersen P, et al. Diffusion tensor imaging during recovery from severe traumatic brain injury and relation to clinical outcome: a longitudinal stu- dy. Brain 2008;131(Pt 2):559-72.

Center for Klinisk Uddannelse (CEKU)

Center for Klinisk Uddannelse (CEKU)

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Isbye DL. Cardiac arrest - strategies to improve resuscitation training. (ph.d.-afhandling). København: Eget Forlag;1-72. Forsvaret den 1/4 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Gustafsson A, Ringsted C. [Students as teachers]. Ugeskr Laeger 2008;170(44):3517-9.

Hansen CS, Ringsted CV. [Feedback in relation to training of practical clinical skills]. Ugeskr Laeger 2008;170(44):3531-3.

Henriksen AH, Ringsted C, Pedersen-Reng S. [The value of mandatory seminars in the education of pre-registration house officers]. Ugeskr Laeger 2008;170(19):1655-8.

Isbye DL, Hoiby P, Rasmussen MB, Sommer J, Lippert FK, Ringsted C, et al. Voice advisory manikin versus instructor facilitated training in cardiopulmonary resuscitation. Resuscitation 2008;79(1):73-81.

Jensen ML, Lippert F, Hesselfeldt R, Rasmussen MB, Mogensen SS, Jensen MK, et al. The significance of clinical experience on learning outcome from resuscitation training-A randomised controlled study. Resuscitation 2008;80(2):238-43.

Jensen ML, Hesselfeldt R, Rasmussen MB, Mogensen SS, Frost T, Jensen MK, et al. Newly graduated doctors' competence in managing cardiopulmonary arrests assessed using a standardized Advanced Life Support (ALS) assessment. Resuscitation 2008;77(1):63-8.

Lillevang G, Ringsted C. [Career counselling and choice of speciality]. Ugeskr Laeger 2008;170(44):3547-9.

Ostergaard D, Lippert A, Ringsted C. [Specialty training courses in anesthesiology. The Danish Society of Anesthesiology and Intensive Medicine]. Ugeskr Laeger 2008;170(12):1014.

Pedersen BD, Faarvang KL, Larsen MH, Ringsted C. [Why do we need mandatory communication courses for pre-registration house officers?]. Ugeskr Laeger 2008;170(44):3544-6.

Ringsted CV. [Research in medical education]. Ugeskr Laeger 2008;170(44):3509-11.

Rubak S, Mortensen L, Ringsted C, Mallings B. [A controlled study of the short-term and long-term effects of a "train the trainers" course--secondary publication]. Ugeskr Laeger 2008;170(44):3553-6.

Rubak S, Mortensen L, Ringsted C, Mallings B. A controlled study of the short- and long-term effects of a Train the Trainers course. Med Educ 2008;42(7):693-702.

Skjelsager K, Mallings B, Bested KM, Ostergaard HT, Ravn L, Ostergaard D, et al. [Implementation of a national training assessment programme in anaesthesiology]. Ugeskr Laeger 2008;170(44):3557-61.

Det Nordiske Cochrane Center

Copenhagen Trial Unit (CTU) og Cochrane Hepato-Biliary Group (CHBG)

Publikationer

Disputatser og ph.d.-afhandlinger forsvaret i året

Brok J. Evaluation of and agreement between Cochrane neonatal reviews and clinical practice guidelines for newborns in Denmark (ph.d.-afhandling). København: Eget Forlag; 2008:1-39. Forsvaret den 31/5 2008 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Videnskabelige artikler

Afshari A, Wetterslev J, Brok J, Moller AM. Antithrombin III for critically ill patients. *Cochrane Database Syst Rev* 2008;(3):CD005370.

Bangalore S, Wetterslev J, Pranesh S, Sawhney S, Gluud C, Messerli FH. Perioperative beta blockers in patients having non-cardiac surgery: a meta-analysis. *Lancet* 2008;372(9654):1962-76.

Bender R, Bunce C, Clarke M, Gates S, Lange S, Pace NL, et al. Attention should be given to multiplicity issues in systematic reviews. *J Clin Epidemiol* 2008;61(9):857-65.

Bjelakovic G, Nikolova D, Simonetti RG, Gluud C. Systematic review: primary and secondary prevention of gastrointestinal cancers with antioxidant supplements. *Aliment Pharmacol Ther* 2008;28(6):689-703.

Bjelakovic G, Nikolova D, Gluud LL, Simonetti RG, Gluud C. Antioxidant supplements for prevention of mortality in healthy participants and patients with various diseases. *Cochrane Database Syst Rev* 2008;(2):CD007176.

Bjelakovic G, Nikolova D, Simonetti RG, Gluud C. Antioxidant supplements for preventing gastrointestinal cancers. *Cochrane Database Syst Rev* 2008;(3):CD004183.

Brok J, Thorlund K, Gluud C, Wetterslev J. Trial sequential analysis reveals insufficient information size and potentially false positive results in many meta-analyses. *J Clin Epidemiol* 2008;61(8):763-9.

Brok J, Greisen G, Madsen LP, Tilma K, Faerk J, Borch K, et al. Agreement between Cochrane Neonatal reviews and clinical practice guidelines for newborns in Denmark: a cross-sectional study. *Arch Dis Child Fetal Neonatal Ed* 2008;93(3):F225-F229.

Gandhi GY, Murad MH, Flynn DN, Erwin PJ, Cavalcante AB, Bay NH, et al. Effect of perioperative insulin infusion on surgical morbidity and mortality: systematic review and meta-analysis of randomized trials. *Mayo Clin Proc* 2008;83(4):418-30.

Gluud C, Nikolova D. Evidence-based clinical practice and The Cochrane Hepato-Biliary Group. *Acta Facultatis Medicinae Naissensis of The Faculty of Medicine, Nis* 2008;25(3):145-9.

Gluud C, Is-Nielsen B, Damgaard M, Fischer HJ, Hansen S, Helo OH, et al. Clarithromycin for 2 weeks for stable coronary heart disease: 6-year follow-up of the CLARICOR randomized trial and updated meta-analysis of antibiotics for coronary heart disease. *Cardiology* 2008;111(4):280-7.

Gluud C, Dejgaard A, Krams M, Wallenbeck I, Tougas G, Wetterslev J. International symposium on adaptive clinical trial designs. *Drug Inf J* 2008;93-7.

Gluud LL, Klingenberg SL, Langholz SE. Systematic review: tranexamic acid for upper gastrointestinal bleeding. *Aliment Pharmacol Ther* 2008;27(9):752-8.

Gong Y, Huang ZB, Christensen E, Gluud C. Ursodeoxycholic acid for primary biliary cirrhosis. *Cochrane Database Syst Rev* 2008;(3):CD000551.

Hjorthoj C, Fohlmann A, Larsen AM, Madsen MT, Vesterager L, Gluud C, et al. Design paper: The CapOpus trial: A randomized, parallel-group, observer-blinded clinical trial of specialized addiction treatment versus treatment as usual for young patients with cannabis abuse and psychosis. *Trials* 2008;9:42.

Krarpup LH, Truelsen T, Gluud C, Andersen G, Zeng X, Korv J, et al. Prestroke physical activity is associated with severity and long-term outcome from first-ever stroke. *Neurology* 2008;71(17):1313-8.

Krarpup LH, Gluud C, Truelsen T, Pedersen A, Lindahl M, Hansen L, et al. The ExStroke Pilot Trial: rationale, design, and baseline data of a randomized multicenter trial comparing physical training versus usual care after an ischemic stroke. *Contemp Clin Trials* 2008;29(3):410-7.

Lundsgaard C, Dufour N, Fallentin E, Winkel P, Gluud C. Intra-articular sodium hyaluronate 2 mL versus physiological saline 20 mL versus physiological saline 2 mL for painful knee osteoarthritis: a randomized clinical trial. *Scand J Rheumatol* 2008;37(2):142-50.

Magnussen K, Quere S, Winkel P. Use of statistical process control in the production of blood components. *Transfus Med* 2008;18(3):190-6.

Mathew JL, El Dib R, Mathew PJ, Boxall EH, Brok J. Hepatitis B immunisation in persons not previously exposed to hepatitis B or with unknown exposure status. *Cochrane Database Syst Rev* 2008;(3):CD006481.

Meyhoff CS, Wetterslev J, Jorgensen LN, Henneberg SW, Simonsen I, Pulawska T, et al. Perioperative oxygen fraction - effect on surgical site infection and pulmonary complications after abdominal surgery: a randomized clinical trial. Rationale and design of the PROXI-Trial. *Trials* 2008;9(1):58.

Moller CH, Gustafsson F, Gluud C, Steinbruchel DA. Interleukin-2 receptor antagonists as induction therapy after heart transplantation: systematic review with meta-analysis of randomized trials. *J Heart Lung Transplant* 2008;27(8):835-42.

Moller CH, Penninga L, Wetterslev J, Steinbruchel DA, Gluud C. Clinical outcomes in randomized trials of off- vs. on-pump coronary artery bypass surgery: systematic review with meta-analyses and trial sequential analyses. *Eur Heart J* 2008;29(21):2601-16.

Petri N, Svanholt P, Solow B, Wildschiodtz G, Winkel P. Mandibular advancement appliance for obstructive sleep apnoea: results of a randomised placebo controlled trial using parallel group design. *J Sleep Res* 2008;17(2):221-9.

Rambaldi A, Saconato HH, Christensen E, Thorlund K, Wetterslev J, Gluud C. Systematic review: glucocorticosteroids for alcoholic hepatitis--a Cochrane Hepato-Biliary Group systematic review with meta-analyses and trial sequential analyses of randomized clinical trials. *Aliment Pharmacol Ther* 2008;27(12):1167-78.

Wetterslev J, Thorlund K, Brok J, Gluud C. Trial sequential analysis may establish when firm evidence is reached in cumulative meta-analysis. *J Clin Epidemiol* 2008;61(1):64-75.

Whitlock RP, Chan S, Devereaux PJ, Sun J, Rubens FD, Thorlund K, et al. Clinical benefit of steroid use in patients undergoing cardiopulmonary bypass: a meta-analysis of randomized trials. *Eur Heart J* 2008;29(21):2592-600.

Wood L, Egger M, Gluud LL, Schulz KF, Juni P, Altman DG, et al. Empirical evidence of bias in treatment effect estimates in controlled trials with different interventions and outcomes: meta-epidemiological study. *BMJ* 2008;336(7644):601-5.

Zwisler AD, Soja AM, Rasmussen S, Frederiksen M, Abedini S, Appel J, et al. Hospital-based comprehensive cardiac rehabilitation versus usual care among patients with congestive heart failure, ischemic heart disease, or high risk of ischemic heart disease: 12-month results of a randomized clinical trial. *Am Heart J* 2008;155(6):1106-13.

Det Nordiske Cochrane Center

Publikationer

Videnskabelige artikler

Brodersen J, Hartling O, Nielsen M, Gotzsche PC. Det informerede samtykke ved screening for brystkræft. *Månedsskr Prakt Lægegern* 2008;86:551-7.

Brorson S, Hrobjartsson A. Training improves agreement among doctors using the Neer system for proximal humeral fractures in a systematic review. *J Clin Epidemiol* 2008;61(1):7-16.

Chan AW, Hrobjartsson A, Jorgensen KJ, Gotzsche PC, Altman DG. Discrepancies in sample size calculations and data analyses reported in randomised trials: comparison of publications with protocols. *BMJ* 2008;337:1404-7.

Gotzsche PC. [Freedom of expression and editorial independence: Four firings and a Kafkaian process]. *Ugeskr Laeger* 2008;170(18):1537-8.

Gotzsche PC, Johansen HK. House dust mite control measures for asthma: systematic review. *Allergy* 2008;63(6):646-59.

Gotzsche PC, Johansen HK. House dust mite control measures for asthma. *Cochrane Database Syst Rev* 2008;(2):CD001187.

Gotzsche PC, Hrobjartsson A. Somatostatin analogues for acute bleeding oesophageal varices. *Cochrane Database Syst Rev* 2008;(3):CD000193.

Gotzsche PC. Commercial interests versus common goods. In: Lötjönen S, von Troil H, eds. *Bioethics, Politics and Business*. Copenhagen: Nordic Council of Ministers, TemaNord; 2008:119-26.

Hrobjartsson A. Research on complementary-alternative medicine: the importance and frailty of impartiality. In: Ernst E, ed. *Healing, Hype or Harm? A Critical Analysis of Complementary or Alternative Medicine*. Exeter: Imprint Academic; 2008:78-88.

Hrobjartsson A. Clinical placebo interventions are unethical, unnecessary, and unprofessional. *J Clin Ethics* 2008;19(1):66-9.

Johansen HK, Gotzsche PC. Vaccines for preventing infection with *Pseudomonas aeruginosa* in cystic fibrosis. *Cochrane Database Syst Rev* 2008;(4):CD001399.

Jorgensen AW, Maric KL, Tendal B, Faurschou A, Gotzsche PC. Industry-supported meta-analyses compared with meta-analyses with non-profit or no support: differences in methodological quality and conclusions. *BMC Med Res Methodol* 2008;8:60.

Lundh A, Gotzsche PC. Recommendations by Cochrane Review Groups for assessment of the risk of bias in studies. *BMC Med Res Methodol* 2008;8:22.

von Elm E, Altman DG, Egger M, Pocock SJ, Gotzsche PC, Vandembroucke JP. [The Strengthening the Reporting of Observational Studies in Epidemiology [STROBE] statement: guidelines for reporting observational studies]. *Gac Sanit* 2008;22(2):144-50.

von Elm E, Altman DG, Egger M, Pocock SJ, Gotsche PC, Vandenbroucke JP. [The Strengthening the Reporting of Observational Studies in Epidemiology (STROBE) statement: guidelines for reporting of observational studies]. *Internist (Berl)* 2008;49(6):688-93.

von Elm E, Altman DG, Egger M, Pocock SJ, Gotsche PC, Vandenbroucke JP. [The Strengthening the Reporting of Observational Studies in Epidemiology (STROBE) statement: guidelines for reporting observational studies]. *Rev Esp Salud Publica* 2008;82(3):251-9.

von Elm E, Altman DG, Egger M, Pocock SJ, Gotsche PC, Vandenbroucke JP. The Strengthening the Reporting of Observational Studies in Epidemiology (STROBE) statement: guidelines for reporting observational studies. *J Clin Epidemiol* 2008;61(4):344-9.

Zahl PH, Jorgensen KJ, Maehlen J, Gotsche PC. Biases in estimates of over-detection due to mammography screening. *Lancet Oncol* 2008;9(3):199-201.

Universitetshospitalernes Center for Sygepleje- og omsorgsforskning (UCSF)

Universitetshospitalernes Center for Sygepleje- og omsorgsforskning (UCSF)

Publikationer

Videnskabelige artikler

Egerod I. Is taking a sedation vacation all it's cracked up to be? *Crit Care Med* 2008;36(7):2205-6.

Egerod I. The impact of the impact factor on publication in critical care nursing. *Nurs Crit Care* 2008;13(4):184.

Midtgaard J, Quist M. Proof of Life: a theoretical and empirical outline of a community and exercise based rehabilitation initiative developed by and for young adult cancer survivors. *Austral-Asian Journal of Cancer* 2008;6(4):219-27.

Quist M, Midtgaard J. Cancer. In: Beyer N, Lund H, Klinge K, eds. *Træning i forebyggelse, behandling og rehabilitering*. 1st ed. København: Munksgaard Danmark; 2008:221-5.

Rud K, Jakobsen DH, Egerod I, Kehlet H. [Surgical care guidelines]. *Ugeskr Læger* 2008;170(18):1559-63.

Schou L, Egerod I. A qualitative study into the lived experience of post-CABG patients during mechanical ventilator weaning. *Intensive Crit Care Nurs* 2008;24(3):171-9.

Zoffmann V, Harder I, Kirkevold M. A person-centered communication and reflection model: sharing decision-making in chronic care. *Qual Health Res* 2008;18(5):670-85.

Øvrige afdelinger

Øvrige afdelinger

Publikationer

Videnskabelige artikler

Ausker N, la Cour P, Busch C, Nabe-Nielsen H, Pedersen LM. [Existential thoughts and religious life of Danish patients]. *Ugeskr Laeger* 2008;170(21):1828-33.

Busch CJ, Hirsch A. Eksistensiell og åndelig omsorg. In: Kaasa S, ed. *Palliasjon*. Nordisk lærebok. Oslo: Gyldendal Akademisk; 2008:115-41.

Busch CJ. Liv og Død, den store Gaade. In: Jacobsen MH, Haakonsen M, eds. *Memento Mori - døden i Danmark i tværfagligt lys*. Odense: Syddansk Universitetsforlag; 2008:190-207.

Gredal C, Rosenfalck AM, Dejgaard A, Hilsted J. Targeting postprandial hyperglycaemia in patients with recently diagnosed type 2 diabetes with a fixed, weight-based dose of insulin Aspart. *Scand J Clin Lab Invest* 2008;68(8):739-44.

Gredal C, Rosenfalck A, Dejgaard A, Hilsted J. Optimal dose and timing of insulin Aspart to mimic first phase insulin response in patients with recently onset type 2 diabetes. *Diabetes Res Clin Pract* 2008;80(2):293-8.

Hirsch A, Busch CJ. Ritualer ved dødsfall. In: Kaasa S, ed. *Palliasjon*. Nordisk lærebok. Oslo: Gyldendal Akademisk; 2008:143-51.

Lykke JA, Tarnow L, Parving HH, Hilsted J. A combined abnormality in heart rate variation and QT corrected interval is a strong predictor of cardiovascular death in type 1 diabetes. *Scand J Clin Lab Invest* 2008;68(7):654-9.

Rasmussen MH, Wildschiodtz G, Juul A, Hilsted J. Polysomnographic sleep, growth hormone insulin-like growth factor-I axis, leptin, and weight loss. *Obesity (Silver Spring)* 2008;16(7):1516-21.